APPENDIX A-2

Wetland Delineation

DELINEATION OF POTENTIAL JURISDICTIONAL U.S. AND WATERS OF THE STATE OF CALIFORNIA

ZANKER MATERIAL PROCESSING FACILITY STORMWATER BASINS PROJECT

SAN JOSE, SANTA CLARA COUNTY, CALIFORNIA









Prepared for:

Zanker Recycling 675 Los Esteros Road San Jose, CA 95134

Attn: Paul Lineberry paul@zankerrecycling.com

Prepared by:

WRA, Inc. 2169-G East Francisco Boulevard San Rafael, CA 94901

Attn: Élan Alford alford@wra-ca.com

WRA #16042-6 SEPTEMBER 2020



TABLE OF CONTENTS

1.0 INTRODUCTION	4
2.0 REGULATORY BACKGROUND	4
2.1 Section 404 of the Clean Water Act	4
2.1.1 Wetlands	5
2.1.2 Non-Wetland Waters	5
2.2 Section 10 of the Rivers and Harbors Act	6
2.3 Waters of the State	6
3.0 Project AREA DESCRIPTION	7
3.1 Vegetation	7
3.2 Soils	8
3.3 Hydrology	9
4.0 METHODS	10
4.1 Wetlands	10
4.1.1 Routine Method	10
4.1.2 Difficult Wetland Situations	10
4.1.3 WETS Analysis	11
4.2 Non-Wetland Waters	11
4.2.1 High Tide Line	11
4.2.2 Ordinary High Water Mark	12
5.0 RESULTS	12
5.1 Section 404 of the Clean Water Act	13
5.1.1 Wetlands	13
5.1.2 Non-Wetland Waters	14
5.2 Section 10 of the Rivers and Harbors Act	14
6.0 CONCLUSION	14
7.0 REFERENCES	15

LIST OF TABLES

Table 1. Summary of WETS Precipitation Analysis11

Table 2. Summary of Wetland and Non-wetland Waters Mapped within the Proje	ect Area1
LIST OF APPENDICES	
Appendix A – Figures	
Figure 1. Project Area Regional Location Map Figure 2. Project Area Soils Map Figure 3. Aquatic Resources Map	
Appendix B – Potential Waters of the United States	
Appendix C – Wetland Determination Data Forms	
Appendix D – Project Area Photographs	
Appendix E – Plant Species Observed within the Project Area	
Appendix F – WETS Data Table	
LIST OF PREPARERS	
Justin Semion – Principal-in-Charge	
Matt Osowski – Project Director	
Élan Alford – Associate Biologist	
Scott Batiuk – Botanist	
Rei Scampavia – Biologist	

Jemma Williams – Biologist

Eliza Schlein - Biologist

Neal Jander –GIS Analyst

LIST OF ACRONYMS

BCDC SF Bay Conservation and Development Commission

CFR Code of Federal Regulations
CNPS California Native Plant Society
Corps U.S. Army Corps of Engineers
CSRL California Soils Resources Lab

CWA Clean Water Act

DWR Department of Water Resources
EPA U.S. Environmental Protection Agency

FAC Facultative Plant

FACU Facultative Upland Plant FACW Facultative Wetland Plant

HTL High Tide Line MHW Mean High Water

NAVD88 North American Vertical Datum of 1988

NOAA National Oceanic and Atmospheric Administration

USGS U.S. Geological Survey WMU Waste Management Unit

WRA, Inc.

1.0 INTRODUCTION

This report presents the results of a delineation of potential waters of the U.S. as defined by the Clean Water Act (CWA) and waters of the State as defined by the State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State (State Wetland Policy, SWRCB, 2019). The Project Area for this delineation is the Zanker Materials Processing Facility (ZMPF; Project Area) located in San Jose, Santa Clara County, California (Appendix A, Figure 1). The Project Area encompasses 15 acres (APNs 015-30-071, 015-30-105, and 015-30-106) owned by Zanker Road Resource Management, Ltd (ZRRML).

On November 20 and 21, 2019 and July 24, 2020, WRA, Inc. (WRA) conducted a delineation within the Project Area to identify wetlands and non-wetland waters potentially subject to jurisdiction by the U.S. Army Corps of Engineers (Corps) under Section 404 of the Clean Water Act (CWA) and/or Section 10 of the Rivers and Harbors Act (RHA). In addition, this report identifies wetlands and other features potentially subject to jurisdiction of the California State Water Resources Control Board (SWRCB) and Regional Water Quality Control Board (RWQCB) as defined in the *State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State* (State Wetland Policy, SWRCB, 2019). The following sections describe the regulatory background and methods used to guide the delineation and provide a summary of wetlands and non-wetland waters within the Study Area. This delineation is considered "potential" subject to the approval of the Corps of Engineers and, where appropriate, RWQCB¹.

This report depicts wetland and non-wetland waters features which are jurisdictional under the Clean Water Act (CWA) and State Wetland Policy. Differences between these jurisdictions are represented were appropriate on tables and maps associated with this report. Some features may be included that qualify for exemptions under either or both jurisdictional scopes. For all potentially exempt features, regardless of whether or not they are identified as such in this report, the applicant(s) reserve the right to request that the Corps, RWQCB, and/or SWRCB make a determination that such features are not waters of the U.S. or waters of the State subject to State Wetland Policy regulation.

2.0 REGULATORY BACKGROUND

2.1 Section 404 of the Clean Water Act

Section 404 of the Clean Water Act gives the Environmental Protection Agency (EPA) and the Corps regulatory and permitting authority regarding discharge of dredged or fill material into "navigable waters of the United States." Section 502(7) of the CWA defines "navigable waters" as "waters of the United States, including territorial seas." The Navigable Waters Protection Rule: Definition of "Waters of the United States" published April 21, 2020, and effective June 22, 2020 (Federal Register Vol. 85, No. 77), provides the final rule defining the scope of waters federally regulated under the Clean Water Act. Section 328 of Chapter 33 in the Code of Federal Regulations (CFR) defines the term "waters of the United States" as it applies to the jurisdictional limits of the authority of the Corps under the CWA. The definition of "waters of the United States" in 33 CFR 328.3 is:

¹ Per the State Wetland Policy, the SWRCB or local RWQCB is required to verify any wetlands present that are not included on delineation maps verified by the Corps (Lines 77-81 of the State Wetland Policy).

- (1) The territorial seas and traditional navigable waters;
- (2) Perennial and intermittent tributaries that contribute surface water flow to such waters;
- (3) Certain lakes, ponds, and impoundments of jurisdictional waters;
- (4) Wetlands adjacent to other jurisdictional waters.

The Navigable Waters Protection Rule clarifies that the following are not considered waters of the U.S.:

- (a) Groundwater, including groundwater drained through subsurface drainage systems;
- (b) Ephemeral features that flow only in direct response to precipitation, including ephemeral streams, swales, gullies, rills, and pools;
- (c) Diffuse stormwater runoff and directional sheet flow over upland;
- (d) Ditches that are not traditional navigable waters, tributaries, or that are not constructed in adjacent wetlands, subject to certain limitations.
- (e) Prior converted cropland;
- (f) Artificially irrigated areas that would revert to upland if artificial irrigation ceases;
- (g) Artificial lakes and ponds that are not jurisdictional impoundments and that are constructed or excavated in upland or non-jurisdictional waters;
- (h) Water-filled depressions constructed or excavated in upland or in non-jurisdictional waters incidental to mining or construction activity, and pits excavated in upland or in non-jurisdictional waters for the purpose obtaining fil, sand, or gravel;
- (i) Stormwater control features constructed or excavated in upland or in non-jurisdictional waters to convey, treat, infiltrate, or store stormwater run-off;
- (j) Groundwater recharge, water reuse, and wastewater recycling structures constructed or excavated in upland or in non-jurisdictional waters;
- (k) Waste treatment systems.

2.1.1 Wetlands

Wetlands are defined in 33 CFR 328.3 (b) as:

...those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

The basis for determining whether a given area is a wetland for the purposes of Section 404 of the CWA is outlined in the Corps *Wetlands Delineation Manual* (Environmental Laboratory 1987) and the *Regional Supplement to the Corps of Engineers Delineation Manual* for the respective region (Arid West or Western Mountains and Valleys for California). As defined in 33 CFR 328.4 (c), the extent of federal jurisdiction within wetlands is defined as extending to the limit of the wetland as determined using the methods outlined in the manuals.

2.1.2 Non-Wetland Waters

The limit of federal jurisdiction in tidal non-wetland waters extends to the HTL which is defined in 33 CFR 328.3 (d) as:

...the line of intersection of the land with the water's surface at the maximum height reached by a rising tide. The high tide line may be determined, in the absence of actual data, by a line of oil or scum along shore objects, a more or less continuous deposit of fine

shell or debris on the foreshore or berm, other physical markings or characteristics, vegetation lines, tidal gages, or other suitable means that delineate the general height reached by a rising tide. The line encompasses spring high tides and other high tides that occur with periodic frequency but does not include storm surges in which there is a departure from the normal or predicted reach of the tide due to the piling up of water against a coast by strong winds such as those accompanying a hurricane or other intense storm.

The limit of federal jurisdiction in non-tidal non-wetland waters extends to the OHWM which is defined in 33 CFR 328.3 (e) as:

...that line on the shore established by the fluctuations of water and indicated by physical characteristics such as clear, natural line impresses on the bank, shelving, changes in the characteristics of the soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

2.2 Section 10 of the Rivers and Harbors Act

The Corps of Engineers also has jurisdiction over "navigable waters" under Section 10 of the Rivers and Harbors Act of 1899. Section 10 of this Act applies to tidal areas below mean high water (MHW) and includes tidal areas currently subject to tidal influence, as well as historic tidal areas behind levees that both historically and presently reside at or below MHW. "Navigable waters of the U.S.", as defined in 33 CFR Part 329, are those waters that are subject to the ebb and flow of the tide and/or are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.

The act prohibits any unauthorized action that obstructs navigable capacity. These actions can include building of structures; excavation, fill; and alterations and modifications to navigable waters (33 USC 403). A determination of navigability, once made, applies laterally over the entire surface of the waterbody, and is not extinguished by later actions or events which impede or destroy navigable capacity. The upper limit of navigable water is at the point along its length where the character of the river changes from navigable to non-navigable, such as at a major fall or rapids. Since the upper limit of navigability of waterways under Section 10 jurisdiction is sometimes difficult to discern, determinations of navigability under Section 10 are often made by the Corps and kept on file, independent of submitted permit applications or delineations.

2.3 Waters of the State

The Porter-Cologne Water Quality Control Act gives the State Water Resources Control Board authority to regulate discharge of dredged or fill material that may affect the quality of "waters of the state". "Waters of the State" are defined broadly as:

any surface water or groundwater, including saline waters, within the boundaries of the state.

In April 2019 the SWRCB adopted the State Wetland Policy, which provides a State wetland definition, procedures and requirements for regulation of the discharge of dredge or fill material to wetlands and non-wetland waters of the State. The State Wetland Policy also includes exemptions from regulation of dredge and fill discharges for certain types of wetland and waters features, as well as for certain classes of activities, such as activities covered by an existing

RWQCB or SWRCB Order. The state wetland definition that became effective May 28, 2020 is similar to, but slightly different from that used by the Corps of Engineers:

An area is wetland if, under normal circumstances, (1) the area has continuous or recurrent saturation of the upper substrate caused by groundwater, or shallow surface water, or both; (2) the duration of such saturation is sufficient to cause anaerobic conditions in the upper substrate; and (3) the area's vegetation is dominated by hydrophytes or the area lacks vegetation.

The State Wetland Definition and Procedures utilize existing Corps delineation procedures (Environmental Laboratory 1987, Corps 2008a, 2010). According to the State Wetland Policy, the SWRCB and RWQCBs generally rely on the Corps for verification of wetland and waters as part of an aquatic resource report. Any potential wetland area not identified in a report verified by the Corps is required to be delineated using Corps methods for consideration as a state wetland and verification by SWRCB or RWQCB staff. This report includes wetlands and non-wetland waters meeting both the Corps and State wetland definitions. Some features mapped as non-wetland waters under the Corps wetland definition may be considered wetlands under the State definition.

This report identifies wetlands and non-wetland waters according to the Corps definitions and criteria, consistent with the State Wetland Policy's reliance of these criteria. This report also recognizes that some non-wetland waters features may meet the wetland definition of the State Wetland Policy. Regardless of how they are defined, wetlands and non-wetland waters deemed jurisdictional may be regulated by the RWQCB and/or SWRCB under the State Wetland Policy.

3.0 PROJECT AREA DESCRIPTION

The approximately 15-acre Project Area is located in San Jose, Santa Clara County, California (Figure 1). The Project Area can be reached from the Zanker Road exit off of Highway 237. The Project Area consists of historically diked baylands that have had limited to no tidal connectivity since at least 1948 (Google Earth, NETR 2019). The Project Area is bounded by the Don Edwards San Francisco Bay National Wildlife Refuge to the north, the San Jose/Santa Clara Water Pollution Control Plant to the east, and the town of Alviso to the southwest. Surrounding land uses include undeveloped natural areas and industrial areas., Habitat conditions within the Project Area are generally of low-lying muted tidal wetlands and tidal open water, above which lies a relatively flat plain punctuated by upland berms (Figure 2).

3.1 Vegetation

The Project Area consists of ruderal herbaceous grassland, transitional uplands, and wetland communities. The ruderal herbaceous lands were previously developed or managed lands that have been allowed to revert to a semi-natural condition. This community is found along the roadsides and borders of the Project Area as well as on the tops of berms. These areas are dominated by black mustard (*Brassica nigra*, NL), short-podded mustard (*Hirschfeldia incana*, NL), wild radish (*Raphanus sativus*, NL), ripgut brome (*Bromus diandrus*, NL), Italian thistle (*Carduus pycnocephalus*, NL), stinkwort (*Dittrichia graveolens*, NL), or smilo grass (*Stipa miliacea*, NL). Transitional upland communities are found to the west of border of the Project Area. These lands are dominated by Italian ryegrass (*Festuca perennis*; FAC) interspersed with

pickleweed (*Salicornia pacifica*; OBL) and alkali heath (*Frankenia salina*; FACW). Ripgut brome and soft chess (*Bromus hordeaceus*; FACU) are also present at lower relative cover. Wetland areas are found in the northeastern section of the Project Area. A mixture of native wetland plants such as California bulrush (*Schoenoplectus acutus*, OBL), cattail (*Typha* sp.; OBL), and salt grass (*Distichis spicata*; FAC) and non-native grasses as Italian ryegrass, Mediterranean barley (*Hordeum marinum*; FAC), and annual beardgrass (*Polypogon monspeliensis*; FACW) can be found throughout the wetland areas.

3.2 Soils

The Soil Survey of Santa Clara County (USDA 2015) and SoilWeb (CSRL 2020) list four soil mapping units within the Project Area: Embarcadero, Novato, Urbanland-Embarcadero, and Xerothents. Descriptions of each soil mapping unit are provided below. The distribution of these soil mapping units within the Project Area is depicted in Figure 3.

Embarcadero Series: The Embarcadero series consists of very deep, naturally poorly drained soils, now artificially drained that formed in alluvium from mixed rock sources. Embarcadero soils are in basins near the edge of marshes. Slopes range from 0 to 2 percent. Embarcadero soils are poorly drained in their natural condition and frequently flooded. Most areas have been drained by historic agricultural ground water over drafting. Subsidence has occurred in the Santa Clara Valley from the groundwater over drafting, and has lowered these soils several feet requiring the use of levees to keep out bay waters. These soils are used for wildlife habitat, recreation and urban uses. Embarcadero silty clay loam, drained, 0 to 2 percent slopes, is considered a hydric soil (NRCS 2020).

A representative pedon of this series contains an A-horizon of strongly alkaline (pH 9.0), very dark gray (10YR 3/1) broken face when moist, clay loam from 0 to 7 inches depth. Six Bkn-horizons underlie the A-horizon do a depth of 65 inches (Bkn1, 7 to 16 inches depth; Bkn2, 16 to 25 inches depth; Bkn3, 26 to 37 inches depth; Bkn4, 37 to 47 inches depth; Bkn5, 47 to 61 inches depth; and Bkn6, 61 to 65 inches depth). The Bkn1-horizon consists of very strongly alkaline (pH 9.9), very dark grayish brown (2.5Y 3/2) broken face when moist, clay. The Bkn2-horizon consists of very strongly alkaline (pH 10.0), 10 percent dark greenish gray (5GY 3/1) broken face and 90 percent olive brown (2.5Y 4/3) broken face when moist, silty clay. The Bkn3-horizon consists of very strongly alkaline (pH 9.7), light olive brown (2.5Y 5/3) broken face when moist, silty clay. The Bkn4-horizon consists of very strongly alkaline (pH 9.6), light olive brown (2.5Y 5/3) silty clay. The Bkn-5 horizon consists of very strongly alkaline (pH 9.4), light olive brown (2.5Y 5/3) broken face when moist, clay loam. The Bkn6-layer consists of very strongly alkaline (pH9.3), 70 percent light olive brown (2.5Y 5/3) broken face and 30 percent olive gray (5Y 5/3) broken face when moist, silty clay. The BkCg-horizon extends from a depth of 65 inches to a depth of 98 inches and consists of very strongly alkaline (pH 9.2), 50 percent light olive brown (2.5Y 5/4) broken face and 40 percent gray (N 5/) broken face when moist, silty clay. This horizon contains iron depletions and 10 percent carbonate masses.

Novato Series: The Novato series consists of deep, very poorly drained soils that formed in alluvium deposited along the margin of bays. Novato soils are in tidal marshes and have slopes of 0 to 2 percent. Sediments of this soil series are deposited as bay mud. These soils are very poorly drained with very slow runoff and slow permeability. The water table fluctuates with the tides from 2 feet above the surface during very high tides to a depth of 2 feet during low tides. These soils are used for wildlife habitat. The principal native plants are pickleweed (*Salicornia* spp.), saltgrass (*Distichlis spicata*), and cordgrass

(*Spartina* spp.). Novato clay, 0 to 1 percent slopes, tidally flooded, is considered a hydric soil (NRCS 2020).

A representative pedon of this series contains an A11g-horizon from 0 to 2 inches depth of moderately alkaline (pH 8.0), very dark gray (2.5Y 3/2) with common medium distinct dark brown (7.5YR 4/4) mottles when moist, clay. Beneath this horizon lies an A12g-horizon, which extends to a depth of 6 inches and consists of moderately alkaline (pH 8.0), dark olive gray (5Y 4/1) with common medium distinct dark reddish brown (5YR 3/4) mottles when moist, clay. From a depth of 6 to 15 inches, an A13g-horizon contains moderately alkaline (pH 8.0), dark gray (5Y 4/1) with common medium distinct reddish brown (5YR 4/4) mottles when moist, clay. Beneath the A-horizons, three Cg-horizons, consisting of moderately alkaline (pH 8.0) clay, occur between the depths of 15 and 60 inches (C1g, 15 to 27 inches depth; C2g, 27 to 40 inches depth; and C3g, 40 to 60 inches depth). The C1g-horizon is dark gray (5Y 4/1) when moist. The C2g-horizon is is dark gray (5Y 4/1) with common medium distinct pale yellow (2.5Y 8/4) jarosite mottles when moist. The C3g-horizon is very dark gray (N 3/) when moist.

Urbanland-Embarcadero Complex: The Urbanland-Embarcadero complex consists of a mix of the Embarcadero series, described above, and urban fill. Urban fill can consist of gravel, sand, clay, and other non-native soils. Soils in this complex are very poorly drained. Urbanland-Embarcadero complex, 0 to 2 percent slopes, is considered a hydric soil (NRCS 2020).

Xerorthents: This soil map unit occurs mostly in urban areas and consists of human-transported material that has been moved mechanically and mixed. The fill consists of varying amounts of soil material, gravel, and other solid material. Soils are poorly developed and well drained with high runoff. Within the Project Area, the top two inches of soil are very acidic (pH 5.0), but soils at greater depths are more or less uniformly moderately alkaline (pH 8.0). Within the Project Area, Xerorthents are underlain by a trash substratum. Xerorthents, trash substratum 15 to 30 percent slopes, is not considered a hydric soil (NRCS 2020).

3.3 Hydrology

The primary hydrological source for non-tidal portions of the Project Area is precipitation and surface runoff from adjacent lands. The primary hydrological source for the tidal portions of the Project Area consists of tidal action from the San Francisco Bay. Tidal action reaches the Project Area from the northwest through a culvert running under Grand Boulevard. The U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI; USFWS 2019) indicates that there are channels that directly connect to the adjacent area via culverts under the railroad tracks bordering the southwestern edge of the Project Area. However, this direct connection was not observed during the November 20 and 21 site visits. Instead, based on aerial imagery (Google Earth 2019) and field observations, it appears that a berm paralleling the southwestern boundary of the Project Area would cause any potential hydrologic surface connection to occur where the berm terminates in the western corner of the Project Area. The Project Area is within the San Francisco Bay HUC-8 watershed (NRCS 2020).

4.0 METHODS

WRA biologists performed a delineation of aquatic resources within the Project Area on November 20 and 21, 2019 and July 24, 2020. Prior to conducting the evaluation, WRA reviewed a range of background materials including the *Soil Survey of Santa Clara County* (USDA 2015), SoilWeb (CSRL 2020), NWI (USFWS 2020), the California Aquatic Resource Inventory SFEI 2017) and the U.S. Geological Survey (USGS) Milpitas 7.5-minute quadrangle map (USGS 2018). WRA also reviewed historic aerial imagery (Google Earth 2019, NETR 2019).

During the on-site evaluation, WRA followed the methods outlined in *U.S. Army Corps of Engineers Wetlands Delineation Manual* (Corps Manual; Environmental Laboratory 1987), the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region* (Arid West Supplement; Corps 2008) and *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States* ("OHWM Guide"; Lichvar and McColley 2008). Potentially jurisdictional wetlands were identified and their boundaries mapped using the Routine Method described in the Corps Manual. The jurisdictional limits of non-wetland waters under Section 404 of the CWA were mapped based on a combination of field indicators described in the OHWM Guide and the use of tidal elevation data from nearby tide stations.

4.1 Wetlands

4.1.1 Routine Method

WRA followed the Routine Method to evaluate the Project Area for the presence or absence of indicators of the three wetland parameters described in the Corps Manual (Environmental Laboratory 1987) and Arid West Supplement (Corps 2008). Data on vegetation, hydrology, and soils were collected at sample points within potential wetland communities and adjacent upland areas. Sample points that contained positive indicators for hydrophytic vegetation, hydric soils, and wetland hydrology were considered to be wetland. Except in cases of atypical or problematic wetland situations (i.e., difficult wetland situations, as described below), sample points that lacked one or more indicators were considered to be upland. Sample point data were reported on Arid West Supplement data forms. Sample point locations were recorded using a handheld GPS unit with sub-meter accuracy.

Wetland boundaries were identified using a combination of indicators observed on the ground, most often corresponding changes in topography and dominant vegetation, in addition to other indicators. WRA also consulted historical aerial imagery from Google Earth to determine conditions on-site during different seasons.

4.1.2 Difficult Wetland Situations

The Arid West Supplement (Corps 2008a) includes recommended procedures for completing wetland delineations in areas of "difficult wetland situations" in which wetlands may lack one or more indicators due to natural or anthropogenic factors; these are discussed as atypical or problematic wetland conditions in the Corps Manual (Environmental Laboratory 1987). Although the Corps Manual and Arid West Supplement (Corps 2008a) were utilized in the wetland determination, they do not provide exhaustive lists of the difficult situations and problem areas that can arise during delineations in the Arid West. In these situations, the Corps Manual and Regional Supplements stress the importance of using best professional judgment and knowledge of the ecology of the wetlands in the region during the collection and interpretation of data in difficult sites.

The northern portion of the Project Area contains fill soil that was placed historically (NETR 2019). The composition of this whitish substrate is unknown, but it prevents or greatly limits the establishment of vegetation, resulting in a large, bare area. In this bare area, areas that met indicators of hydric soil and wetland hydrology were treated as wetland; areas that lacked hydric soil and/or wetland hydrology indicators were treated as upland.

4.1.3 WETS Analysis

A hydrologic analysis (i.e., WETS analysis; USDA 1997; Sprecher and Warne 2000) was conducted to determine whether precipitation levels during the three months prior to each site visit were above, below, or within the 30-year average for the region. Long-term precipitation data (i.e., the WETS table) were obtained from the weather station in nearby San Jose, located approximately 4.6 miles south of the Project Area, part of the National Weather Service Cooperative Network. Monthly precipitation data for the three months preceding the date of each site visit by WRA, were obtained from the San Jose weather station located approximately 4.6 miles south of the Project Area. A summary of the results of the WETS analysis is provided below in Table 1; the full analyses are provided as Appendix F.

Table 1. Summary of WETS Precipitation Analysis						
Date	Description	Relative Precipitation Levels				
November 20-21, 2019	Delineation Site Visit	Normal				
July 2020	Delineation Site Visit	Drier than Normal				

4.2 Non-Wetland Waters

This project also evaluated the presence of non-wetland waters potentially subject to Corps jurisdiction under Section 404 of the CWA. Non-wetland waters subject to Corps jurisdiction include lakes, rivers, and streams (including intermittent and ephemeral streams) in addition to all areas below the HTL in areas subject to tidal influence or to all areas below the OHWM in non-tidal areas.

4.2.1 High Tide Line

The HTL within the Project Area was determined based on the highest predicted tide for 2019 at the National Oceanic and Atmospheric Administration (NOAA) Coyote Creek, Tributary #1 tide station (Station ID: 9414561) and adjusted to the North American Vertical Datum of 1988 (NAVD88). Based on this analysis, the elevation of the HTL in the Project Area was determined

to be approximately 9.65 feet NAVD88. However, since tidal influence into the site is muted by passage through channels in the Don Edwards National Wildlife Refuge and the culvert under Grand Boulevard, the actual HTL elevation in the Project Area is lower than that of the nearest tidal station and for these reasons, no HTL was mapped. The limit of tidal influence was instead determined based on field observations.

4.2.2 Ordinary High Water Mark

In areas not subject to tidal activity, the OHWM Guide was followed to determine whether any non-tidal areas were within Corps jurisdiction under Section 404 of the CWA.

5.0 RESULTS

The Project Area is composed of a matrix of transitional upland areas, wetlands, and non-wetland waters. The transitional upland areas border the Waste Management Unit part of the Zanker Facility) outside of the Project Area. In the Project Area the jurisdictional areas are downslope along the edge in historically diked baylands and along Los Esteros Road. The site receives hydrologic inputs mainly through tidal action as well as precipitation and surface runoff. Grand Boulevard comprises the northwestern boundary and also serves as a hydrologic barrier affecting tidal input to the site. All tidal influence on the Project Area is directed through a culvert that passes under Grand Boulevard. Limited flow allowed through the culvert has contributed to the formation of open water/mudflats directly adjacent to the culvert and extending to the western edge of the Project Area. The transitional upland areas are dominated by non-native annual grasses while the seasonal and tidal wetlands have more native vegetation cover.

Water from the Project Area drains to the San Francisco Bay, a traditional navigable water of the United States. In addition, aquatic resources may be connected to interstate commerce through the shipping activities that occur within San Francisco Bay.

Descriptions of all aquatic resources identified within the Project Area are provided in the following sections. All of these features are potentially subject to federal jurisdiction under Section 404 of the CWA and to State Water Board jurisdiction as waters of the state. No potential aquatic features were identified that lacked vegetation and therefore might be classified as wetlands under the state wetland definition. A summary of acreages is provided in Table 2. A map showing the location and extent of potential jurisdictional waters mapped within the Project Area is provided as Appendix B. Wetland Determination Data Forms are provided as Appendix C. Photographs of the Project Area are provided as Appendix D. A list of all plant species observed during the delineation site visits is included as Appendix E.

Table 2. Summary of Wetland and Non-wetland Waters Mapped within the Project Area						
Feature Type	Classification ¹ Acres		Linear Feet	Potential Waters of the U.S.		
		710.00		Section 404		
Wetlands						
Seasonal Wetland	PEM2	1.26	-	1.26		

Muted Tidal Wetlands E2USNh		2.43	-	2.43
	Total:	3.69	-	3.69
Non-Wetland Waters				
Tidal Open Waters/Mudflat	E2USh	1.35	-	1.35
	Total:	1.35	-	1.35

¹See Federal Geographic Data Committee 2013

Descriptions of the aquatic resources identified within the Project Area that are potentially subject to federal jurisdiction under Section 404 of the CWA are provided in the following sections.

5.1 Section 404 of the Clean Water Act

5.1.1 Wetlands

Muted Tidal Wetlands

Within the Project Area, vegetated areas that have muted tidal connectivity, supplied by a culvert below Grand Boulevard, can be classified as muted tidal wetland. This vegetation type is dominated by pickleweed in the herb stratum, which frequently occur in dense monotypic stands. Pickleweed density decreases with distance from tidal open water/mudflat, and cover of nonnative grasses, such as Italian ryegrass, Mediterranean barley, and annual beardgrass increases. Sample point SP02 and SP17 identifies muted tidal wetlands in a feature in the southern portion of the Project Area. Sample point SP01 is a paired upland pit with SP02 and SP18 is paired upland pit with SP17.

Soils were generally clays with a matrix color of very dark gray (10 YR 3/1), matching the Embarcadero silty clay loam description, and had redoximorphic features consisting of dark reddish brown (5 YR 3/4) to brown (7.5 YR 5/4) concentrations at 5 to 10 percent along pore linings. Soils met the Redox Dark Surface (F6) indicator. Indicators of wetland hydrology consisted of primary indicators including Inundation Visible on Aerial Imagery (B7) and Biotic Crust (B12).

Muted tidal wetlands were classified as E2USNh: Estuarine (E), Intertidal (2), Unconsolidated Shore (US), Regularly Flooded (N), and Diked/Impounded (h).

Seasonal Wetlands

Seasonal wetland within the Project Area occurs in low-lying areas where the primary source of hydrology is a result of direct precipitation and surface runoff rather than tidal influence. Seasonal wetlands are disconnected from tidal activity either by man-made berms or slight changes in elevation. In the latter case, the boundary between muted tidal and seasonal wetlands was determined based on increasing distance from tidal open water combined with a transition from pickleweed-dominated to annual-grass-dominated vegetation, slight changes in elevation, and physical barriers such as berms. Sample points SP03 (paired with upland SP04), SP08 (paired with upland SP06 and SP07), SP10 (paired with upland SP09), SP13 (paired with upland SP14), and SP15 (paired with upland SP16) were taken in seasonal wetlands. The upland paired sample points are, SP14 and SP15, and SP17.

Seasonal wetland is present in two different areas within the Project Area. Just southwest of the Project Area's southeastern border, water appears to pond against man-made berms in a slight

depression and along a short, discrete ditch. In these areas, the vegetation is comprised of scattered pickleweed with non-native grasses, including Italian ryegrass, Mediterranean barley, and annual beard grass, with scattered patches of goldfields (*Lasthenia* sp.). Along the northern border of the Project Area, just south of Grand Boulevard, muted tidal wetland also transitions to seasonal wetland with distance from tidal influence and slight elevation differences. Vegetation is similarly dominated by pickleweed and non-native grasses.

Soils were clay with a matrix color of very dark gray (10 YR 3/1), matching the Embarcadero silty clay loam profile description, with redoximorphic features consisting of brown (7.5 YR 4/4) and dark reddish brown (5 YR 3/4) concentrations along pore linings and in the matrix at 5 to 20 percent. Soils met the Redox Dark Surface (F6) indicator. Indicators of wetland hydrology included Surface Soil Cracks (B6), Water-Stained Leaves, and Biotic Crust (B12).

Seasonal wetlands were classified as PEM2: Palustrine (P), Emergent (EM), non-persistent (2).

5.1.2 Non-Wetland Waters

Tidal Open Water/Mudflat

Tidal open water/mudflats occur in the western portion of the Project Area, in low-lying areas of the relatively flat plain that were inundated and/or saturated at the time of the November 2019 site visits. Tidal open water/mudflat receives tidal connection from a culvert under Grand Boulevard. These features are unvegetated, consisting of either open water or barren mudflats.

Tidal open water/mudflat was classified as E2USh: Estuarine (E), Intertidal (2), Unconsolidated Shoreline (US), Diked/Impounded (h).

5.2 Section 10 of the Rivers and Harbors Act

WRA determined that none of the Project Area is under Section 10 jurisdiction due to the limited tidal influence into the area. All tidal flow is regulated through the culvert under Grand Boulevard and does not reach the natural HTL for the area. Because the Project Area is separated from the rest of the navigable waterway by the culvert, it was determined to be non-navigable and was not included in the limits of Section 10 jurisdiction shown in Appendix B.


6.0 CONCLUSION

The results of this delineation of aquatic resources was based on conditions observed during the time of the assessment and information gathered from previous aquatic resource delineations conducted on-site by WRA. The delineation uses the federal methodology to determine the potential boundaries of wetlands and non-wetland features and is consistent with the approach used by the Regional Water Quality Control Board to determine wetlands subject to the new State definition of wetlands.

7.0 REFERENCES

Corps 2008a U.S. Army Corps of Engineers (Corps). 2008a. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0). September. Corps 2008b U.S. Army Corps of Engineers (Corps). 2008b. Clean Water Act Jurisdiction Following the U.S. Supreme Court's Decision in Rapanos v. United States & Carabell v. United States. December 2 Corps 2010 U.S. Army Corps of Engineers (Corps). 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Cost Region (Version 2.0). May. **CSRL 2020** California Soil Resource Lab. 2020. SoilWeb: An online soil resource browser. Online at: http://casoilresource.lawr.ucdavis.edu/gmap: most recently accessed: April 2020. **Environmental Laboratory** Environmental Laboratory. 1987. Corps of Engineers Wetlands 1987 Delineation Manual. Department of the Army, Waterways Experiment Station, Vicksburg, Mississippi 39180-0631. **FGDC 2013** Federal Geographic Data Committee. 2013. Classification of Wetlands and Deepwater Habitats of the United States. FGDC-STD-004-2013. Second Edition. Wetlands Subcommittee, Federal Geographic Data Committee and U.S. Fish and Wildlife Service, Washington, DC. Google Earth. 2019. Aerial Imagery 1993-2019. Most recently accessed: Google Earth 2019 November 2019. **NETR 2019** Nationwide Environmental Title Research. 2019. Historic Aerials. Available online at: http://www.historicaerials.com/; most recently accessed: November 2019. Natural Resources Conservation Service. 2020. Watershed Boundary NRCS 2020 Dataset. Available online at: https://www.nrcs.usda.gov/wps/portal/nrcs/main/national/water/watershe ds/dataset/; most recently accessed: April 2020. Sprecher and Warne 2000 Sprecher, S.W. and A.G. Warne. 2000. Accessing and using meteorological data to evaluate wetland hydrology. Technical Report ERDC/EL TR-WRAP-00-1. U.S. Army Corps of Engineers, Vicksburg, **SWRCB 2019** State Water Resources Control Board, 2019, State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State, April 2 **USDA 1997** U.S. Department of Agriculture. 1997. Chapter 19. Hydrology tools for wetland determination. Engineering Field Handbook. **USDA 2015** U.S. Department of Agriculture. 2015. Published Soil Surveys for California. Available online at: https://www.nrcs.usda.gov/wps/portal/nrcs/surveylist/soils/survey/state/? stateId=CA; most recently accessed: November 2019. **USFWS 2020** U.S. Fish and Wildlife Service. 2019. National Wetlands Inventory. Online at: http://www.fws.gov/nwi; most recently accessed: May 2020. **USGS 2018** U.S. Geological Survey. 2018. Milpitas Quadrangle, California. 7.5minute topographic map.

APPENDIX A WETS ANALYSES



WETS historic data from climate station: San Jose Intl Airport

2019 observed rainfall data from climate station:

Date of site visit: 11/20-21/2019

1st month prior 2nd month prior 3rd month prior

							SUM=	17
October	0.29	0.77	0.84	0.01	normal	2	1	2
September	0	0.18	0.13	0.13	wet	3	2	6
August	0	0.04	0	0	wet	3	3	9
Month	3 yrs in 10 less than	Average	3 yrs in 10 more than	Observed rainfall (inches)	Condition (dry, wet, normal)	Condition Value	Weighting factor	product of previous two columns
	Rainfa	ıll Data from V	VETS					

Note: If sum is: Condition Values: Dry=1

6-9 prior period has been drier than normal Normal=2
10-14 prior period has been normal Wet=3

15-18 prior period has been wetter than normal

APPENDIX B POTENTIAL WATERS OF THE UNITED STATES






Figure 1. Potential Wetlands and Waters of the U.S. and State

Delineation of Potential Jurisdictional
Waters of the U.S. and
Waters of the State of California
Zanker Material Processing
Facility Stormwater Basins
San Jose, Santa Clara County, California

Project Area (15.00 ac.)

▲ Culvert


O Sample Points

wetlands

Seasonal Wetland (1.26 ac.)


Tidal Open Water/Mudflat (1.35 ac.)

Muted Tidal Wetland (2.43 ac.)





APPENDIX C WETLAND DETERMINATION DATA FORMS



Wetland Determination Data Form - Arid West Region

Project/Site Zanker Material Processing Facility/16042-6				a Sampling Date <u>11/20/2019</u>				
Applicant/Owner Paul Lineberry/Zanker Material Processing Facility			Sta	te <u>CA</u> Sampling Point <u>SP01</u>				
Investigator(s) S. J. Batiuk, R. Scampavia Section, Township, Range								
Landform (hillslope, terrace, etc.) diked baylands	Local	Relief (conca	ve, convex, non	e) <u>convex</u> Slope(%) <u>10</u>				
Subregion(LRR) LRR C (Medit. CA)	Lat:		Long:	Datum:				
Soil Map Unit Name				NWI classification				
Are climatic/hydrologic conditions on-site typical for	Are climatic/hydrologic conditions on-site typical for this time of year? 🛛 Yes 🔲 No (If no, explain in remarks)							
Are any of the following significantly disturbed?								
Are any of the following naturally problematic?	☐ Vegetation ☐	☐ Soil ☐ Hy	drology (If needed, explain any answers in remarks)				
SUMMARY OF FINDINGS - Attach site map	showing samp	ole point loc	ations, trans	ects, important features, etc.				
Hydrophytic Vegetation Present? Hydric Soil Present? Yes Wetland Hydrology Present? Yes Remarks: The sample point was taken on an upla	No No	with	e Sampled A in a Wetland					
boundary was determined based off of to Italian ryegrass (Festuca perennis, F	a break in slope a	nd a distinct s		weed (Salicornia pacifica, OBL)-dominated vegetation				
VEGETATION (use scientific names)	Absolute	Dominant	Indicator	Daminanas Tast Washahast				
TREE STRATUM Plot Size: N/A	_ % cover	Species?	Status	Dominance Test Worksheet Number of Dominant Species 1 (A)				
1. none				that are OBL, FACW, or FAC?				
2. 3.				Total number of dominant 1 (B) species across all strata?				
4.				% of dominant species that 100 (A/B)				
Tree Stratum Total Cover:	0			are OBL, FACW, or FAC?				
SAPLING/SHRUB STRATUM Plot Size:				Prevalence Index Worksheet Total % cover of: Multiply by:				
1. <u>none</u> 2.				OBL species x1				
3.				FACW species x2				
4				FAC species x3 FACU species x4				
Sapling/Shrub Stratum Total Cover:	0			UPL species x5				
HERB STRATUM Plot Size: 5' radius		V	FAC	Column Totals (A) (B)				
Festuca perennis Avena barbata	85 	Y N	FAC NL	Prevalence Index = B/A =				
3. Bromus diandrus	3	N	NL	Hydrophytic Vegetation Indicators				
4. Frankenia salina	2	N	NL	☑ Dominance Test is >50%				
5				☐ Prevalence Index is = 3.0<sup 1				
6				☐ Morphological adaptations (provide				
8.				supporting data in remarks) Problematic hydrophytic vegetation ¹ (explain)				
Herb Stratum Total Cover:								
WOODY VINE STRATUM Plot Size:				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.				
1. <u>none</u> 2.	0							
Woody Vines Total Cover:	0			Hydrophytic Myss DNs				
% Bare ground in herb stratum 0		otic crust 0		Vegetation Present ? ⊠ Yes ☐ No				
Remarks: The feature was dominated by non-nat may vary during growing season.	ive upland grasses	s. At the time	of sampling, gra	asses were mostly senexced; actual species cover				

SOIL Sampling Point SP01 Profile description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Color (moist) Loc1 Texture Color (moist) (inches) 10 YR 3/1 100 no redoximorphic concentrations 0-18 clay ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: ☐ Histosol (A1) ☐ Sandy Redox (S5) ☐ 1cm Muck (A9) (LRR C) ☐ Histic Epipedon (A2) ☐ Stripped Matrix (S6) 2cm Muck (A10)(LRR B) ☐ Black Histic (A3) ☐ Loamy Mucky Mineral (F1) ☐ Reduced Vertic (F18) ☐ Loamy Gleyed Matrix (F2) ☐ Hydrogen Sulfide (A4) ☐ Red Parent Material (TF2) Depleted Matrix (F3) ☐ Stratified Layers (A5)(LRR C) ☐ Other (explain in remarks) ☐ 1cm Muck (A9)(LRR D) ☐ Redox Dark Surface (F6) ☐ Depleted Below Dark Surface (A11) ☐ Depleted Dark Surface (F7) ☐ Thick Dark Surface (A12) ☐ Redox Depressions (F8) ☐ Sandy Mucky Mineral (S1) ☐ Vernal Pools (F9) ³Indicators of hydric vegetation and ☐ Sandy Gleyed Matrix (S4) wetland hydrology must be present. Restrictive Layer (if present): Type: none Depth (inches): N/A ☐ Yes 🖾 No **Hydric Soil Present?** Remarks: No hydric soil indicators were observed in the soil profile. **HYDROLOGY** Wetland Hydrology Indicators: Secondary Indicators (2 or more required) Primary Indicators (any one indicator is sufficient) ☐ Water Marks (B1)(Riverine) ☐ Surface Water (A1) ☐ Salt Crust (B11) ☐ Sediment Deposits (B2)(Riverine) ☐ High Water Table (A2) ☐ Biotic Crust (B12) Drift Deposits (B3)(Riverine) ☐ Saturation (A3) ☐ Aquatic Invertebrates (B13) Drainage Patterns (B10) ☐ Water Marks (B1)(Nonriverine) ☐ Hydrogen Sulfide Odor (C1) ☐ Dry-Season Water Table (C2) ☐ Sediment Deposits (B2)(Nonriverine) ☐ Oxidized Rhizospheres along Living Roots (C3) ☐ Thin Muck Surface (C7) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3)(Nonriverine) ☐ Cravfish Burrows (C8) ☐ Surface Soil Cracks (B6) ☐ Recent Iron Reduction in PLowed Soils (C6) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Other (Explain in Remarks) ☐ Shallow Aquitard (D3) ☐ Water-Stained Leaves (B9) ☐ FAC-Neutral Test (D5) Field Observations: Surface water present? ∏ Yes ⊠ No Depth (inches): N/A ☐ Yes 🛛 No Water table present? Depth (inches): N/A Saturation Present? ☐ Yes 🛛 No Depth (inches): N/A ☐ Yes ☒ No Wetland Hydrology Present? (includes capillary fringe) Describe recorded data (stream guage, monitoring well, aerial photos, etc.) if available. Remarks: No wetland hydrology indicators were observed within this upland feature.

Wetland Determination Data Form - Arid West Region

		Cour	nty <u>Santa Cla</u> i	ia	Sampling Date <u>11/20/2019</u>
Applicant/Owner Paul Lineberry/Zanker Mate	rial Processing Fa	acility	Sta	ate <u>CA</u> Sar	npling Point SP02
nvestigator(s) <u>S. J. Batiuk, R. Scampavia</u>		Secti	on,Township,F	Range	
andform (hillslope, terrace, etc.)diked bayland	Loca	al Relief (concav	e, convex, nor	ne) <u>concave</u>	Slope(%) <u>0-2</u>
Subregion(LRR) LRR C (Medit. CA)	Lat:		Long:		Datum:
Soil Map Unit Name <u>C</u>				NWI classification	
Are climatic/hydrologic conditions on-site typical fo				o, explain in remarks)	
Are any of the following significantly disturbed?	☐ Vegetation		`		es" present? X Yes No
Are any of the following naturally problematic?	☐ Vegetation	•	0,	(If needed, explain any	
SUMMARY OF FINDINGS - Attach site ma	_	•			
Hydrophytic Vegetation Present?	_			-	100,000
Hydric Soil Present? ✓ Yes			e Sampled A n a Wetland		□No
Wetland Hydrology Present? ☐ Yes ☐] No				
tidal wetland and adjacent seasonal w VEGETATION (use scientific names)	etiand (sampled a	at SP03). This v	vetland sample	e point is paired with up	land sample point SP01.
TREE STRATUM Plot Size: N/A	Absolute	Dominant	Indicator	Dominance Test V	Vorksheet
		Species?	Status	Number of Dominan	
1. <u>none</u> 2				that are OBL, FACW Total number of don	ainant
3.				species across all st	1 (B)
4				% of dominant spec are OBL, FACW, or	
Tree Stratum Total Cover				Prevalence Index	
SAPLING/SHRUB STRATUM Plot Size: 1. none				Total % cover of	
1. <u>none</u> 2.				OBL species	x1
3.					x2
4					x3 x4
Sapling/Shrub Stratum Total Cover	:0			UPL species	x4
HERB STRATUM Plot Size: 5' radius				· —	(A) (B
1. Salicornia pacifica 2.					B/A =
2. 3.				Hydrophytic Vege	
4.				Dominance Tes	
5.				☐ Prevalence Ind	
6					adaptations (provide
7 8				supporting data	in remarks)
8 Herb Stratum Total Covers				Problematic hy	drophytic vegetation ¹ (explain)
WOODY VINE STRATUM Plot Size:					soil and wetland hydrology
1. none				must be present, un	less disturbed or problematic.
•					
Woody Vines Total Cover				Hydrophytic Vegetation Preser	nt? ⊠ Yes □ No
% Bare ground in herb stratum 25	% cover of b	piotic crust 30			

SOIL Sampling Point SP02 Profile description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Color (moist) Loc1 Remarks Texture Color (moist) (inches) 10YR 3/1 100 no redoximorphic features 0-6 clay clay 6-12 10YR 3/1 85 5YR 3/4 10 С M, PL prominent redoximorphic features С 7.5YR 5/4 M, PL prominent redoximorphic features ²Location: PL=Pore Lining, RC=Root Channel, M=Matrix ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix. Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils³: ☐ Histosol (A1) ☐ Sandy Redox (S5) ☐ 1cm Muck (A9) (LRR C) ☐ Histic Epipedon (A2) ☐ Stripped Matrix (S6) 2cm Muck (A10)(LRR B) ☐ Black Histic (A3) ☐ Loamy Mucky Mineral (F1) ☐ Reduced Vertic (F18) ☐ Loamy Gleyed Matrix (F2) ☐ Hydrogen Sulfide (A4) ☐ Red Parent Material (TF2) Depleted Matrix (F3) ☐ Stratified Layers (A5)(LRR C) ☐ Other (explain in remarks) ☐ 1cm Muck (A9)(LRR D) Redox Dark Surface (F6) ☐ Depleted Below Dark Surface (A11) ☐ Depleted Dark Surface (F7) ☐ Thick Dark Surface (A12) ☐ Redox Depressions (F8) ☐ Sandy Mucky Mineral (S1) ☐ Vernal Pools (F9) ³Indicators of hydric vegetation and ☐ Sandy Gleyed Matrix (S4) wetland hydrology must be present. Restrictive Layer (if present): Type: none Depth (inches): N/A ☑ Yes □ No **Hydric Soil Present?** Remarks: From six to 12 inches' depth, prominent redoximorphic features were present within a dark matrix (F6, redox dark surface). **HYDROLOGY** Wetland Hydrology Indicators: Secondary Indicators (2 or more required) Primary Indicators (any one indicator is sufficient) ☐ Water Marks (B1)(Riverine) ☐ Surface Water (A1) ☐ Salt Crust (B11) ☐ Sediment Deposits (B2)(Riverine) ☐ High Water Table (A2) ☑ Biotic Crust (B12) Drift Deposits (B3)(Riverine) ☐ Saturation (A3) ☐ Aquatic Invertebrates (B13) Drainage Patterns (B10) ☐ Water Marks (B1)(Nonriverine) ☐ Hydrogen Sulfide Odor (C1) ☐ Dry-Season Water Table (C2) ☐ Sediment Deposits (B2)(Nonriverine) ☐ Oxidized Rhizospheres along Living Roots (C3) ☐ Thin Muck Surface (C7) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3)(Nonriverine) ☐ Cravfish Burrows (C8) ☐ Surface Soil Cracks (B6) ☐ Recent Iron Reduction in PLowed Soils (C6) ☐ Saturation Visible on Aerial Imagery (C9) ☑ Inundation Visible on Aerial Imagery (B7) ☐ Other (Explain in Remarks) ☐ Shallow Aquitard (D3) ☐ Water-Stained Leaves (B9) ☐ FAC-Neutral Test (D5) Field Observations: Surface water present? ∏ Yes ⊠ No Depth (inches): N/A ☐ Yes 🛛 No Water table present? Depth (inches): N/A Saturation Present? ☐ Yes 🛛 No Depth (inches): N/A ☑ Yes □ No Wetland Hydrology Present? (includes capillary fringe) Describe recorded data (stream guage, monitoring well, aerial photos, etc.) if available. Remarks: Inundation on aerial imagery (B7) and the presence of a live biotic crust (B12) indicated the presence of wetland hydrology. Soils were moist, but not saturated, at the time of sampling.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):	Range:						
Landform (hillslope, terrace, etc.): _		L	_ocal relief (concave	e, convex, none):	_	Slope (%):	
Subregion (LRR):		Lat:		Long:		Datum:	
Soil Map Unit Name:				NWI c	classification:		
Are climatic / hydrologic conditions	on the site typical fo	r this time of yea	r? Yes No	(If no, expla	ain in Remarks.)		
Are Vegetation, Soil	, or Hydrology	significantly d	isturbed? Are	e "Normal Circumsta	nces" present? Yes	No	
Are Vegetation, Soil	, or Hydrology	naturally prob	elematic? (If	needed, explain any	answers in Remarks	5 .)	
SUMMARY OF FINDINGS -	Attach site m	ap showing	sampling point	locations, trans	sects, importan	t features, etc.	
Hydrophytic Vegetation Present?	Yes		Is the Sample	nd Arna			
Hydric Soil Present?		No	within a Wetl		s No		
Wetland Hydrology Present?	Yes	_ No					
Remarks:							
VEGETATION – Use scient	ific names of p		Deminant Indicate	Dominous Tee	4 ulca la a 4.		
Tree Stratum (Plot size:)		Dominant Indicator Species? Status				
1.				Nullibel of Dollii	•	(A)	
2				Total Number of	Dominant		
3						(B)	
4				Percent of Domi			
Sapling/Shrub Stratum (Plot size	:)	<u></u> '	= Total Cover	That Are OBL, F	ACW, or FAC:	(A/B)	
1							
2				Total % Cov	ver of: Mu	ıltiply by:	
3					x 1 = _		
4				-	x 2 = _		
5				-	x 3 = x 4 =		
Herb Stratum (Plot size:)		= Total Cover	-	x 5 = _		
1					(A)		
2				_			
3				_	e Index = B/A =		
4				_	egetation Indicators	:	
5				Dominance Prevalence			
6				_	cal Adaptations ¹ (Pro	vide supporting	
7. 8.				data in R	temarks or on a sepa	rate sheet)	
o			= Total Cover	Problematic	Hydrophytic Vegetat	ion¹ (Explain)	
Woody Vine Stratum (Plot size: _)			1			
1					dric soil and wetland ss disturbed or proble		
2				= 			
			= Total Cover	Hydrophytic Vegetation			
% Bare Ground in Herb Stratum _	% C	Cover of Biotic Cru	ust	Present?	Yes N	o	
Remarks:							

SOIL Sampling Point: _____

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)
Depth	Matrix		Redox F	eatures		
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks
	·	_				
		_				
·						
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)
1 cm Muck (A				urface (F6)		
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)		
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.
Restrictive Layer	(if present):					
Type:						
Depth (inches):	:					Hydric Soil Present? Yes No
Remarks:						I.
HYDROLOGY						
Wetland Hydrolo	gy Indicators:					
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)
-				11)		
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)
Surface Soil C				Reduction in Til	led Soils (C6	
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)
Field Observation	ns:					
Surface Water Pre	esent? Yes	No De	epth (inche	es):		
Water Table Prese	ent? Yes	No De	epth (inche	es):		
Saturation Presen		No De				and Hydrology Present? Yes No
(includes capillary	fringe)					
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:
Remarks:						

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):	Range:						
Landform (hillslope, terrace, etc.): _		L	_ocal relief (concave	e, convex, none):	_	Slope (%):	
Subregion (LRR):		Lat:		Long:		Datum:	
Soil Map Unit Name:				NWI c	classification:		
Are climatic / hydrologic conditions	on the site typical fo	r this time of yea	r? Yes No	(If no, expla	ain in Remarks.)		
Are Vegetation, Soil	, or Hydrology	significantly d	isturbed? Are	e "Normal Circumsta	nces" present? Yes	No	
Are Vegetation, Soil	, or Hydrology	naturally prob	elematic? (If	needed, explain any	answers in Remarks	5 .)	
SUMMARY OF FINDINGS -	Attach site m	ap showing	sampling point	locations, trans	sects, importan	t features, etc.	
Hydrophytic Vegetation Present?	Yes		Is the Sample	nd Arna			
Hydric Soil Present?		No	within a Wetl		s No		
Wetland Hydrology Present?	Yes	_ No					
Remarks:							
VEGETATION – Use scient	ific names of p		Deminant Indicate	Dominous Tee	4 ulca la a 4.		
Tree Stratum (Plot size:)		Dominant Indicator Species? Status				
1.				Nullibel of Dollii	•	(A)	
2				Total Number of	Dominant		
3						(B)	
4				Percent of Domi			
Sapling/Shrub Stratum (Plot size	:)	<u></u> '	= Total Cover	That Are OBL, F	ACW, or FAC:	(A/B)	
1							
2				Total % Cov	ver of: Mu	ıltiply by:	
3					x 1 = _		
4				-	x 2 = _		
5				-	x 3 = x 4 =		
Herb Stratum (Plot size:)		= Total Cover	-	x 5 = _		
1					(A)		
2				_			
3				_	e Index = B/A =		
4				_	egetation Indicators	:	
5				Dominance Prevalence			
6				_	cal Adaptations ¹ (Pro	vide supporting	
7. 8.				data in R	temarks or on a sepa	rate sheet)	
o			= Total Cover	Problematic	Hydrophytic Vegetat	ion¹ (Explain)	
Woody Vine Stratum (Plot size: _)			1			
1					dric soil and wetland ss disturbed or proble		
2				= 			
			= Total Cover	Hydrophytic Vegetation			
% Bare Ground in Herb Stratum _	% C	Cover of Biotic Cru	ust	Present?	Yes N	o	
Remarks:							

SOIL Sampling Point: _____

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)
Depth	Matrix		Redox F	eatures		
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks
	·	_				
		_				
·						
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)
1 cm Muck (A				urface (F6)		
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)		
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.
Restrictive Layer	(if present):					
Type:						
Depth (inches):	:					Hydric Soil Present? Yes No
Remarks:						I.
HYDROLOGY						
Wetland Hydrolo	gy Indicators:					
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)
-				11)		
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)
Surface Soil C				Reduction in Til	led Soils (C6	
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)
Field Observation	ns:					
Surface Water Pre	esent? Yes	No De	epth (inche	es):		
Water Table Prese	ent? Yes	No De	epth (inche	es):		
Saturation Presen		No De				and Hydrology Present? Yes No
(includes capillary	fringe)					
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:
Remarks:						

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:			State: Sampling Point:				
Investigator(s):		S	ection, Township, Ra	ange:			
Landform (hillslope, terrace, etc.): _	L	ocal relief (concave,	convex, none):		Slope (%):		
Subregion (LRR):		Lat:		Long:	[Datum:	
Soil Map Unit Name:				NWI cl	IWI classification:		
Are climatic / hydrologic conditions	on the site typical fo	r this time of year	? Yes No _	(If no, expla	in in Remarks.)		
Are Vegetation, Soil	, or Hydrology	significantly di	sturbed? Are	"Normal Circumstances" present? Yes No			
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If n	eeded, explain any	answers in Remarks	i.)	
SUMMARY OF FINDINGS -	Attach site m	ap showing s	sampling point	locations, trans	sects, importan	t features, etc.	
Hydrophytic Vegetation Present?	Yes	_ No	Is the Sample	d Aroa			
Hydric Soil Present?		No	within a Wetla		s No		
Wetland Hydrology Present? Remarks:	Yes	No					
VEGETATION – Use scient	ific names of p	lants.					
Torra Otrataura (Diatoria	`		Dominant Indicator	Dominance Tes	t worksheet:		
Tree Stratum (Plot size:			Species? Status	Number of Domin	•	(4)	
1. 2.						(A)	
3.				Total Number of Species Across A		(B)	
4				Percent of Domir			
Openition (Olemets Otenstones (Distration		=	= Total Cover		ACW, or FAC:	(A/B)	
Sapling/Shrub Stratum (Plot size 1.			Prevalence Index worksheet:				
2.					er of: Mu	ultiply by:	
3.				·	x 1 =		
4				FACW species	x 2 =		
5					x 3 =		
Herb Stratum (Plot size:	`		= Total Cover	-	x 4 = _		
1)				x 5 = _		
2.				Column Totals:	(A)	(B)	
3.				Prevalence	Index = B/A =		
4			Hydrophytic Vegetation Indicators:				
5				Dominance			
6				Prevalence I	ndex is ≤3.0° al Adaptations¹ (Pro	uida augnartina	
7					emarks or on a sepa		
8			= Total Cover	Problematic	Hydrophytic Vegetat	tion ¹ (Explain)	
Woody Vine Stratum (Plot size:)		- Total Cover				
1					dric soil and wetland as disturbed or proble		
2					a disturbed of proble		
		=	= Total Cover	Hydrophytic Vegetation			
% Bare Ground in Herb Stratum _	% C	over of Biotic Cru	ıst	Present?	Yes No	0	
Remarks:							

SOIL Sampling Point: _____

Profile Description: (Describe to the depth r	needed to document the indicator or	confirm the absence of indicators.)						
Depth <u>Matrix</u>	Redox Features							
(inches) Color (moist) %	Color (moist) % Type ¹ I	Loc ² Texture Remarks						
								
¹ Type: C=Concentration, D=Depletion, RM=Re	duced Matrix, CS=Covered or Coated S	Sand Grains. ² Location: PL=Pore Lining, M=Matrix.						
Hydric Soil Indicators: (Applicable to all LRI		Indicators for Problematic Hydric Soils ³ :						
Histosol (A1)	Sandy Redox (S5)	1 cm Muck (A9) (LRR C)						
Histic Epipedon (A2)	Stripped Matrix (S6)	2 cm Muck (A10) (LRR B)						
Black Histic (A3)	Loamy Mucky Mineral (F1)	Reduced Vertic (F18)						
Hydrogen Sulfide (A4)	Loamy Gleyed Matrix (F2)	Red Parent Material (TF2)						
Stratified Layers (A5) (LRR C)	Depleted Matrix (F3)	Other (Explain in Remarks)						
1 cm Muck (A9) (LRR D)	Redox Dark Surface (F6)							
Depleted Below Dark Surface (A11)	Depleted Dark Surface (F7)							
Thick Dark Surface (A12)	Redox Depressions (F8)	³ Indicators of hydrophytic vegetation and						
Sandy Mucky Mineral (S1)	Vernal Pools (F9)	wetland hydrology must be present,						
Sandy Gleyed Matrix (S4)		unless disturbed or problematic.						
Restrictive Layer (if present):								
Type:	<u>-</u>							
Depth (inches):	_	Hydric Soil Present? Yes No						
Remarks:		I						
HYDROLOGY								
Wetland Hydrology Indicators:								
Primary Indicators (minimum of one required; cl	neck all that apply)	Secondary Indicators (2 or more required)						
Surface Water (A1)	Salt Crust (B11)	Water Marks (B1) (Riverine)						
	Biotic Crust (B12)							
High Water Table (A2)		Sediment Deposits (B2) (Riverine)						
Saturation (A3)	Aquatic Invertebrates (B13)	Drift Deposits (B3) (Riverine)						
Water Marks (B1) (Nonriverine)	Hydrogen Sulfide Odor (C1)	Drainage Patterns (B10)						
Sediment Deposits (B2) (Nonriverine)		ing Roots (C3) Dry-Season Water Table (C2)						
Drift Deposits (B3) (Nonriverine)	Presence of Reduced Iron (C4)	Crayfish Burrows (C8)						
Surface Soil Cracks (B6)	Recent Iron Reduction in Tilled S							
Inundation Visible on Aerial Imagery (B7)	Thin Muck Surface (C7)	Shallow Aquitard (D3)						
Water-Stained Leaves (B9)	Other (Explain in Remarks)	FAC-Neutral Test (D5)						
Field Observations:								
Surface Water Present? Yes No	Depth (inches):							
Water Table Present? Yes No	Depth (inches):							
Saturation Present? Yes No	Depth (inches):	Wetland Hydrology Present? Yes No						
(includes capillary fringe)								
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Remarks:								

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:			State: Sampling Point:				
Investigator(s):		S	ection, Township, Ra	ange:			
Landform (hillslope, terrace, etc.): _	L	ocal relief (concave,	convex, none):		Slope (%):		
Subregion (LRR):		Lat:		Long:	[Datum:	
Soil Map Unit Name:				NWI cl	IWI classification:		
Are climatic / hydrologic conditions	on the site typical fo	r this time of year	? Yes No _	(If no, expla	in in Remarks.)		
Are Vegetation, Soil	, or Hydrology	significantly di	sturbed? Are	"Normal Circumstances" present? Yes No			
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If n	eeded, explain any	answers in Remarks	i.)	
SUMMARY OF FINDINGS -	Attach site m	ap showing s	sampling point	locations, trans	sects, importan	t features, etc.	
Hydrophytic Vegetation Present?	Yes	_ No	Is the Sample	d Aroa			
Hydric Soil Present?		No	within a Wetla		s No		
Wetland Hydrology Present? Remarks:	Yes	No					
VEGETATION – Use scient	ific names of p	lants.					
Torra Otrataura (Diatoria	`		Dominant Indicator	Dominance Tes	t worksheet:		
Tree Stratum (Plot size:			Species? Status	Number of Domin	•	(4)	
1. 2.						(A)	
3.				Total Number of Species Across A		(B)	
4				Percent of Domir			
Openition (Olemets Otenstones (Distration		=	= Total Cover		ACW, or FAC:	(A/B)	
Sapling/Shrub Stratum (Plot size 1.			Prevalence Index worksheet:				
2.					er of: Mu	ultiply by:	
3.				·	x 1 =		
4				FACW species	x 2 =		
5					x 3 =		
Herb Stratum (Plot size:	`		= Total Cover	-	x 4 = _		
1)				x 5 = _		
2.				Column Totals:	(A)	(B)	
3.				Prevalence	Index = B/A =		
4			Hydrophytic Vegetation Indicators:				
5				Dominance			
6				Prevalence I	ndex is ≤3.0° al Adaptations¹ (Pro	uida augnartina	
7					emarks or on a sepa		
8			= Total Cover	Problematic	Hydrophytic Vegetat	tion ¹ (Explain)	
Woody Vine Stratum (Plot size:)		- Total Cover				
1					dric soil and wetland as disturbed or proble		
2					a disturbed of proble	======================================	
		=	= Total Cover	Hydrophytic Vegetation			
% Bare Ground in Herb Stratum _	% C	over of Biotic Cru	ıst	Present?	Yes No	0	
Remarks:							

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· - ·.	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· -	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· -	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· -	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (l	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										

Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· -	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description	on: (Describe to the o	lepth needed to	docume	nt the indicato	r or confirm	the absence of indicators.)				
Depth	Matrix		Redox F	eatures						
(inches) C	Color (moist) %	Color (mo	oist)	% Type ¹	Loc ²	Texture Remarks				
	·	_								
		_								
·										
¹ Type: C=Concen	tration, D=Depletion, F	RM=Reduced Ma	atrix, CS=0	Covered or Coa	ited Sand Gr	rains. ² Location: PL=Pore Lining, M=Matrix.				
	ators: (Applicable to					Indicators for Problematic Hydric Soils ³ :				
Histosol (A1)	`		dy Redox			1 cm Muck (A9) (LRR C)				
Histic Epipedo	on (A2)		ped Matrix	. ,		2 cm Muck (A10) (LRR B)				
Black Histic (A				Mineral (F1)		Reduced Vertic (F18)				
Hydrogen Sul	,			Matrix (F2)		Red Parent Material (TF2)				
	ers (A5) (LRR C)		leted Matri			Other (Explain in Remarks)				
1 cm Muck (A				urface (F6)						
	ow Dark Surface (A11)	Dep	leted Dark	Surface (F7)						
Thick Dark Su	ırface (A12)	Red	ox Depres	sions (F8)		³ Indicators of hydrophytic vegetation and				
Sandy Mucky	Mineral (S1)	Vern	nal Pools (I	F9)		wetland hydrology must be present,				
Sandy Gleyed	l Matrix (S4)					unless disturbed or problematic.				
Restrictive Layer	(if present):									
Type:										
Depth (inches):	:					Hydric Soil Present? Yes No				
Remarks:						I.				
HYDROLOGY										
Wetland Hydrolo	gy Indicators:									
-	(minimum of one regu	ired: check all th	nat annly)			Secondary Indicators (2 or more required)				
-				11)						
Surface Wate			It Crust (B			Water Marks (B1) (Riverine)				
High Water Ta			tic Crust (l			Sediment Deposits (B2) (Riverine)				
Saturation (A3	•			tebrates (B13)		Drift Deposits (B3) (Riverine)				
	(B1) (Nonriverine)	 -	-	Ifide Odor (C1)		Drainage Patterns (B10)				
-	oosits (B2) (Nonriverin					ots (C3) Dry-Season Water Table (C2)				
-	(B3) (Nonriverine)			Reduced Iron (Crayfish Burrows (C8)				
Surface Soil C				Reduction in Til	led Soils (C6					
	sible on Aerial Imagery			urface (C7)		Shallow Aquitard (D3)				
Water-Stained	d Leaves (B9)	Oth	ner (Explai	n in Remarks)		FAC-Neutral Test (D5)				
Field Observation	ns:									
Surface Water Pre	esent? Yes	No De	epth (inche	es):						
Water Table Prese	ent? Yes	No De	epth (inche	es):						
Saturation Presen		No De				and Hydrology Present? Yes No				
(includes capillary	fringe)									
Describe Recorde	d Data (stream gauge,	monitoring well,	aerial pho	otos, previous i	nspections), i	if available:				
Remarks:										


Project/Site:		C	ity/County:	Sampling Date:			
Applicant/Owner:				State: Sampling Point:			
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none):		Slop	e (%):
Subregion (LRR):		Lat:		_ Long:		Datum	n:
Soil Map Unit Name:				NWI classification:			
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	r? Yes No _	(If no, ex	xplain in Remar	ks.)	
Are Vegetation, Soil	_, or Hydrology	significantly d	isturbed? Are	"Normal Circum	stances" preser	nt? Yes	No
Are Vegetation, Soil	, or Hydrology	naturally prob	lematic? (If no	eeded, explain a	any answers in f	Remarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	sampling point l	ocations, tra	ansects, im	portant fea	itures, etc
Hydrophytic Vegetation Present?	Yes	No	Is the Sample	d Aroo			
Hydric Soil Present?		No	within a Wetla		Yes	No	
Wetland Hydrology Present? Remarks:	Yes	No	within a wetta		163	NO	
VEGETATION – Use scient	tific names of p						
Tree Stratum (Plot size:1.		% Cover	Dominant Indicator Species? Status	Number of Do	Test worksheem ominant Species L, FACW, or FA	S	(A)
2 3				Total Number Species Acro	r of Dominant oss All Strata:		(B)
4. Sapling/Shrub Stratum (Plot size		=	= Total Cover		ominant Species L, FACW, or FA		(A/B)
1				Prevalence I	ndex workshee	et:	
2.				Total % (Cover of:	Multiply	by:
3.				OBL species		x 1 =	
4				FACW specie	es	x 2 =	
5							
Harb Stratum (Diet size)	`	=	= Total Cover		es		
Herb Stratum (Plot size:1)						
2				Column Total	ls:	(A)	(B)
3.				Prevale	ence Index = B/	A =	
4.				Hydrophytic	Vegetation Inc	dicators:	
5				l —	nce Test is >50%		
6					ice Index is ≤3.0		
7 8				Morpholo data i	ogical Adaptatio n Remarks or o	ns¹ (Provide s n a separate s	supporting sheet)
Woody Vine Stratum (Plot size:			= Total Cover	Problema	atic Hydrophytic	: Vegetation ¹ (Explain)
1					hydric soil and nless disturbed		
· -	-		= Total Cover	Hydrophytic	;		
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	ust	Vegetation Present?	Yes	No	
Remarks:				1			

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)							
	Matrix		x Features				
(inches) Color (r	noist) %	Color (moist)	% Type ¹	Loc ²	Texture Remarks		
		-	· -				
							
		-	. <u> </u>				
		-	· ——				
			·				
¹ Type: C=Concentration	, D=Depletion, RM	I=Reduced Matrix, CS	S=Covered or Coate	d Sand Grain	ns. ² Location: PL=Pore Lining, M=Matrix.		
Hydric Soil Indicators:					Indicators for Problematic Hydric Soils ³ :		
Histosol (A1)	`	Sandy Redo			1 cm Muck (A9) (LRR C)		
Histic Epipedon (A2)	Stripped Ma	, ,		2 cm Muck (A10) (LRR B)		
Black Histic (A3)	,		ky Mineral (F1)		Reduced Vertic (F18)		
Hydrogen Sulfide (A	4)		ed Matrix (F2)		Red Parent Material (TF2)		
Stratified Layers (A5		Depleted M			Other (Explain in Remarks)		
1 cm Muck (A9) (LR	, , ,		Surface (F6)				
Depleted Below Dar		Depleted Da	ark Surface (F7)				
Thick Dark Surface	(A12)	Redox Depi	ressions (F8)		³ Indicators of hydrophytic vegetation and		
Sandy Mucky Miner	al (S1)	Vernal Pool	s (F9)		wetland hydrology must be present,		
Sandy Gleyed Matri	x (S4)				unless disturbed or problematic.		
Restrictive Layer (if pro	esent):						
Туре:							
Depth (inches):					Hydric Soil Present? Yes No		
Remarks:							
HYDROLOGY							
Wetland Hydrology Ind	icators:						
Primary Indicators (minir		nd: chock all that anni-	w\		Secondary Indicators (2 or more required)		
-	num of one require						
Surface Water (A1)	•	Salt Crust			Water Marks (B1) (Riverine)		
High Water Table (A	A2)	Biotic Crus			Sediment Deposits (B2) (Riverine)		
Saturation (A3)			vertebrates (B13)		Drift Deposits (B3) (Riverine)		
Water Marks (B1) (N	•	 · ·	Sulfide Odor (C1)		Drainage Patterns (B10)		
Sediment Deposits				_	(C3) Dry-Season Water Table (C2)		
Drift Deposits (B3) (of Reduced Iron (C		Crayfish Burrows (C8)		
Surface Soil Cracks	(B6)	Recent Iro	n Reduction in Tille	d Soils (C6)	Saturation Visible on Aerial Imagery (C9)		
Inundation Visible o	n Aerial Imagery (E				Shallow Aquitard (D3)		
Water-Stained Leav	es (B9)	Other (Exp	olain in Remarks)		FAC-Neutral Test (D5)		
Field Observations:							
Surface Water Present?	Yes	No Depth (in	ches):				
Water Table Present?	Yes	No Depth (in	ches):				
Saturation Present?		No Depth (inc			d Hydrology Present? Yes No		
(includes capillary fringe)			_			
Describe Recorded Data		onitoring well, aerial p	photos, previous ins	pections), if a	available:		
Remarks:							
· · · · · ·							

Project/Site:		Ci	ty/County:		Samp	ling Date:	
Applicant/Owner:				State:	Samp	ling Point:	
Investigator(s):		S	ection, Township, Ra	inge:			
Landform (hillslope, terrace, etc.): _		L	ocal relief (concave,	convex, none): _		Slope ((%):
Subregion (LRR):		Lat:		Long:		Datum:	
Soil Map Unit Name:				NW	I classification: _		
Are climatic / hydrologic conditions	on the site typical fo	or this time of year	? Yes No _	(If no, ex	plain in Remarks	3.)	
Are Vegetation, Soil	_, or Hydrology	significantly di	sturbed? Are	"Normal Circums	stances" present	? Yes	_ No
Are Vegetation, Soil	, or Hydrology	naturally probl	ematic? (If ne	eeded, explain ar	ny answers in Re	emarks.)	
SUMMARY OF FINDINGS -	- Attach site m	nap showing s	ampling point l	ocations, tra	ınsects, imp	ortant featu	ures, etc.
Hydrophytic Vegetation Present?	Yes	_ No	Is the Sampled	l Aroa			
Hydric Soil Present?		No	within a Wetlar		res N	lo	
Wetland Hydrology Present? Remarks:	Yes	No	Within a World				
VEGETATION – Use scient	tific names of p		Dominant Indicator	Dominance T	est worksheet:		
Tree Stratum (Plot size:		% Cover	Species? Status	Number of Do	minant Species , FACW, or FAC		(A)
2 3				Total Number Species Acros			(B)
4. Sapling/Shrub Stratum (Plot size		=	Total Cover		minant Species , FACW, or FAC	:	(A/B)
1				Prevalence In	ndex worksheet	:	
2.				Total % C	over of:	Multiply by	<u>/:</u>
3				OBL species		x 1 =	
4					s		
5							
Herb Stratum (Plot size:)	=	Total Cover				
1							
2.				Column Totals	S:	(A)	(B)
3.				Prevaler	nce Index = B/A	=	
4				Hydrophytic '	Vegetation Indi	cators:	
5				_	ce Test is >50%		
6					ce Index is ≤3.0 ¹		
7 8				data in	gical Adaptations Remarks or on	a separate she	eet)
Woody Vine Stratum (Plot size:			Total Cover	Problema	tic Hydrophytic \	/egetation ¹ (Ex	kplain)
1					hydric soil and w lless disturbed o		gy must
··	-		Total Cover	Hydrophytic			
% Bare Ground in Herb Stratum _	% (Cover of Biotic Cru	st	Vegetation Present?	Yes	No	_
Remarks:				•			

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)							
	Matrix		x Features				
(inches) Color (r	noist) %	Color (moist)	% Type ¹	Loc ²	Texture Remarks		
		-	· -				
							
		-	. <u> </u>				
		-	· ——				
			·				
¹ Type: C=Concentration	, D=Depletion, RM	I=Reduced Matrix, CS	S=Covered or Coate	d Sand Grain	ns. ² Location: PL=Pore Lining, M=Matrix.		
Hydric Soil Indicators:					Indicators for Problematic Hydric Soils ³ :		
Histosol (A1)	`	Sandy Redo			1 cm Muck (A9) (LRR C)		
Histic Epipedon (A2)	Stripped Ma	, ,		2 cm Muck (A10) (LRR B)		
Black Histic (A3)	,		ky Mineral (F1)		Reduced Vertic (F18)		
Hydrogen Sulfide (A	4)		ed Matrix (F2)		Red Parent Material (TF2)		
Stratified Layers (A5		Depleted M			Other (Explain in Remarks)		
1 cm Muck (A9) (LR	, , ,		Surface (F6)				
Depleted Below Dar		Depleted Da	ark Surface (F7)				
Thick Dark Surface	(A12)	Redox Depi	ressions (F8)		³ Indicators of hydrophytic vegetation and		
Sandy Mucky Miner	al (S1)	Vernal Pool	s (F9)		wetland hydrology must be present,		
Sandy Gleyed Matri	x (S4)				unless disturbed or problematic.		
Restrictive Layer (if pro	esent):						
Туре:							
Depth (inches):					Hydric Soil Present? Yes No		
Remarks:							
HYDROLOGY							
Wetland Hydrology Ind	icators:						
Primary Indicators (minir		nd: chock all that anni-	w\		Secondary Indicators (2 or more required)		
-	num of one require						
Surface Water (A1)	•	Salt Crust			Water Marks (B1) (Riverine)		
High Water Table (A	A2)	Biotic Crus			Sediment Deposits (B2) (Riverine)		
Saturation (A3)			vertebrates (B13)		Drift Deposits (B3) (Riverine)		
Water Marks (B1) (N	•	 · ·	Sulfide Odor (C1)		Drainage Patterns (B10)		
Sediment Deposits				_	(C3) Dry-Season Water Table (C2)		
Drift Deposits (B3) (of Reduced Iron (C		Crayfish Burrows (C8)		
Surface Soil Cracks	(B6)	Recent Iro	n Reduction in Tille	d Soils (C6)	Saturation Visible on Aerial Imagery (C9)		
Inundation Visible o	n Aerial Imagery (E				Shallow Aquitard (D3)		
Water-Stained Leav	es (B9)	Other (Exp	olain in Remarks)		FAC-Neutral Test (D5)		
Field Observations:							
Surface Water Present?	Yes	No Depth (in	ches):				
Water Table Present?	Yes	No Depth (in	ches):				
Saturation Present?		No Depth (inc			d Hydrology Present? Yes No		
(includes capillary fringe)			_			
Describe Recorded Data		onitoring well, aerial p	photos, previous ins	pections), if a	available:		
Remarks:							
· · · · · ·							

APPENDIX D PROJECT AREA PHOTOGRAPHS





Photograph 1. Photo of ruderal herbaceous vegetation, dominated by non-native grasses, thistles, and mustards, growing along the western edge of the WMU facing northwest.



Photograph 3. Photo of ruderal herbaceous vegetation (background), consisting of sparse cover by perennial pepperweed and sickle grass, occurring adjacent to a seasonal wetland (upper left). Photo taken facing northwest.



Photograph 2. Photo of a berm dominated by black mustard, which separates muted tidal wetland (right) from transitional upland (left). Photo taken facing southwest



Photograph 4. Photo of ruderal herbaceous vegetation, dominated by smilo grass, growing along the southern boundary of the WMU, facing northwest. Ornamental Peruvian peppertrees can be seen in the top right, and transitional upland, can be seen to the left.





Photograph 5. Photo of transitional upland, dominated by pickleweed and non-native grasses, in the southern portion of the Project Area. Photo taken facing southwest.



Photograph 7. Photo of seasonal wetland occurring in a ditch adjacent to Los Esteros Road, with ruderal herbaceous vegetation to the left and transitional upland to the right. Photo taken facing west.



Photograph 6. Photo of transitional upland, dominated by pickleweed and non-native grasses, in the northeastern portion of the Project Area facing northeast. Ruderal herbaceous vegetation along the western edge of the WMU can be seen top left.



Photograph 8. Photo of an unconnected ditch, containing a seasonal wetland, with ruderal herbaceous vegetation on either side. This ditch separates muted tidal wetland (left) from seasonal wetland (right). Photo taken facing northeast.





Photograph 9. Photo of pickleweed-dominated muted tidal wetland, which transitions to seasonal wetland (top), occurring in a ditch along the southern border of the Project Area. Transitional upland can be seen on the left, and ruderal herbaceous vegetation to the right. Photo taken facing east.



Photograph 11. Photo taken from the WMU, facing southwest. A mosaic of tidal open water/mudflat, pickleweed-dominated muted tidal wetland, and ruderal herbaceous upland occurring in the western portion of the Project Area is visible from this vantage point.



Photograph 10. Photo of pickleweed-dominated muted tidal wetland in the northern portion of the Project Area. Ruderal herbaceous vegetation can be seen in the left and top right, and seasonal wetland/transitional upland can be seen in the background. Photo facing northeast.



Photograph 12. Photo of tidal open water with islands of pickleweed-dominated muted tidal wetland. Photo taken of the western portion of the Project Area, facing northwest.





Photograph 13. Photo of an island of black mustard-dominated ruderal herbaceous vegetation, bordered by a fringe of pickleweed-dominated muted tidal wetland, surrounded by tidal open water. Photo taken in the western portion of the Project Area, facing southwest.



APPENDIX E PLANT SPECIES OBSERVED WITHIN THE PROJECT AREA

This page intentionally left blank

Appendix E-1. Plant species observed within the Project Area on November 20 and 21, 2019.

Scientific Name	c Name Origin Form		Rarity Status ¹	CAL-IPC Status ²	Wetland Status (AW 2016) ³	
Ambrosia psilostachya	Ragweed	native	perennial herb	-	-	FACU
Atriplex prostrata	Fat-hen	non-native	annual herb	-	-	FACW
Atriplex rosea	Redscale	non-native	annual herb	-	-	FACU
Avena sp.	Wild oat	non-native	annual grass	-	-	-
Baccharis pilularis	Coyote brush	native	shrub	-	-	-
Beta vulgaris	Common beet	non-native	perennial herb	-	-	-
Bolboschoenus maritimus ssp. paludosus	Saltmarsh bulrush	native	perennial grasslike herb	-	-	OBL
Brassica nigra	Black mustard	non-native (invasive)	annual herb	-	Moderate	-
Bromus diandrus	Ripgut brome	non-native (invasive)	annual grass	-	Moderate	-
Bromus hordeaceus	Soft chess	non-native (invasive)	annual grass	-	Limited	FACU
Bromus madritensis	Foxtail brome	non-native	annual grass	-	-	UPL
Carduus pycnocephalus ssp. pycnocephalus	Italian thistle	non-native (invasive)	annual herb	-	Moderate	-
Centaurea melitensis	Tocalote	non-native (invasive)	annual herb	-	Moderate	-
Centaurea solstitialis	Yellow starthistle	non-native (invasive)	annual herb	-	High	-
Centromadia pungens ssp. pungens	Common tarweed	native	annual herb	-	-	FAC
Conium maculatum	Poison hemlock	non-native (invasive)	perennial herb	-	Moderate	FACW
Convolvulus arvensis	Field bindweed	non-native	perennial herb, vine	-	-	-
Cuscuta pacifica	Goldenthread	native	annual herb, vine (parasitic)	-	-	-

Scientific Name	Common Name	Origin	Form Rarity Status		CAL-IPC Status ²	Wetland Status (AW 2016) ³
Cynara cardunculus	Cardoon	non-native (invasive)	perennial herb	-	Moderate	-
Distichlis spicata	Salt grass	native	perennial grass	-	-	FAC
Dittrichia graveolens	Stinkwort	non-native (invasive)	annual herb	-	Moderate	-
Echium candicans	Pride of madeira	non-native (invasive)	shrub	-	Limited	-
Epilobium brachycarpum	Willow herb	native	annual herb	-	-	-
Erigeron bonariensis	Flax-leaved horseweed	non-native	annual herb	-	-	FACU
Eucalyptus sp.	Eucalyptus	non-native	tree	-	-	-
Festuca perennis	Italian rye grass	non-native (invasive)	annual, perennial grass	-	Moderate	FAC
Foeniculum vulgare	Fennel	non-native (invasive)	perennial herb	-	High	-
Frankenia salina	Alkali heath	native	perennial herb	-	-	FACW
Grindelia stricta	Gumweed	native	perennial herb	-	-	FACW
Helminthotheca echioides	Bristly ox-tongue	non-native (invasive)	annual, perennial herb	-	Limited	FAC
Hirschfeldia incana	Short-podded mustard	non-native (invasive)	perennial herb	-	Moderate	-
Hordeum marinum ssp. gussoneanum	Mediterranean barley	non-native (invasive)	annual grass	-	Moderate	FAC
Hordeum murinum	Foxtail barley	non-native (invasive)	annual grass	-	Moderate	FACU
Kickxia elatine	Sharp point fluellin	non-native	perennial herb	-	-	UPL
Kickxia spuria	Fluellin	non-native	perennial herb	-	-	-
Lactuca serriola	Prickly lettuce	non-native	annual herb	-	-	FACU
Lasthenia sp.	Goldfields	native	annual herb	-	-	FACW

Scientific Name	Common Name	Origin	Form Rarity Status ¹		CAL-IPC Status ²	Wetland Status (AW 2016) ³
Lepidium latifolium	Perennial pepperweed non-native perennial herb (invasive)		-	High	FAC	
Ligustrum sp.	Privet	Non-native	tree	-	-	-
Limonium ramosissimum	Algerian sealavender	non-native (invasive)	perennial herb	-	Limited	FACW
Lotus corniculatus	Bird's foot trefoil	non-native	perennial herb	-	-	FAC
Lythrum hyssopifolia	Hyssop loosestrife	non-native (invasive)	annual, perennial herb	-	Limited	OBL
Malva pseudolavatera	Cretan mallow	non-native	shrub	-	-	-
Malva sp.	Mallow	non-native	annual herb	-	-	-
Medicago polymorpha	California burclover	non-native (invasive)	annual herb	-	Limited	FACU
Melilotus sp.	Sweetclover	non-native		-	-	FACU
Mesembryanthemum nodiflorum	Small flowered iceplant	non-native (invasive)	annual herb	-	Limited	FAC
Muhlenbergia rigens	Deergrass	native	perennial grass	-	-	FAC
Parapholis incurva	Sickle grass	non-native	annual grass	-	-	FACU
Pennisetum clandestinum	Kikuyu grass	non-native (invasive)	perennial grass	-	Limited	FACU
Plantago coronopus	Cut leaf plantain	non-native	annual herb	-	-	FAC
Polygonum aviculare	Prostrate knotweed	non-native	annual, perennial herb	-	-	FAC
Polypogon monspeliensis	Annual beard grass	non-native (invasive)	annual grass	-	Limited	FACW
Raphanus sativus	Wild radish	non-native (invasive)	annual, biennial herb	-	Limited	-
Rumex crispus	Curly dock	non-native (invasive)	perennial herb	-	Limited	FAC
Salicornia depressa	Virginia glasswort	native	annual herb	-	-	OBL
Salicornia pacifica	Pickleweed	native	perennial herb	-	-	OBL

Scientific Name	Common Name	Origin	Form	Rarity Status ¹	CAL-IPC Status ²	Wetland Status (AW 2016) ³
Schinus molle	Peruvian pepper tree	non-native (invasive)	tree	-	Limited	FACU
Schoenoplectus californicus	California bulrush	native	perennial grasslike herb	-	-	OBL
Silybum marianum	Milk thistle	non-native (invasive)	annual, perennial herb	-	Limited	-
Sonchus arvensis	Perennial sow thistle	non-native	perennial herb	-	-	FACU
Stipa miliacea var. miliacea	Smilo grass	non-native (invasive)	perennial grass	-	Limited	-
Typha sp.	Cattail	-	perennial herb (aquatic)	-	-	OBL

All species identified using the *Jepson Flora Project (Jepson eFlora 2019)*; nomenclature follows Jepson eFlora. Sp.: "species", intended to indicate that the observer was confident in the identity of the genus but uncertain which species.

¹Rare Status: The CNPS Inventory of Rare and Endangered Plants (CNPS 2019a)

FE: Federal Endangered FT: Federal Threatened SE: State Endangered ST: State Threatened SR: State Rare

Rank 1A: Plants presumed extirpated in California and either rare or extinct elsewhere

Rank 1B: Plants rare, threatened, or endangered in California and elsewhere

(*Rank 1B: Rare in native stands only)

Rank 2A: Plants presumed extirpated in California, but more common elsewhere

Rank 2B: Plants rare, threatened, or endangered in California, but more common elsewhere

Rank 3: Plants about which we need more information – a review list

Rank 4: Plants of limited distribution – a watch list

²Invasive Status: California Invasive Plant Inventory (Cal-IPC 2019)

High: Severe ecological impacts; high rates of dispersal and establishment; most are widely distributed ecologically.

Moderate: Substantial and apparent ecological impacts; moderate-high rates of dispersal, establishment dependent on disturbance; limited-

moderate distribution ecologically

Limited: Minor or not well documented ecological impacts; low-moderate rate of invasiveness; limited distribution ecologically

Assessed: Assessed by Cal-IPC and determined to not be an existing current threat

³Wetland Status: National List of Plant Species that Occur in Wetlands, Arid West Region (Lichvar et al. 2016)

OBL: Almost always a hydrophyte, rarely in uplands

FACW: Usually a hydrophyte, but occasionally found in uplands
FAC: Commonly either a hydrophyte or non-hydrophyte
FACU: Occasionally a hydrophyte, but usually found in uplands
UPL: Rarely a hydrophyte, almost always in uplands

NL: Rarely a hydrophyte, almost always in uplands Rarely a hydrophyte, almost always in uplands

NI: No information; not factored during wetland delineation

^{*} Species only considered rare in native habitat; Study Area is not located within native habitat and species is therefore not considered rare.