

EVERGREEN • EAST HILLS VISION STRATEGY

SAN JOSÉ, CALIFORNIA

* * * * *

EIR

APPENDIX

I

* * * * *

TREE SURVEYS

Note: **The maps that accompany the
following tree survey tables are in
large format. They are available for
review at San José City Hall. Please
contact John Baty in the Planning,
Building & Code Enforcement Dept.**

Phone: 408-535-7894

E-Mail: john.baty@sanjoseca.gov

**TREE
SURVEY
on the
ARCADIA
PROPERTY**

**conducted by
HORTSCIENCE, INC.**

SEPTEMBER 2004

David J. Powers and Associates
Arcadia site
San Jose CA
October 2004

SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Calif. black walnut	20,5,5,3	2	Poor	Crown heavy to east; small sprouts under canopy.
Calif. black walnut	10	2	Poor	Poor form & structure.
Calif. black walnut	9,8,8	1	Poor	Stems from decayed trunk; history of branch failures.
Holly oak	5,4	1	Poor	Poor form & structure.
Holly oak	5	2	Poor	Poor form & structure.
Calif. black walnut	28	2	Poor	Decay in upright leaders; pruned for line clearance.
Calif. black walnut	37	2	Poor	Pruned for line clearance; decay in upright leaders.
Calif. black walnut	8,4,4,4	2	Poor	Stump sprouts. trunk wounds.
Calif. black walnut	11,10,10,8	3	Poor	Multiple attachments @ 1'; low crown.
Calif. black walnut	32	1	Poor	Extensive trunk decay.
Holly oak	5	3	Poor	Suppressed form.
Calif. black walnut	20,7,4	2	Poor	Pruned for line clearance; poor form & structure.
Calif. black walnut	6,5,5,4,4	2	Poor	Stump sprouts.
Holly oak	5	3	Poor	Shrub like; low branching.
Calif. black walnut	9,6,6,6,9	2	Poor	Grows through; poor form & structure.
Calif. black walnut	10,9,8,6,5,5	2	Poor	Stump sprouts; low branching.
Calif. pepper	21,20,17	3	Moderate	Multiple attachments @ base; broken limb to south; low crown.
Calif. black walnut	12,11,8	3	Poor	Twig dieback; multiple attachments @ 1'.
Calif. black walnut	6,5,4,3,4	2	Poor	Stems from base; poor form & structure.
River red gum	35	3	Poor	Multiple attachments @ 5'; history of branch failures; twig & branch dieback.
Calif. black walnut	8,7,4	2	Poor	Stem from base; poor form & structure.
Calif. black walnut	15,8,7	2	Poor	Decay in trunk; poor form & structure.
Calif. black walnut	6,6,5,5,4,4	2	Poor	Stump sprouts; twig dieback.
American elm	12,9,5,5	1	Poor	Stems from base; history of branch failures; poor form & structure.
American elm	13,8	1	Poor	History of branch failures; stems from base; poor form & structure.
American elm	11,6,4	1	Poor	History of branch failures; poor form & structure.
American elm	11,10,9,9,7,7,5,5	2	Poor	Stems from base; poor form & structure.
American elm	13	2	Poor	Codominant trunks @ 6'; twig & branch dieback.
American elm	10,9,9,8,6,6,5,5	2	Poor	Stems from base; poor form & structure.
American elm	12,5,4,	2	Poor	Stems from base; poor form & structure.
American elm	9,8,7	2	Poor	Stems from base; poor form & structure.
American elm	7,7	2	Poor	Stems from base; poor form & structure.
American elm	9,7	2	Poor	Stems from base; poor form & structure.
American elm	6,6,6,5,4,4,4	2	Poor	Multiple stems form small group; weak attachments.
American elm	6,6,6,5,5,4,3,3	2	Poor	Multiple stems form small group of tall spindly saplings.
American elm	6,6,5,4,1	2	Poor	Stems from base; poor form & structure.
American elm	45	3	Poor	History of branch failures; cavity below attachment; multiple attachments @ 12'; twig dieback.
American elm	39	2	Poor	Codominant trunks @ 5'; dirt mounded @ base; history of branch failures; twig & branch dieback.
River red gum	5	3	Poor	Tall spindly form.
River red gum	7	2	Poor	Crown heavy to south.
River red gum	13	1	Poor	Girdled by fence; poor form.
American elm	9,8	2	Poor	Stems from base; poor form & structure.
American elm	9	2	Poor	Twig & branch dieback.
American elm	4	2	Poor	Tall spindly form.
American elm	5	2	Poor	Tall spindly form.
American elm	8	1	Poor	Partial failure; suppressed.
American elm	5,4,3	1	Poor	Girdled by fence; poor form & structure.
American elm	6,6	2	Poor	Poor form & structure; stems from, base.
American elm	5,5	2	Poor	Stems grow between fence; low branching.
River red gum	8,6	2	Poor	Stems from base; poor form & structure.
River red gum	6,3,2	2	Poor	Stems from base; lerp psyllid.
River red gum	10	3	Poor	Weak branch attachments; lerp psyllid.

David J. Powers and Associates

Arcadia site

San Jose CA

October 2004

SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
River red gum	14,6	1	Poor	History of branch failures; stems from base.
River red gum	7	2	Poor	Weak branch attachments.
Black locust	11,11	2	Poor	Codominant trunks @ base.
Black locust	4,3,4	1	Poor	Stems from base; poor form & structure.
Black locust	8,8,5,5	2	Poor	Stems from base; poor form & structure.
Black locust	4,4,4	1	Poor	Poor form & structure.
Black locust	5,4,4,4,4,3,3	2	Poor	Poor form & structure; stems from base.
Silk oak	26	1	Poor	Failed stem left large wound; trunk burned; history of branch failures.
Black locust	9,8,8,5	2	Poor	Stems from base; poor form & structure.
Evergreen ash	6,5,3	2	Poor	Stems from base; poor form & structure.
Calif. black walnut	8	2	Poor	Codominant trunks @ 3'.
Calif. black walnut	17,14	3	Poor	Codominant trunks @ 1'.
Blue gum	85	2	Poor	Sulfur fungus; twig & branch dieback; top dead.
Chinese elm	13,7,7,6,6	2	Poor	Stems from base; history of branch failures.
Chinese elm	9,6,4	1	Poor	Failed @ base; mostly dead.
Calif. black walnut	12,9,7,5	2	Poor	Poor form & structure.
Chinese elm	12	1	Poor	Large trunk wound; branch dieback.
Calif. black walnut	48	1	Poor	Large upright stem killed by ivy; weak structure.
Elderberry	13,12,12,10,9,8,7, 7,6,6	4	Moderate	Good for species; multiple attachments from base; wide spreading crown.
Elderberry	8,7,7,7,5	3	Poor	Multiple attachments from base.
Calif. black walnut	6,3	3	Poor	Stems from base.
Calif. black walnut	9,8,6	3	Poor	Multiple attachments @ 1'.
Calif. black walnut	6	3	Poor	Branch failure left wound on south.
Calif. black walnut	9,5	4	Moderate	Codominant trunks @ 1'; low branching.
Holly oak	6	4	Moderate	Codominant trunks @ 7'; low branching.
Calif. black walnut	10,8	4	Moderate	Codominant trunks @ 1'; low branching.
Calif. black walnut	10	3	Poor	Codominant trunks @ 3'; one sided to east.
Calif. black walnut	11,6	4	Moderate	Stems from base; low branching; good tree.
Calif. black walnut	8,7,6	3	Poor	Multiple attachments @ 1'; low branching.
Holly oak	Grove	3	Poor	Grove of 7, 7 to 4"; some branches have been stubbed off.
Calif. black walnut	6,5,5,3	3	Poor	Multiple attachments @ base; low branching.
Calif. black walnut	8,6	3	Poor	Multiple attachments @ 1' & base.
Almond	8,5	3	Poor	Stems from base.
Toyon	4,4,4,3,3	4	Good	Stems from base; low branching.
Calif. black walnut	7,5	3	Poor	Stems from base; low branching.
Calif. black walnut	5,4	3	Poor	Stems from base; small broken branches.
Callery pear	12	4	Good	Good form & structure; low branching.
Holly oak	6,5	4	Moderate	Stems from base; low branching.
Yellow willow	8,7,6,6,6,5,5,4,4	3	Poor	Stems from base; low branching.
Elderberry	9,7,6,5,5,4,4	4	Moderate	Stems from base.
Holly oak	6	4	Moderate	Low branching.
Calif. black walnut	6,6	3	Poor	Codominant trunks @ base.
Elderberry	7,7,6,4	3	Poor	Stems from base.
Cottonwood	17,16,15,10,10,9, 9,9,6	3	Poor	Stems from base with weak branch attachments; tall upright stems.
Elderberry	5,4	3	Poor	Codominant trunks @ 1'.
Elderberry	4,3	3	Poor	Stems from base.
Elderberry	5,5,4,4,4,3,3	3	Poor	Stems from base.
Elderberry	6,5,4,4,3	2	Poor	Partial failure; stems from base.
Paradox walnut	12	4	Good	Good form & structure; close to wall; low branching.
Willow-leaf peppermint	17	3	Poor	Off-site; crown hangs over site to west; codominant @ 10'; history of branch failures.
Coast redwood	18	5	Good	Off-site; excellent form & structure.

David J. Powers and Associates
 Arcadia site
 San Jose CA
 October 2004

SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Coast redwood	17	5	Good	Off-site; excellent form & structure; low branching.
Coast redwood	12	5	Good	Off-site; excellent form & structure; low branching.
Red iron bark	18	2	Poor	History of branch failures; multiple attachments @ 8'.
Mexican fan palm	19	4	Good	Slight lean to south; fronds to 5'.
Mexican fan palm	19	5	Good	Fronds to base
Chinese pistache	12	3	Poor	Multiple attachments @ 3'; twig & branch dieback; street tree.

**TREE
SURVEY
on the
PLEASANT HILLS
GOLF COURSE PROPERTY**

**conducted by
HORTSCIENCE, INC.**

SEPTEMBER 2004

David J. Powers and Associates
Pleasant Hill Golf Course
San Jose CA
September 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1	Chinese elm	26	3	Poor	Codominant trunks @ 2'; stubs.
2	Coast redwood	32,15	3	Moderate	Multiple attachments @ 2'; water stress.
3	Mexican fan palm	10	5	Good	Good young tree.
4	River red gum	22	2	Poor	Codominant trunks @ 3'; dead branches; psyllid damage.
5	Plum	7,5,5,4	3	Moderate	Multiple attachments @ base; crowded.
6	Arizona cypress	5,1,1	2	Poor	Multiple attachments @ base; leaning.
7	River red gum	18,13,16	2	Poor	Multiple attachments @ base; dead branches; psyllid damage.
8	Coast redwood	12	2	Poor	All but dead.
9	Casuarina	27	4	Good	Good form & structure.
10	English elm	7	3	Poor	Crowded; leaning over neighbors property.
11	Arizona cypress	20	2	Poor	Lost central leader; dead branches.
12	English elm	8	3	Moderate	Crowded.
13	Arizona cypress	17	2	Poor	Codominant trunks @ 2'; all but dead.
14	English elm	16	3	Poor	High sparse crown; leaning over neighbors property.
15	English elm	12	3	Moderate	Crowded; dead branches.
16	English elm	20	2	Poor	High sparse crown; dead top.
17	English elm	9	3	Moderate	Crowded; dead branches.
18	Privet	7	3	Moderate	Multiple attachments @ base; crowded.
19	English elm	Group	3	Moderate	Group of 5 saplings 6 to 8"; crowded; dead branches.
20	English elm	18	3	Moderate	Crowded; dead branches.
21	Evergreen ash	16	4	Good	Codominant trunks @ 6'; good tree.
22	River red gum	12,12	3	Poor	Codominant trunks @ base; previous failure.
23	Sydney golden wattle	7	1	Poor	All but dead.
24	Arizona cypress	24	2	Poor	Codominant trunks @ 4'; partial failure.
25	Coast redwood	7	3	Moderate	Multiple attachments @ base.
26	Monterey pine	25	3	Moderate	Multiple attachments @ 3'; stunted.
27	River red gum	17	1	Poor	All but dead.
28	River red gum	23	2	Poor	Declining; twig & branch dieback.
29	River red gum	23	1	Poor	All but dead.
30	River red gum	31	1	Poor	All but dead.
31	River red gum	25	2	Poor	Declining; twig & branch dieback.
32	Blue gum	29	2	Poor	Declining; dead branches; history of branch failure.
33	English elm	6	3	Moderate	Good young tree.
34	English elm	6	2	Poor	Engulfed in ivy; twig & branch dieback.
35	Blue gum	10	1	Poor	Engulfed in ivy; all but dead.
36	Silver dollar gum	8,8,6,6,5	1	Poor	Multiple attachments @ base; all but dead.
37	Blackwood acacia	5	4	Good	Good young tree.
38	Blackwood acacia	13,17	3	Moderate	Multiple attachments @ 2'; full crown; heavy lateral limb.
39	Aleppo pine	17	3	Poor	Leans over street; engulfed in ivy.
40	Aleppo pine	14	3	Poor	Codominant trunks @ 8'; leans over street; engulfed in ivy.
41	River red gum	12	3	Moderate	Crook @ 10'.
42	English elm	3	2	Poor	Codominant trunks @ base; twig & branch dieback.
43	Aleppo pine	17	3	Poor	Slight lean over street; engulfed in ivy.
44	Arizona cypress	6	3	Poor	Sparse canopy.
45	Arizona cypress	9	3	Poor	Sparse canopy.
46	Monterey pine	12	2	Poor	Twig & branch dieback; bleeding from trunk.
47	Arizona cypress	9	2	Poor	Heavy lean; sparse canopy.
48	Arizona cypress	7	2	Poor	Sparse canopy.
49	Privet	5,3,2,1	3	Moderate	Multiple attachments @ base; golf ball damage.
50	Arizona cypress	6	2	Poor	Sparse canopy.
51	Arizona cypress	7	3	Moderate	Crowded by larger eucalyptus #52.
52	Blue gum	44	3	Poor	History of branch failure; lateral over road.
53	Silver dollar gum	24	1	Poor	All but dead.
54	Aleppo pine	9	4	Good	Small with trunk crook.
55	English elm	6,1,1	2	Poor	Multiple attachments @ base; twig & branch dieback.
56	Aleppo pine	11	2	Poor	Sparse canopy; slight lean over street.
57	Aleppo pine	18	4	Good	Full crown; leans over street.
58	English elm	7	2	Poor	Sparse canopy; twig & branch dieback.
59	River red gum	11,10	1	Poor	All but dead; dead stem leans over street.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
60	Arizona cypress	6	3	Moderate	Crowded by #53.
61	River red gum	31	1	Poor	All but dead.
62	Casuarina	15	3	Moderate	Multiple attachments @ 8'; sapsucker damage.
63	English elm	5	2	Poor	Suppressed; twig & branch dieback.
64	Almond	5	3	Poor	Multiple attachments @ 1'; suppressed.
65	Monterey pine	19	3	Poor	Browning; leans to road.
66	English elm	10	4	Moderate	Codominant trunks @ 4'; twig & branch dieback.
67	Casuarina	13	3	Moderate	Multiple attachments @ 8'; sapsucker damage; dead branches.
68	Aleppo pine	13	2	Poor	Heavy lean over street.
69	Aleppo pine	18	2	Poor	Heavy lean over street.
70	Aleppo pine	19	4	Good	Full crown; good tree.
71	Casuarina	13	3	Moderate	Codominant trunks @ 8'; dead branches.
72	Blue gum	39	2	Poor	Declining; dead branches.
73	English elm	7	3	Poor	Codominant trunks @ 4'; twig & branch dieback.
74	Blue gum	14	3	Moderate	Twig & branch dieback.
75	English elm	8	3	Poor	Codominant trunks @ 6'; twig & branch dieback.
76	Aleppo pine	15	2	Poor	Sparse canopy; dead branches.
77	Monterey pine	27	2	Poor	Declining; dead branches.
78	Italian cypress	6	5	Good	Good young tree.
79	Blue gum	26	3	Poor	History of branch failure; golf ball damage.
80	Arizona cypress	18,7	3	Poor	Multiple attachments @ 1'; twig & branch dieback.
81	English elm	12	2	Poor	Dead branches; poor form & structure.
82	Aleppo pine	12	2	Poor	Sparse canopy; twig & branch dieback.
83	Sydney golden wattle	8,7	1	Poor	All but dead.
84	Blue gum	17	2	Poor	Dead branches; declining.
85	Blue gum	27	1	Poor	All but dead.
86	English elm	5	2	Poor	Suppressed; trunk wound.
87	Aleppo pine	12,11	2	Poor	Codominant trunks @ 2'; sparse crown; twig & branch dieback.
88	English elm	8	2	Poor	Suppressed; history of branch failure.
89	Blue gum	14	1	Poor	All but dead.
90	English elm	17	3	Moderate	Multiple attachments @ 7'; dead branches.
91	Blue gum	32	4	Good	Full crown; good tree.
92	River red gum	23	1	Poor	All but dead.
93	River red gum	8	1	Poor	All but dead.
94	English elm	18	2	Poor	Multiple attachments @ 7'; suppressed; dead branches.
95	English elm	9	3	Moderate	Codominant trunks @ 2'; dead branches.
96	Aleppo pine	9	2	Poor	Heavy lean; sparse canopy.
97	English elm	24	3	Moderate	Multiple attachments @ 5'; dead branches.
98	River red gum	18	3	Poor	Heavy lean; dead branches.
99	English elm	6	2	Poor	Heavy lean; trunk wound.
100	English elm	16	3	Poor	High crown; twig & branch dieback.
101	English elm	8	2	Poor	Suppressed; twig & branch dieback.
102	English elm	12,10	2	Poor	Codominant trunks @ 1'; suppressed form; twig & branch dieback.
103	English elm	6	1	Poor	Suppressed; all but dead.
104	English elm	9	2	Poor	Suppressed; all but dead.
105	River red gum	23	1	Poor	All but dead.
106	English elm	5	2	Poor	Codominant trunks @ 1'; suppressed; all but dead.
107	English elm	14	3	Moderate	Codominant trunks @ 1'; suppressed form.
108	English elm	10	2	Poor	Multiple attachments @ 5'; declining.
109	English elm	10	2	Poor	Multiple attachments @ 6'; declining; dead branches.
110	Blue gum	15	1	Poor	All but dead.
111	English elm	13	2	Poor	Codominant trunks @ 7'; suppressed form; dead branches.
112	English elm	9	2	Poor	Sparse canopy; dead branches.
113	English elm	20	1	Poor	Codominant trunks @ 8'; sparse canopy; dead branches.
114	Italian cypress	6	4	Good	Good young tree.
115	English elm	20	3	Poor	Multiple attachments @ 6'; spreading form; dead branches.
116	Monterey pine	23	2	Poor	Declining; twig & branch dieback.
117	English elm	21	3	Moderate	Multiple attachments @ 8'; dead branches; trunk wound.
118	English elm	22	2	Poor	Half of tree failed; sparse canopy.
119	Monterey pine	26	3	Poor	Heavy bleeding from trunk; twig & branch dieback.
120	English elm	9,7	2	Poor	Codominant trunks @ 1'; dead branches; sparse canopy.
121	English elm	14	2	Poor	Leaning; dead branches; sparse canopy.
122	River red gum	18	1	Poor	All but dead.
123	River red gum	22,11	3	Poor	Codominant trunks @ base; history of branch failure; dead branches.
124	Arizona cypress	12	4	Good	Low lateral; a little crowded.
125	Aleppo pine	23	3	Poor	Heavy lean over road.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
126	Holly oak	6,5	4	Moderate	Codominant trunks @ base; young tree.
127	River red gum	40	3	Poor	Codominant trunks @ 6'; history of branch failure.
128	Calif. pepper	18	4	Good	Codominant trunks @ 4'.
129	Aleppo pine	16	3	Poor	Suppressed form; leans over road.
130	Aleppo pine	16	3	Poor	Suppressed form; leans over road.
131	Casuarina	17	3	Poor	Suppressed; dead branches.
132	River red gum	21	2	Poor	High sparse crown; dead branches.
133	Casuarina	14	3	Moderate	Codominant trunks @ 3'; dead branches.
134	River red gum	16	1	Poor	All but dead.
135	Aleppo pine	26	4	Good	Codominant trunks @ 7'; good form & structure.
136	Arizona cypress	8	3	Moderate	Crowded; ivy.
137	Casuarina	16	3	Moderate	Codominant trunks @ 2'; dead branches.
138	English elm	9	2	Poor	Engulfed in ivy; sparse crown.
139	English elm	8	3	Poor	Codominant trunks @ 5'; history of branch failure.
140	River red gum	28	2	Poor	History of branch failure; declining.
141	Aleppo pine	23	3	Poor	Twig & branch dieback; bleeding.
142	Almond	4	3	Moderate	Multiple attachments @ 1'.
143	Blue gum	7,4	3	Moderate	Codominant trunks @ base; a little crowded.
144	English elm	8,7	2	Poor	Codominant trunks @ base; history of branch failure.
145	Monterey pine	16	2	Poor	Leans over road; sparse crown.
146	English elm	14	2	Poor	Codominant trunks @ 6'; leans over road.
147	Monterey pine	21	4	Good	Slight lean; needles browning.
148	Arizona cypress	13	3	Poor	Codominant trunks @ 4'; crowded.
149	English elm	9	2	Poor	Crowded; twig & branch dieback.
150	Monterey pine	13	2	Poor	Ivy; needles browning.
151	Arizona cypress	9	1	Poor	Previous failure.
152	Aleppo pine	12,11	3	Moderate	Codominant trunks @ 2'; needles browning; slight lean over road.
153	Almond	4	3	Moderate	Multiple attachments @ 2'.
154	Casuarina	10,9	3	Moderate	Codominant trunks @ 2'; leans over road..
155	Blue gum	27	4	Good	Full crown; dead branches.
156	Monterey pine	15	2	Poor	All but dead.
157	Blue gum	19	2	Poor	Crowded; poor form & structure; dead branches.
158	Blue gum	36	4	Good	Full crown; dead branches.
159	Monterey pine	15	2	Poor	All but dead.
160	Aleppo pine	15	2	Poor	Ivy; leans over road.
161	River red gum	15	1	Poor	All but dead.
162	Privet	Group	3	Moderate	Group of 7; 1 to 5"; tagged the one behind the bench; multiple attachments @ base.
163	Italian cypress	16	4	Good	Ivy; good tree.
164	River red gum	14	1	Poor	All but dead.
165	Aleppo pine	32,16	3	Poor	One stem upright; one stem on ground; sparse canopy.
166	Blackwood acacia	15	2	Poor	Beaten by golf balls; poor form & structure; history of branch failure.
167	River red gum	12	2	Poor	Codominant trunks @ 5'; very sparse canopy.
168	Blackwood acacia	14,13	2	Poor	Codominant trunks @ 1'; 6" hanger; decay.
169	River red gum	16	2	Poor	Codominant trunks @ 10'; history of branch failure; very sparse canopy.
170	Blackwood acacia	5	3	Poor	Previous failure; suppressed.
171	Blackwood acacia	5,4	2	Poor	Beaten by golf balls; poor form & structure.
172	River red gum	14	2	Poor	Codominant trunks @ base; history of branch failure; very sparse canopy.
173	Blackwood acacia	5	3	Poor	Previous failure; suppressed.
174	Blackwood acacia	19	3	Poor	Multiple attachments @ 4'; sparse canopy.
175	Blue gum	26,8,6,6	2	Poor	Large stem failed @ 6'; stump sprouts remain.
176	Casuarina	16	2	Poor	Sparse canopy; dead branches.
177	Casuarina	16	2	Poor	Sparse canopy; dead branches.
178	Casuarina	16	2	Poor	Sparse canopy; dead branches.
179	Coast redwood	15	1	Poor	All but dead.
180	Coast redwood	11	2	Poor	All but dead.
181	Monterey pine	23	3	Poor	Needles browning; tip dieback; sparse canopy.
182	Arizona cypress	12	3	Poor	Dead branches; partial failure.
183	Casuarina	10	2	Poor	Suppressed; poor form & structure.
184	Casuarina	16	3	Poor	Asymmetric form.
185	Casuarina	12	3	Poor	Twig & branch dieback; crowded.
186	Casuarina	5	2	Poor	Suppressed.
187	Blue gum	46	4	Moderate	Codominant trunks @ 20'; history of branch failure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
188	Calif. pepper	8,8,7,4	4	Good	Multiple attachments @ 1'; spreading form.
189	Holly	6,6	3	Moderate	Codominant trunks @ base; heavy epicormics.
190	Hackberry	16	3	Moderate	Crowded & leaning.
191	Privet	10	3	Moderate	Multiple attachments @ 6'; suppressed.
192	Monterey pine	30	3	Poor	History of branch failure; dead branches.
193	Zelkova	24	3	Poor	Multiple attachments @ 12'; twig & branch dieback.
194	Monterey pine	24	3	Moderate	Slight lean; dead branches.
195	Zelkova	21	2	Poor	Multiple attachments @ 6'; high sparse crown; twig & branch dieback.
196	Zelkova	13,10	3	Poor	Multiple attachments @ 3'; twig & branch dieback.
197	Coast live oak	36	4	Good	Multiple attachments @ 6'; good form & structure; minor dead wood.
198	Plum	4,3,2,1	2	Poor	Suppressed.
199	Holly	4	2	Poor	Suppressed.
200	Arizona cypress	8	2	Poor	Crowded with high sparse crown.
201	Zelkova	13	3	Poor	Crowded; twig & branch dieback.
202	River red gum	15	2	Poor	History of branch failure; crowded; dead wood.
203	Monterey pine	26	3	Poor	History of branch failure; declining; twig & branch dieback.
204	River red gum	22	2	Poor	Codominant trunks @ 3'; crowded; dead wood.
205	Zelkova	16	4	Moderate	Codominant trunks @ 4'; twig & branch dieback.
206	Arizona cypress	24	4	Good	Ivy; branches over road.
207	Coast live oak	20,17	4	Good	Codominant trunks @ 2'; one stem over road; ivy.
208	English elm	14	3	Moderate	Multiple attachments @ 10'; ivy; stem over road.
209	English elm	18	3	Moderate	Crowded; ivy; dead wood.
210	Monterey pine	23,18	2	Poor	Codominant trunks @ 3'; partial failure; heavy lateral limb over road.
211	Monterey pine	17,9	3	Moderate	Codominant trunks @ 2'; weight to road.
212	Monterey pine	25	3	Moderate	Engulfed in ivy; narrow crown.
213	Arizona cypress	9	3	Poor	Suppressed; engulfed in ivy.
214	River red gum	48	1	Poor	All but dead.
215	River red gum	26	2	Poor	Engulfed in ivy; poor form & structure with weight over road.
216	Monterey pine	15	2	Poor	Slight lean to S.; crowded; engulfed in ivy.
217	Arizona cypress	12	2	Poor	Lost stems; trunk wound.
218	River red gum	30,32	2	Poor	Stem to road broken @ 10'; all but dead.
219	Holly	21	3	Moderate	Multiple attachments @ base; suppressed; heavy epicormics.
220	Monterey pine	15	2	Poor	Lost central leader; crowded.
221	Arizona cypress	7	2	Poor	Lost central leader; suppressed.
222	River red gum	28	1	Poor	All but dead; history of branch failure.
223	Casuarina	9	2	Poor	Multiple attachments @ 2'; lost central leader.
224	Monterey pine	16	3	Moderate	Slight bow over road; needle browning.
225	Sydney golden wattle	7	2	Poor	Large trunk wound; thin crown.
226	Coast live oak	6,5,3	3	Moderate	Multiple attachments @ base; growing in fence.
227	River red gum	5	3	Poor	Young but lost central leader.
228	River red gum	20,11	2	Poor	History of branch failure; very sparse canopy.
229	Holly oak	5	3	Moderate	Multiple attachments @ base; suppressed.
230	River red gum	17,13,11	1	Poor	One stem dead; others all but dead.
231	Coast live oak	5	2	Poor	Leans over road; topped @ 10'.
232	Monterey pine	21	2	Poor	Heavy lean over road; full crown.
233	English elm	14	3	Moderate	Codominant trunks @ 3'; dead wood.
234	English elm	12	2	Poor	Suppressed; poor form & structure.
235	English elm	12	2	Poor	Suppressed; poor form & structure.
236	English elm	9	2	Poor	Suppressed; weight over road.
237	English elm	9	1	Poor	Topped; all but dead.
238	English elm	12	3	Poor	Crowded; poor form & structure.
239	English elm	8	1	Poor	Suppressed; poor form & structure.
240	English elm	11	1	Poor	Codominant trunks @ 1'; all but dead.
241	English elm	9	3	Moderate	Codominant trunks @ 7'; minor dead wood.
242	English elm	7	1	Poor	All but dead.
243	English elm	5	1	Poor	Suppressed; all but dead.
244	English elm	7	3	Poor	Codominant trunks @ 6'; poor form & structure.
245	English elm	7	2	Poor	Suppressed; poor form & structure.
246	English elm	8	2	Poor	Codominant trunks @ 4'; suppressed.
247	Evergreen ash	7	3	Moderate	Codominant trunks @ base; trunk wounds.
248	Silver dollar gum	16	1	Poor	Lost all but one branch.
249	River red gum	17	1	Poor	All but dead.
250	Silver dollar gum	5	2	Poor	Suppressed; poor form & structure.
251	River red gum	11	2	Poor	Heavy lean over road; sparse crown.
252	River red gum	6	1	Poor	All but dead.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
253	River red gum	7,5,3,2	1	Poor	All but dead.
254	English elm	16	2	Poor	Codominant trunks @ 6'; history of branch failure; weight over road.
255	English elm	7,6,3	2	Poor	Topped; suppressed; dead wood.
256	River red gum	8,5	2	Poor	Suppressed; history of branch failure.
257	Blue gum	33	4	Good	Codominant trunks @ 6'; full crown; minor dead wood.
258	Arizona cypress	7	3	Poor	Codominant trunks @ 2'; trunk wounds.
259	River red gum	22	1	Poor	All but dead.
260	Monterey pine	14	2	Poor	Twig & branch dieback; barbed wire girdling base.
261	English elm	6	3	Moderate	Dead wood.
262	English elm	5	2	Poor	Suppressed; dead wood.
263	River red gum	21	1	Poor	All but dead.
264	English elm	7	3	Poor	Codominant trunks @ 4'; suppressed form; dead wood.
265	English elm	5	3	Poor	Codominant trunks @ 6'; suppressed form; dead wood.
266	English elm	12	3	Poor	Codominant trunks @ 5'; suppressed form; dead wood.
267	English elm	11	3	Poor	Codominant trunks @ 3'; suppressed form; dead wood.
268	English elm	5	1	Poor	All but dead.
269	Arizona cypress	22	4	Good	Codominant trunks @ 3'; full crown.
270	Monterey pine	7	2	Poor	Partial failure.
271	English elm	6,1	2	Poor	Codominant trunks @ base; sparse crown.
272	English elm	10	3	Moderate	Codominant trunks @ 5'; weight to road.
273	English elm	14	3	Poor	Sparse canopy; dead wood; extends over Tully.
274	River red gum	30	1	Poor	All but dead.
275	River red gum	30	1	Poor	All but dead.
276	Aleppo pine	18	2	Poor	Heavy lean over Tully.
277	Monterey pine	14	3	Poor	Multiple attachments @ 7'; suppressed form.
278	River red gum	24,17	1	Poor	All but dead.
279	English elm	5,3	3	Poor	Codominant trunks @ base; topped.
280	Arizona cypress	18	2	Poor	Codominant trunks @ 2'; one stem failed.
281	Monterey pine	21	2	Poor	Leans to Tully; heavy bleeding from trunk.
282	River red gum	30	1	Poor	All but dead.
283	English elm	5	3	Poor	Suppressed; bows to Tully.
284	English elm	12	3	Moderate	3" hazard beam over sidewalk.
285	Monterey pine	11	2	Poor	Needles browning; suppressed.
286	Monterey pine	21	2	Poor	Needles browning; heavy bleeding from trunk.
287	River red gum	27	1	Poor	All but dead; history of branch failure.
288	Privet	6	2	Poor	Stump sprout; dead wood.
289	Monterey pine	6	2	Poor	Needles browning; heavy golf ball damage.
290	River red gum	36	1	Poor	All but dead; heavy golf ball damage.
291	English elm	11	4	Good	Good screen tree.
292	English elm	4	3	Poor	Suppressed; good screen tree.
293	River red gum	26	1	Poor	Codominant trunks @ 7'; heavy golf ball damage; all but dead.
294	English elm	9	3	Moderate	Suppressed; dead wood; good screen tree.
295	English elm	16	4	Good	Codominant trunks @ 4'; narrow attachment; good screen tree.
296	Arizona cypress	6,3	3	Poor	Codominant trunks @ base; suppressed.
297	English elm	9	3	Poor	One-sided; crowded; good screen tree.
298	English elm	13	3	Moderate	Codominant trunks @ 8'; good screen tree.
299	English elm	5	2	Poor	Suppressed; one-sided to Tully.
300	Arizona cypress	6	2	Poor	Suppressed.
301	English elm	7	3	Moderate	Crowded.
302	Evergreen ash	6	2	Poor	Suppressed; poor form & structure.
303	English elm	18	3	Moderate	Codominant trunks @ 2'; a little crowded.
304	River red gum	28	2	Poor	Multiple attachments @ 4'; all but dead.
305	Italian cypress	6	2	Poor	Codominant trunks @ 4'; poor form & structure.
306	Monterey cypress	16	3	Poor	Suppressed; lost central leader.
307	Italian cypress	6	2	Poor	Codominant trunks @ 4'; poor form & structure.
308	English elm	10	2	Poor	Dead wood; declining.
309	Italian cypress	9	3	Poor	Codominant trunks @ 4'; a little sparse canopy.
310	Italian cypress	6	2	Poor	Suppressed; poor form & structure.
311	Italian cypress	6	3	Poor	Codominant trunks @ 2'; poor form & structure.
312	English elm	6	2	Poor	Crowded; weight to Tully.
313	Italian cypress	6	3	Poor	Crowded; poor form & structure.
314	English elm	15	3	Moderate	Crowded; lateral to Tully.
315	River red gum	30	2	Poor	Multiple attachments @ 12'; in decline.
316	Italian cypress	8	3	Poor	Codominant trunks @ 1'; suppressed; poor form & structure.
317	Italian cypress	7	3	Poor	Codominant trunks @ 1'; suppressed; poor form & structure.
318	English elm	10	2	Poor	Dead wood; declining.
319	English elm	11	3	Moderate	Codominant trunks @ 2'; good screen.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
320	Italian cypress	6	3	Poor	Dehydrated.
321	English elm	8,7	3	Poor	Codominant trunks @ base; one stem topped.
322	Italian cypress	5	2	Poor	Suppressed; weak branch attachment.
323	English elm	Group	3	Moderate	Group of six sapling 4 to 6"; codominant trunks @ base; crowded.
324	Italian cypress	5	2	Poor	Codominant trunks @ 3"; suppressed.
325	English elm	16	2	Poor	Twig & branch dieback; deadwood.
326	River red gum	22	1	Poor	Lost half of tree; weight over Tully; all but dead.
327	Casuarina	9	2	Poor	Multiple attachments @ 4'; declining.
328	River red gum	22	2	Poor	Laterals over Tully; all but dead.
329	River red gum	19	2	Poor	Leans over Tully; all but dead.
330	Coast live oak	6,6,6	3	Moderate	Multiple attachments @ base; a little beaten up.
331	River red gum	26	2	Poor	Laterals over Tully; all but dead.
332	Arizona cypress	9	3	Poor	Dead branches; suppressed.
333	River red gum	30	2	Poor	All but dead.
334	River red gum	20	1	Poor	All but dead.
335	River red gum	26	1	Poor	Laterals over Tully; all but dead.
336	River red gum	22	1	Poor	All but dead.
337	River red gum	23	1	Poor	History of branch failure; all but dead.
338	River red gum	21	1	Poor	Codominant trunks @ 2'; all but dead.
339	Aleppo pine	11	4	Good	Good tree; a little one-sided.
340	River red gum	19,12	1	Poor	Codominant trunks @ base; all but dead.
341	River red gum	16	1	Poor	All but dead.
342	Arizona cypress	8	2	Poor	Lost central leader; beaten.
343	River red gum	26	1	Poor	All but dead; slight lean to Tully.
344	Aleppo pine	14	2	Poor	Heavy lean to Tully; needles browning.
345	River red gum	32	1	Poor	Codominant trunks @ 6'; all but dead.
346	Arizona cypress	8	2	Poor	Suppressed; beaten.
347	Casuarina	16	2	Poor	Multiple attachments @ 5'; dead top.
348	Casuarina	16	2	Poor	Multiple attachments @ 5'; dead top.
349	English elm	17	3	Moderate	Codominant trunks @ 6'; dead wood.
350	Evergreen ash	15	2	Poor	Codominant trunks @ 3'; half dead.
351	River red gum	19	1	Poor	High crown; all but dead.
352	English elm	9	2	Poor	Codominant trunks @ 6'; weight over Tully.
353	River red gum	30	1	Poor	All but dead.
354	English elm	12	2	Poor	Codominant trunks @ 8'; dead wood.
355	Coast live oak	10	3	Poor	Sparse canopy; twig & branch dieback.
356	Coast live oak	8	5	Good	Good young tree.
357	Coast live oak	8	5	Good	Good young tree.
358	Yellow willow	8	3	Poor	Multiple attachments @ base; twig & branch dieback.
359	Coast live oak	8	5	Good	Good young tree.
360	Yellow willow	6,6,5	3	Poor	Group of two; multiple attachments @ base; one is previous failure.
361	English elm	18,12	3	Poor	Codominant trunks @ 3'; one stem with weight to Tully; twig & branch dieback.
362	Lombardy poplar	16	2	Poor	High narrow form; dieback.
363	Almond	11	3	Poor	Multiple attachments @ base; poor form & structure.
364	English elm	10,9	3	Moderate	Codominant trunks @ base; one stem with weight to Tully.
365	English elm	15	3	Poor	Twig & branch dieback.
366	English elm	20	3	Poor	Multiple attachments @ 4'; poor form & structure; weight over Tully.
367	Lombardy poplar	7,6	4	Good	Codominant trunks @ base; stump sprout.
368	English elm	7	4	Moderate	A little one-sided.
369	English elm	14,8,6	3	Poor	Multiple attachments @ base; crowded; twig & branch dieback.
370	River red gum	22,13	1	Poor	Codominant trunks @ 1'; all but dead.
371	Calif. pepper	28	3	Poor	Multiple attachments @ 4'; twig & branch dieback.
372	Calif. pepper	15	3	Poor	Multiple attachments @ 5'; twig & branch dieback.
373	Calif. pepper	14	2	Poor	Multiple attachments @ 5'; declining.
374	Calif. pepper	18	2	Poor	Multiple attachments @ 5'; declining.
375	Calif. pepper	14	2	Poor	Codominant trunks @ base; declining.
376	River red gum	41	2	Poor	Codominant trunks @ 4'; all but dead.
377	River red gum	26	2	Poor	Multiple attachments @ 3'; declining.
378	English elm	13	3	Poor	Codominant trunks @ 6'; declining; twig & branch dieback.
379	River red gum	24	3	Poor	Codominant trunks @ 5'; dead branches; sparse canopy.
380	Lombardy poplar	12	4	Good	Multiple attachments @ base; good screen.
381	Lombardy poplar	Group	2	Poor	Group of two; 12 to 14"; multiple attachments @ base; all but dead.
382	Arizona cypress	17	3	Moderate	Multiple attachments @ 1'; lower limb dieback.
383	English elm	6,5,4	3	Poor	Multiple attachments @ base; declining; twig & branch dieback.
384	Arizona cypress	16	3	Moderate	Low lateral; lower limb dieback.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
385	Arizona cypress	19	3	Poor	Previous failure; some twig & branch dieback.
386	Evergreen ash	6	4	Good	Good young tree; crowded by cypress.
387	Casuarina	11,10,7,5	3	Poor	Multiple attachments @ 2'; one-sided to road; dead branches.
388	English elm	26	3	Poor	Codominant trunks @ 3'; twig & branch dieback.
389	Coast redwood	10,6	2	Poor	Codominant trunks @ base; moderate foliage density.
390	Coast redwood	13	1	Poor	Poor foliage density.
391	Calif. pepper	23	4	Good	Codominant trunks @ 5'; minor dead wood.
392	English elm	14	3	Poor	Multiple attachments @ 8'; crowded with poor form & structure.
393	Silver dollar gum	19	2	Poor	Codominant trunks @ base; twisted trunks; high crown.
394	River red gum	11,7	1	Poor	All but dead.
395	Calif. pepper	10,8,6	2	Poor	Multiple attachments @ base; suppressed.
396	Aleppo pine	21	3	Moderate	Leans; lower limbs dead.
397	Hawthorn	7	2	Poor	Multiple attachments @ base; all but dead.
398	Blackwood acacia	10	4	Good	Good screen.
399	Lombardy poplar	Group	2	Poor	Group of 3; 7 to 12"; declining.
400	Aleppo pine	12	2	Poor	Suppressed; poor form & structure.
401	Red iron bark	16	2	Poor	Codominant trunks @ 2'; crook; poor form & structure.
402	Lombardy poplar	10	4	Good	Multiple attachments @ base; along White Rd.
403	Chinese elm	16	2	Poor	Multiple attachments @ 7'; poor form & structure; one-sided.
404	Aleppo pine	21	4	Good	Codominant trunks @ 8'; full crown.
405	River red gum	16	1	Poor	Heavy lean; all but dead.
406	River red gum	15	2	Poor	Sparse crown.
407	River red gum	15	1	Poor	Sparse canopy; all but dead.
408	River red gum	22	2	Poor	Lost main stem; 10" sprout remains.
409	River red gum	23	2	Poor	Codominant trunks @ 10'; half dead; second stem all but dead.
410	River red gum	11,7	2	Poor	Codominant trunks @ base; dead top.
411	Silver dollar gum	18	3	Moderate	High crown; one-sided.
412	River red gum	12	2	Poor	Suppressed; twig & branch dieback.
413	Aleppo pine	19	3	Poor	Leans; crowded.
414	Calif. pepper	14,10	3	Poor	Previous failure; codominant trunks @ base; twig & branch dieback.
415	Calif. pepper	10,8	2	Poor	Codominant trunks @ base; all but dead.
416	Calif. pepper	15	2	Poor	Codominant trunks @ base; all but dead.
417	English elm	23	2	Poor	Multiple attachments @ 5'; history of branch failure; dead branches.
418	English elm	23	2	Poor	Codominant trunks @ 6'; twig & branch dieback.
419	Calif. pepper	7	1	Poor	All but dead.
420	Calif. pepper	10,8	3	Moderate	Multiple attachments @ base; dead branches.
421	Blue gum	20	2	Poor	Psyllid damage; declining.
422	Silver dollar gum	10	1	Poor	All but dead.
423	Blue gum	23	2	Poor	Psyllid damage; declining.
424	English elm	12	2	Poor	Sparse crown.
425	Silver dollar gum	6,5	1	Poor	Poor form & structure; dead top.
426	Silver dollar gum	13,9	3	Poor	Codominant trunks @ 2'; twig & branch dieback.
427	River red gum	13	1	Poor	All but dead.
428	Aleppo pine	14	3	Poor	Sparse canopy; a little one-sided.
429	Silver dollar gum	15,5	3	Poor	Codominant trunks @ 4'; 5" stem dead; twig & branch dieback.
430	River red gum	22	2	Poor	Codominant trunks @ base; narrow attachment; very sparse canopy.
431	River red gum	21	3	Moderate	Slight lean; psyllid damage.
432	River red gum	15	1	Poor	All but dead.
433	Hackberry	10	2	Poor	Codominant trunks @ 4'; sparse crown; twig & branch dieback.
434	River red gum	31	2	Poor	Codominant trunks @ 3'; psyllid damage; dead branches.
435	Blackwood acacia	4,4,3	1	Poor	All but dead.
436	English elm	23	3	Poor	Codominant. @ 5'; history of branch failure; hazard beam; dead branches.
437	English elm	23	3	Poor	Codominant. @ 5'; history of branch failure; dead branches.
438	English elm	23	2	Poor	Codominant. @ 7'; history of branch failure; many dead branches.
439	English elm	15	2	Poor	Multiple attachments @ 7'; crowded; dead branches.
440	Blackwood acacia	9	3	Poor	Dead top; crowded.
441	Monterey pine	28	3	Moderate	Pine pitch canker; full crown.
442	Hackberry	27	2	Poor	Codominant. @ 5'; history of branch failure; dead branches.
443	River red gum	19,19	2	Poor	Codominant trunks @ 2'; one stem failed @ 10'; sparse canopy.
444	Hackberry	11	1	Poor	All but dead.
445	Hackberry	4	3	Moderate	Young tree; needs irrigation.
446	Aleppo pine	14	3	Moderate	Needle browning.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
447	Hackberry	10	2	Poor	Codominant trunks @ 7'; twig & branch dieback.
448	Hackberry	16	2	Poor	Sparse canopy; dead branches.
449	River red gum	23	2	Poor	Multiple attachments @ 12'; lost central leader; poor form & structure; cavity.
450	Hackberry	12	2	Poor	Codominant trunks @ 3'; all but dead.
451	English elm	8	2	Poor	Sparse canopy; poor form & structure.
452	Arizona cypress	13	3	Moderate	Not bad; minor dead wood.
453	English elm	15	3	Poor	Multiple attachments @ 6'; twig & branch dieback.
454	Monterey pine	15	3	Moderate	Trunk bleeding; twisted around 455
455	Hackberry	10	2	Poor	Twisted around #454; twig & branch dieback.
456	Italian cypress	6	4	Good	Good young tree; trunk wound.
457	Hackberry	19	3	Moderate	Codominant trunks @ 2'; some dead wood.
458	River red gum	21,14	1	Poor	All but dead.
459	Hackberry	19	3	Moderate	Codominant trunks @ 5'; dead branch; decay.
460	Hackberry	16	3	Moderate	Low lateral @ 5'; dead branches.
461	River red gum	45	1	Poor	Codominant trunks @ 7'; all but dead.
462	River red gum	29	2	Poor	Codominant trunks @ 2'; very sparse canopy.
463	Hackberry	16	3	Moderate	Codominant trunks @ 4'; weak attachment; dead branches.
464	Evergreen ash	13	3	Poor	Multiple attachments @ 3'; suppressed; poor form & structure.
465	Hackberry	10	3	Moderate	Codominant trunks @ 2'; suppressed.
466	Hackberry	9	3	Moderate	Codominant trunks @ 3'; suppressed.
467	Hackberry	15	3	Moderate	Codominant trunks @ 5'; crowded.
468	Monterey pine	18	2	Poor	Crown bows heavily to south; declining.
469	River red gum	29	2	Poor	Codominant trunks @ 8'; history of branch failure; very sparse canopy.
470	Hackberry	21	3	Moderate	Multiple attachments @ 10'; heavy lateral limb; dead branches.
471	Casuarina	11	2	Poor	One-sided; crowded; dead branches.
472	Hackberry	20	3	Poor	Codominant trunks @ 5'; history of branch failure; dead branches.
473	Monterey pine	26	2	Poor	One-sided; dead top.
474	River red gum	10,6	2	Poor	Codominant trunks @ base; all but dead.
475	Monterey pine	34	2	Poor	Codominant trunks @ 8'; hangers; very sparse canopy.
476	River red gum	8,8	2	Poor	Codominant trunks @ base; seam to ground; all but dead.
477	River red gum	35	2	Poor	Codominant trunks @ 8'; history of branch failure; dead branches; very sparse canopy.
478	River red gum	28	3	Poor	Multiple attachments @ 3'; dead branches; sparse canopy.
479	River red gum	10,8,6	2	Poor	Multiple attachments @ base; all but dead.
480	River red gum	17,14,13,7,6	2	Poor	Multiple attachments @ 2'; history of branch failure; dead branches; sparse canopy.
481	River red gum	36	2	Poor	Multiple attachments @ 8'; history of branch failure; several large trunk wounds.
482	River red gum	22	3	Poor	Codominant trunks @ 6'; dead branches; sparse canopy.
483	Aleppo pine	6	3	Poor	Suppressed; poor form & structure.
484	River red gum	16	2	Poor	Bark peeling; sparse crown; all but dead.
485	Casuarina	9	3	Moderate	Codominant trunks @ 5'; dead top.
486	Blue gum	36	3	Poor	Codominant trunks @ 8'; twig & branch dieback; dead wood.
487	English elm	8	3	Poor	Poor form & structure; twig & branch dieback.
488	English elm	9	3	Poor	Narrow crown; twig & branch dieback.
489	English elm	7	3	Poor	Codominant trunks @ 6'; twig & branch dieback.
490	Evergreen ash	6	2	Poor	Suppressed; poor form & structure.
491	Monterey pine	20	2	Poor	Codominant trunks @ 7'; pine pitch & bark beetles; all but dead.
492	Casuarina	16	3	Poor	One-sided; history of branch failure.
493	Monterey pine	14	3	Poor	One-sided; poor form & structure.
494	Hackberry	14,12	2	Poor	Codominant trunks @ base; crowded; twig & branch dieback.
495	River red gum	28	2	Poor	Codominant trunks @ 5'; all but dead.
496	Coast live oak	28	4	Moderate	Codominant trunks @ 5'; trunk wound.
497	Coast live oak	20,11	3	Poor	Codominant trunks @ 4'; trunk wound with decay; sapsucker damage.
498	Coast live oak	5,4	4	Good	Codominant trunks @ base; trunk wound.
499	River red gum	38	1	Poor	All but dead.
500	Monterey pine	12	2	Poor	Heavy bleeding from trunk; lost central leader.
501	Casuarina	10	3	Poor	Lost central leader.
502	River red gum	21	2	Poor	Lost half of tree; all but dead.
503	Hackberry	9	3	Moderate	Codominant trunks @ 4'; dead branches.
504	River red gum	28	2	Poor	History of branch failure; psyllid damage; all but dead.
505	River red gum	27	1	Poor	History of branch failure; all but dead.
506	Coast live oak	11,10,8	4	Good	Multiple attachments @ base; one stem topped @ 3'.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
507	Casuarina	11	2	Poor	Twig & branch dieback.
508	Casuarina	9	2	Poor	Suppressed; twig & branch dieback.
509	Silver dollar gum	15	1	Poor	Multiple attachments @ 3'; all but dead.
510	River red gum	39	2	Poor	History of branch failure; dead branches; all but dead.
511	English elm	16	3	Poor	Codominant trunks @ 7'; twig & branch dieback.
512	Deodar cedar	18	4	Moderate	Leans south; good tree.
513	Casuarina	14	2	Poor	Multiple attachments @ 3'; twig & branch dieback.
514	Aleppo pine	31	3	Poor	Heavy lean; low lateral.
515	English elm	15	3	Poor	Codominant trunks @ 5'; twig & branch dieback.
516	Monterey pine	17	2	Poor	Bleeding; bark beetles; declining.
517	English elm	17	3	Poor	Multiple attachments @ 10'; twig & branch dieback.
518	Casuarina	8	1	Poor	All but dead.
519	English elm	17	3	Poor	Codominant trunks @ 8'; history of branch failure; twig & branch dieback.
520	Italian cypress	8	5	Good	Good young tree.
521	River red gum	28	1	Poor	All but dead.
522	Sydney golden wattle	10	1	Poor	All but dead.
523	River red gum	26	1	Poor	Multiple attachments @ 7'; very wide attachment; all but dead.
524	English elm	9,7	2	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.
525	English elm	18	2	Poor	Codominant trunks @ 6'; poor form & structure; dead branches.
526	Evergreen ash	8	3	P	Suppressed; poor form & structure.
527	English elm	18	2	Poor	Codominant trunks @ base; poor form & structure; dead branches.
528	Evergreen ash	8	3	Poor	Previous failure; poor form & structure.
529	English elm	22	3	Moderate	Codominant trunks @ 3'; low lateral; dead branches.
530	English elm	12	2	Poor	Codominant trunks @ 5'; suppressed.
531	English elm	9	2	Poor	Codominant trunks @ 9'; suppressed.
532	Monterey pine	17	2	Poor	Crowded; poor form & structure; dead branches.
533	English elm	6,5,3	2	Poor	Codominant trunks @ base; crowded; leans.
534	River red gum	45	2	Poor	Codominant trunks @ 4'; all but dead.
535	English elm	10	2	Poor	Crowded; leans; dead branches.
536	English elm	11	2	Poor	Topped; poor form & structure.
537	Monterey pine	6	2	Poor	Crowded; poor form & structure; dead branches.
538	English elm	4,3,2	2	Poor	Stump sprout; multiple attachments @ base.
539	English elm	15	2	Poor	Codominant trunks @ 3'; dead branches; sparse canopy.
540	English elm	5	3	Poor	Trunk wound; twig & branch dieback.
541	Deodar cedar	12	3	Moderate	Golf ball damage; a little one-sided.
542	English elm	6,5	2	Poor	Multiple attachments @ base; sparse canopy.
543	English elm	19	2	Poor	Multiple attachments @ 18'; history of branch failure; sparse canopy.
544	English elm	10	2	Poor	Codominant trunks @ 3'; crowded.
545	Italian buckthorn	4,3,2	3	Moderate	Multiple attachments @ base; trunk wound.
546	English elm	10,4	2	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.
547	English elm	18	2	Poor	Codominant trunks @ 6'; history of branch failure; twig & branch dieback.
548	English elm	9	2	Poor	Codominant trunks @ 6'; sparse canopy.
549	English elm	7	2	Poor	Crowded; trunk wound.
550	English elm	18	1	Poor	Multiple attachments @ 12'; very sparse canopy.
551	English elm	19	2	Poor	Multiple attachments @ 4'; twig & branch dieback; sparse canopy.
552	Silver dollar gum	26	2	Poor	Codominant trunks @ base; history of branch failure; all but dead.
553	Evergreen ash	9,7,5	3	Moderate	Multiple attachments @ base; twig & branch dieback; leans.
554	Sydney golden wattle	8,7	2	Poor	Codominant trunks @ base; all but dead.
555	English elm	14	2	Poor	Codominant trunks @ 5'; twig & branch dieback; sparse canopy.
556	English elm	11,10	2	Poor	Codominant trunks @ 3'; twig & branch dieback.
557	English elm	7,5,1	2	Poor	Multiple attachments @ base; twig & branch dieback; sparse canopy.
558	English elm	11	2	Poor	Codominant trunks @ 6'; twig & branch dieback.
559	English elm	8	2	Poor	Crowded; poor form & structure; leans.
560	English elm	22	1	Poor	All but dead.
561	English elm	16	2	Poor	Codominant trunks @ 8'; dead branches; crowded.
562	English elm	7,3	1	Poor	Multiple attachments @ base; twig & branch dieback; sparse canopy.
563	English elm	26	1	Poor	Dead branches; history of branch failure; all but dead.
564	English elm	24	3	Moderate	Dead branches; high crown.
565	Aleppo pine	17	3	Moderate	Slight lean; sapsucker damage.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
566	Aleppo pine	4	2	Poor	Suppressed; trunk wound.
567	Red flowering gum	25	4	Good	Codominant trunks @ 2'; full crown.
568	Silver dollar gum	11	2	Poor	Lost central leader; poor form & structure.
569	English elm	17	3	Moderate	Multiple attachments @ 7'; dead branches.
570	Italian cypress	8	4	Good	Good young tree; trunk wound.
571	Boxelder	9,2	1	Poor	Codominant trunks @ base; very sparse canopy.
572	English elm	23	2	Poor	Multiple attachments @ 6'; spreading crown; dead branches.
573	Casuarina	10	2	Poor	Suppressed; poor form & structure.
574	Aleppo pine	16	2	Poor	Previous failure; full crown.
575	English elm	7,7	2	Poor	Codominant trunks @ base; crowded; twig & branch dieback.
576	English elm	12	1	Poor	All but dead.
577	English elm	4	2	Poor	Codominant trunks @ base; suppressed.
578	Evergreen ash	13	2	Poor	Codominant trunks @ 8'; included bark; very sparse canopy.
579	Evergreen ash	9	3	Poor	Codominant trunks @ 8'; being girdled; sparse canopy.
580	Evergreen ash	20	2	Poor	Multiple attachments @ 6'; low lateral; very sparse canopy.
581	English elm	4,3	2	Poor	Codominant trunks @ base; dead top.
582	Arizona cypress	10,6	2	Poor	Previous failure; decayed stem; broken top.
583	Aleppo pine	14	2	Poor	Previous failure; browning needles.
584	Almond	6,6,5,3,3	2	Poor	Multiple attachments @ base; all but dead.
585	Blackwood acacia	12,11,10	2	Poor	Multiple attachments @ base; dead top.
586	English elm	5,2	4	Good	Codominant trunks @ base; good young tree.
587	Blue gum	9	2	Poor	Dead top; psyllid damage.
588	English elm	5	2	Poor	Crowded; all but dead.
589	Blue gum	6	2	Poor	Dead top; psyllid damage; leans.
590	River red gum	29	2	Poor	Codominant trunks @ 3'; mostly epicormics; psyllid damage.
591	Calif. pepper	15	3	Poor	Codominant trunks @ 7'; suppressed & bowed over road.
592	English elm	Group	3	Poor	Group of five saplings 5 to 6"; crowded; twig & branch dieback.
593	English elm	24	2	Poor	Codominant trunks @ 1'; dead top; mostly epicormics.
594	Aleppo pine	7	3	Poor	Leans; lost central leader; needle browning.
595	Coast live oak	8	4	Good	Codominant trunks @ 2'; a little crowded; good young tree.
596	Aleppo pine	8	2	Poor	Leans; trunk wound; needle browning.
597	English elm	13	3	Poor	Twig & branch dieback; low laterals.
598	Bottle brush	7,6	2	Poor	Multiple attachments @ base; all but dead.
599	English elm	16	2	Poor	Multiple attachments @ 12'; twig & branch dieback; trunk wound.
600	Lombardy poplar	Group	2	Poor	Group of five saplings 5 to 6"; some dead; some all but dead.
601	English elm	18	2	Poor	Multiple attachments @ 15'; dead top; crown separating.
602	River red gum	19	1	Poor	Codominant trunks @ 3'; all but dead.
603	Evergreen ash	18	1	Poor	Codominant trunks @ 5'; all but dead.
604	English elm	20	3	Poor	Codominant trunks @ 6'; twig & branch dieback.
605	English elm	15	2	Poor	Multiple attachments @ 12'; twig & branch dieback; very sparse canopy.
606	Arizona cypress	5	4	Good	Codominant trunks @ base; crowded; good young tree.
607	River red gum	17	1	Poor	All but dead.
608	English elm	7	3	Poor	Multiple attachments @ 5'; crowded; with hanger.
609	River red gum	15,10,5	1	Poor	Multiple attachments @ base; stems separating; very sparse canopy.
610	Blue gum	38	4	Good	Multiple attachments @ 15'; full crown heavy lateral limb.
611	Calif. pepper	14,9,5	3	Poor	Multiple attachments @ base; twig & branch dieback.
612	English elm	12	2	Poor	Suppressed; all but dead..
613	English elm	12	2	Poor	All but dead; on fence line; twig & branch dieback.
614	River red gum	9,9	1	Poor	Codominant trunks @ base; all but dead.
615	Red flowering gum	16,11	3	Moderate	Codominant trunks @ 1'; heavy seed production.
616	River red gum	30	4	Good	Codominant trunks @ 6'; some twig & branch dieback.
617	Casuarina	20	3	Poor	Multiple attachments @ 10'; twig & branch dieback; spreading form.
618	Aleppo pine	12,7	2	Poor	Codominant trunks @ 1'; partial failure; needle browning.
619	Silver dollar gum	12	2	Poor	Mostly epicormics; all but dead.
620	Blackwood acacia	21	2	Poor	Central leader declining; low laterals alive.
621	River red gum	18	2	Poor	Multiple attachments @ 10'; twig & branch dieback; branches over road.
622	English elm	7	1	Poor	All but dead; leaning.
623	Aleppo pine	18	1	Poor	Hit by car; partial failure; all but dead.
624	English elm	10	1	Poor	All but dead.
625	Blackwood acacia	7	4	Good	Good young tree along fence.
626	River red gum	26	2	Poor	Crown dense with epicormics; top with heavy twig & branch dieback.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
627	Monterey pine	9	2	Poor	Heavy lean; poor form & structure
628	Blackwood acacia	8,7	1	Poor	Codominant trunks @ base; all but dead.
629	River red gum	35	4	Moderate	Codominant trunks @ 5'; twig & branch dieback.
630	River red gum	15	2	Poor	Heavy lean; twig & branch dieback.
631	Blackwood acacia	10	2	Poor	Crowded & very sparse canopy.
632	Casuarina	7,5	2	Poor	Codominant trunks @ base; dead top.
633	Casuarina	10	2	Poor	Dead top.
634	River red gum	19	1	Poor	All but dead.
635	River red gum	14	1	Poor	All but dead.
636	River red gum	19	1	Poor	All but dead.
637	English elm	17	1	Poor	Multiple attachments @ 5'; all but dead.
638	River red gum	18	2	Poor	Heavy lean; large trunk wound; twig & branch dieback.
639	Silver dollar gum	12	3	Moderate	Tall straight stem; some epicormics.
640	Blue gum	6	3	Moderate	Good young tree; golf ball damage; twig & branch dieback.
641	English elm	16	1	Poor	Codominant trunks @ 3'; all but dead.
642	River red gum	25	3	Moderate	High crown; epicormics; twig & branch dieback.
643	English elm	8	1	Poor	All but dead.
644	River red gum	17	3	Poor	Sparse canopy; golf ball damage.
645	English elm	19	1	Poor	All but dead.
646	River red gum	26	4	Good	Codominant trunks @ 10'; dead branches.
647	English elm	5,4	3	Poor	Codominant trunks @ base; suppressed.
648	English elm	19	1	Poor	Lost stem; cavity with decay.
649	English elm	6,5	4	Good	Codominant trunks @ base; good young tree.
650	Arizona cypress	9	3	Poor	Poor form & structure.
651	River red gum	10	1	Poor	Multiple attachments @ 5'; dead top.
652	English elm	15,9	2	Poor	Codominant trunks @ 2'; separating crown; history of branch failure.
653	River red gum	23	3	Poor	Codominant trunks @ 20'; high crown; twig & branch dieback.
654	English elm	12	2	Poor	Codominant trunks @ 6'; twig & branch dieback.
655	River red gum	23	1	Poor	All but dead.
656	English elm	9,8,6,5	2	Poor	Multiple attachments @ base; all but dead.
657	English elm	15	2	Poor	Multiple attachments @ 8'; heavy twig & branch dieback.
658	River red gum	23,19	2	Poor	Codominant trunks @ 2'; sparse crown; history of branch failure.
659	English elm	9,8,6,5	2	Poor	Codominant trunks @ 8'; suppressed; twig & branch dieback.
660	River red gum	35	1	Poor	All but dead; history of branch failure.
661	English elm	15	2	Poor	Codominant trunks @ 5'; extensive twig & branch dieback.
662	River red gum	26	2	Poor	Codominant trunks @ 2'; very sparse canopy.
663	English elm	15	3	Poor	Codominant trunks @ 10'; bowed crown; twig & branch dieback.
664	River red gum	48	1	Poor	Codominant trunks @ 3'; all but dead.
665	River red gum	28	1	Poor	Codominant trunks @ 6'; all but dead.
666	English elm	16	2	Poor	Codominant trunks @ 3'; twig & branch dieback.
667	Evergreen ash	5	2	Poor	Suppressed; all but dead.
668	River red gum	30	3	Poor	Sparse spreading crown; dead wood.
669	Arizona cypress	15,9	3	Moderate	Codominant trunks @ 10'; crowded.
670	Aleppo pine	18,15	4	Good	Codominant trunks @ 2'; full crown.
671	Monterey cypress	24	4	Good	Good tree; dead wood.
672	Plum	6,5,3,1,1	2	Poor	Multiple attachments @ base; several dead stems.
673	English elm	10,5,3	2	Poor	Multiple attachments @ base; included bark; one-sided; twig & branch dieback.
674	Monterey pine	19	2	Poor	Heavy bleeding from trunk; needle browning.
675	Aleppo pine	15	3	Poor	Crowded; heavy lean.
676	English elm	6	3	Poor	Multiple attachments @ base; twig & branch dieback.
677	English elm	14	2	Poor	Codominant trunks @ 6'; one-sided; twig & branch dieback.
678	English elm	12	2	Poor	Low lateral @ 6'; one-sided; twig & branch dieback.
679	Aleppo pine	24	4	Good	Codominant trunks @ 7'; full crown.
680	Aleppo pine	15	3	Poor	Crowded; leaning.
681	English elm	18	2	Poor	History of branch failure; twig & branch dieback.
682	Privet	5,4,3,3,2	3	Moderate	Multiple attachments @ base; crowded;
683	Monterey pine	14	2	Poor	Bleeding; high crown.
684	English elm	15	2	Poor	Codominant trunks @ 10'; history of branch failure; twig & branch dieback.
685	English elm	20	2	Poor	Codominant trunks @ 7'; history of branch failure; twig & branch dieback.
686	Evergreen ash	9	2	Poor	Heavy lean; topped.
687	Evergreen ash	11,9	3	Moderate	Codominant trunks @ base; one stem dead.
688	Casuarina	18	2	Poor	Sapsucker damage; history of branch failure; sparse canopy.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
689	Evergreen ash	14	3	Moderate	Codominant trunks @ 6'; dead wood; trunk wounds.
690	River red gum	54	2	Poor	Multiple attachments @ 5'; all but dead.
691	River red gum	20	1	Poor	All but dead.
692	River red gum	16	2	Poor	High crown; very sparse canopy; twig & branch dieback.
693	River red gum	6	2	Poor	Suppressed; extensive twig & branch dieback.
694	Coast live oak	4,2	3	Poor	Codominant trunks @ base; trunk wound; suppressed.
695	Coast live oak	8	4	Good	Codominant trunks @ 8'; crowded.
696	Monterey pine	22	2	Poor	Heavy bleeding; dead wood; sparse canopy; red turpentine beetle.
697	River red gum	26	2	Poor	Codominant trunks @ 7'; dead wood; extensive twig & branch dieback.
698	Coast live oak	8	4	Good	Codominant trunks @ 2'; crowded.
699	River red gum	22	1	Poor	Codominant trunks @ 7'; multiple failures; twig & branch dieback.
700	Monterey pine	20	2	Poor	Codominant trunks @ 6'; bowed; sparse canopy.
701	Monterey pine	20	3	Moderate	Multiple attachments @ 3'; bowed; bleeding.
702	English elm	16,12	3	Moderate	Heavy lateral limb; dead wood.
703	River red gum	29	3	Poor	Codominant trunks @ 8'; vertical cracks; seam @ attachment; sparse canopy.
704	Coast live oak	31	3	Poor	Multiple attachments @ 3'; bowed away from large eucalyptus; dead wood.
705	English elm	20	3	Poor	Codominant trunks @ 4'; history of branch failure; dead wood.
706	Almond	6,5,3,2	3	Moderate	Multiple attachments @ 1'; sapsucker damage; trunk wound.
707	Casuarina	8	2	Poor	Lost central leader; poor form & structure.
708	Aleppo pine	20	3	Moderate	Crowded & bowed; full crown.
709	Monterey pine	13	2	Poor	Twisted form; bleeding.
710	Privet	Group	3	Moderate	Group of two 4 to 5"; multiple attachments @ base.
711	Arizona cypress	12,6	2	Poor	Previous failure; upright stems leaning.
712	Evergreen ash	12	2	Poor	Multiple attachments @ 3'; large trunk wound; dead wood.
713	Evergreen ash	6,5,4	2	Poor	Multiple attachments @ base; trunk wounds; dead wood.
714	English elm	14	2	Poor	One-sided; history of branch failure; dead wood.
715	Monterey pine	21	2	Poor	Pine pitch canker; bleeding from trunk.
716	River red gum	20	2	Poor	Very sparse canopy; dead wood.
717	English elm	6,4	3	Poor	Codominant trunks @ base; twig & branch dieback.
718	English elm	23	3	Poor	Multiple attachments @ 2'; twig & branch dieback.
719	Evergreen ash	10	3	Moderate	Codominant trunks @ 3'; included bark; dead wood.
720	River red gum	19	2	Poor	Very sparse canopy; dead wood.
721	Monterey pine	16	2	Poor	Pine pitch canker; bleeding; circling the drain.
722	River red gum	13	1	Poor	All but dead.
723	Monterey pine	6	2	Poor	Suppressed; leans.
724	English elm	22	3	Poor	Codominant trunks @ 8'; separating crown; dead wood.
725	River red gum	9	1	Poor	High crown; sparse canopy.
726	English elm	22	3	Poor	Multiple attachments @ 3'; seams in attachments; dead wood.
727	Blue gum	23	4	Moderate	A little crowded; leaning.
728	River red gum	24	2	Poor	Multiple attachments @ 6'; leaning; trunk wounds; dead wood.
729	English elm	17	2	Poor	Multiple attachments @ 5'; dead top.
730	River red gum	21,17	3	Moderate	Codominant trunks @ 3'; dead wood @ top; epicormics below.
731	Silver dollar gum	16	3	Moderate	Dead wood @ top; epicormics below
732	River red gum	17	2	Poor	Codominant trunks @ 5'; stems twisted; history of branch failure.
733	River red gum	11,9	1	Poor	Codominant trunks @ base; extensive dead wood; history of branch failure.
734	English elm	13	3	Poor	Codominant trunks @ 6'; dead wood.
735	Monterey pine	8	3	Poor	Leans; needle browning.
736	River red gum	12,11	1	Poor	Codominant trunks @ base; stems separating; very sparse canopy.
737	Monterey cypress	28	3	Moderate	Multiple attachments @ 6'; stubs; dead stems.
738	Evergreen ash	8,6,3	2	Poor	Multiple attachments @ base; stems separating; suppressed.
739	English elm	16	3	Poor	Codominant trunks @ 12'; dead wood; crown separating.
740	Plum	5	2	Poor	Multiple attachments @ base; dead wood.
741	English elm	12	3	Moderate	Codominant trunks @ 2'; seam in attachment; dead wood.
742	Evergreen ash	8,6,3	2	Poor	Multiple attachments @ 7'; sparse crown; dead wood.
743	Blue gum	22	3	Moderate	Codominant trunks @ 20'; twig & branch dieback.
744	English elm	16	3	Poor	Sparse canopy; spreading crown; dead wood.
745	Silver dollar gum	Group	2	Poor	Group of two 4 to 6"; suppressed; poor form & structure
746	English elm	11	2	Poor	Multiple attachments @ 5'; topped; dead wood.
747	Aleppo pine	17,16	4	Moderate	Codominant trunks @ 2'; slight lean.
748	River red gum	15	1	Poor	Codominant trunks @ 8'; all but dead.
749	Silver dollar gum	16	3	Moderate	Multiple attachments @ 5'; crowded.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
750	Evergreen ash	8	2	Poor	Leans; trunk wound; suppressed.
751	English elm	13	2	Poor	Codominant trunks @ 2'; sparse canopy.
752	English elm	15	2	Poor	Codominant trunks @ 2'; dead wood; stubs.
753	Monterey pine	23	3	Moderate	Multiple attachments @ 7'; bleeding.
754	English elm	13	2	Poor	Codominant trunks @ 6'; sparse canopy; dead wood.
755	Silver dollar gum	8	2	Poor	Trunk bows @ 8'; basal trunk wound.
756	River red gum	34	2	Poor	Multiple attachments @ 20'; history of branch failure; all but dead.
757	English elm	13	3	Poor	Codominant trunks @ 3'; sparse canopy; twig & branch dieback.
758	River red gum	20	1	Poor	All but dead.
759	River red gum	36	2	Poor	Codominant trunks @ 3'; large trunk wound; twig & branch dieback.
760	Aleppo pine	26	3	Moderate	Codominant trunks @ 6'; leans; full crown.
761	Aleppo pine	21	5	Good	Good tree; full crown.
762	English elm	6	3	Poor	Suppressed; poor form & structure.
763	Evergreen ash	8,7	2	Poor	Stump sprout; suppressed form.
764	Aleppo pine	32	4	Good	Codominant trunks @ 10'; included bark; full crown.
765	English elm	26	2	Poor	Crown separating; dead wood; hangers.
766	River red gum	19	2	Poor	All but dead.
767	Aleppo pine	26	3	Moderate	Codominant trunks @ 3'; crowded.
768	Evergreen ash	10	3	Moderate	Codominant trunks @ 10'; crowded; high crown.
769	English elm	19	2	Poor	Codominant trunks @ 2'; crown separating.
770	River red gum	18	3	Poor	Leans; sparse canopy; twig & branch dieback.
771	English elm	17	3	Poor	Codominant trunks @ 2'; history of branch failure; hangers.
772	River red gum	20	2	Poor	Leans; sparse canopy; twig & branch dieback.
773	English elm	16,7	3	Poor	Codominant trunks @ base; bows north; stems cracked @ base.
774	Evergreen ash	18,6	2	Poor	Codominant trunks @ base; partial failure; twig & branch dieback.
775	English elm	17	1	Poor	All but dead.
776	Silver dollar gum	21	3	Moderate	Codominant trunks @ 8'; golf ball damage.
777	River red gum	29	1	Poor	Lost central leader; all but dead.
778	English elm	5	1	Poor	Codominant trunks @ base; one stem dead; one sparse canopy.
779	River red gum	34	3	Poor	Codominant trunks @ 3'; twig & branch dieback; insect damage.
780	River red gum	20	3	Moderate	High crown; large trunk wound.
781	English elm	12	2	Poor	Codominant trunks @ 6'; twig & branch dieback; some all but dead.
782	River red gum	20	3	Moderate	High crown; all but dead.
783	River red gum	37	2	Poor	Very sparse canopy; some scaffolds dead.
784	River red gum	22	4	Good	Full crown heavy with epicormics.
785	River red gum	22	2	Poor	Lost central leader; poor form & structure; dead wood.
786	English elm	5	1	Poor	All but dead.
787	Aleppo pine	35	3	Moderate	Full crown; slight lean; needle browning.
788	Arizona cypress	10	2	Poor	Dead top; sparse canopy.
789	English elm	20	2	Poor	Multiple attachments; separating crowns; bowed heavily.
790	Monterey pine	12	1	Poor	Previous failure; 45 degree lean.
791	River red gum	21	2	Poor	Codominant trunks @ 20'; sparse canopy; dead wood.
792	River red gum	21	2	Poor	Full crown; twig & branch dieback @ the top.
793	Aleppo pine	8	3	Poor	Slight lean; suppressed.
794	Valley oak	14	3	Moderate	Codominant trunks @ 2'; included bark; one-sided.
795	Cottonwood	12,6	3	Poor	Leans to south; codominant @ base; twig & branch dieback.
796	Arizona cypress	9	3	Poor	Heavy lean over road.
797	River red gum	29	2	Poor	Codominant trunks @ 20'; crowded; poor form & structure; mixed with ten dead trees.
798	Arizona cypress	7	2	Poor	Heavy lean; engulfed in poison oak.
799	English elm	14	2	Poor	Crowded; poor form & structure; dead wood.
800	River red gum	19	2	Poor	Dead top; epicormics.
801	Lombardy poplar	Group	3	Poor	Group of six 8 to 12"; dead tops; epicormics.
802	River red gum	26	3	Moderate	Slight lean towards road.; twig & branch dieback.
803	River red gum	22,16	3	Poor	Codominant trunks @ base; suppressed; one stem bows to rd.
804	Lombardy poplar	Group	4	Good	Group of three along road 6 to 10"; multiple attachments @ base.
805	Silver dollar gum	16	2	Poor	Codominant trunks @ 2'; large trunk wound; all but dead.
806	Yellow willow	24,21,16	3	Poor	Multiple attachments @ base; two stems lean over road; history of branch failure; trunk wound.
807	Coast redwood	29	3	Moderate	Twig & branch dieback; moderately full crown.
808	English elm	13	2	Poor	Crowded; poor form & structure; lost central leader.
809	Silver dollar gum	7	1	Poor	Codominant trunks @ base; all but dead.
810	Monterey cypress	11	3	Poor	Codominant trunks @ base; twig & branch dieback; poor form & structure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
811	Silver dollar gum	Group	1	Poor	Group of three 6 to 7"; dead tops.
812	Coast live oak	14	2	Poor	Codominant trunks @ 3'; stems splitting; very chlorotic.
813	English elm	8,7	3	Poor	Codominant trunks @ 1'; crowded; poor form & structure.
814	River red gum	26	3	Poor	Codominant trunks @ 5'; high crown; history of branch failure.
815	English elm	12	3	Moderate	Codominant trunks @ 1'; crowded; one-sided.
816	Coast live oak	13,10	2	Poor	Multiple attachments @ 2'; stems splitting.
817	Chinese elm	11,8	4	Good	Trunk wound; minor dead wood.
818	Chinese elm	10	3	Poor	Heavy lean; topped.
819	Silver dollar gum	6	1	Poor	All but dead.
820	English elm	12	3	Poor	Bowed crown; poor form & structure; twig & branch dieback.
821	Blackwood acacia	10	2	Poor	Dead top; chlorotic.
822	English elm	6	2	Poor	Codominant trunks @ 3'; suppressed form.
823	English elm	17	4	Good	Full crown; minor twig & branch dieback.
824	River red gum	22	2	Poor	Codominant trunks @ 4'; extensive twig & branch dieback; mostly epicormics.
825	English elm	14	2	Poor	Codominant trunks @ 2'; twig & branch dieback; trunk wound.
826	River red gum	42	2	Poor	Codominant trunks @ 2'; extensive twig & branch dieback; mostly epicormics.
827	Aleppo pine	17,16	2	Poor	Codominant trunks @ base; partial failure; sparse canopy.
828	Aleppo pine	18,14	2	Poor	Codominant trunks @ 1'; crowded & bowed.
829	Silver dollar gum	13	2	Poor	Lost central leader; partial failure.
830	English elm	7	1	Poor	Bowed; all but dead.
831	River red gum	26	1	Poor	All but dead; a few epicormics remain.
832	English elm	16	1	Poor	All but dead; a few epicormics remain.
833	Aleppo pine	13	3	Poor	Leans; needle browning.
834	English elm	17	3	Poor	Multiple attachments @ 3'; history of branch failure; suppressed.
835	Silver dollar gum	12	3	Moderate	Crowded; twig & branch dieback.
836	River red gum	20	2	Poor	Multiple attachments @ 15'; very sparse canopy.
837	English elm	6,6	2	Poor	Codominant trunks @ base; large trunk wound; twisted form.
838	River red gum	19	2	Poor	Low lateral; sparse canopy; twig & branch dieback.
839	River red gum	20	1	Poor	All but dead; a few epicormics remain.
840	English elm	10	2	Poor	Codominant trunks @ 5'; all but dead.
841	River red gum	16,14	1	Poor	Codominant trunks @ 2'; very sparse canopy.
842	Calif. pepper	10	1	Poor	Lost top; all but dead.
843	English elm	5,4	2	Poor	Codominant trunks @ base; crowded; twig & branch dieback.
844	Blue gum	30	3	Poor	Codominant trunks @ 5'; leans; history of branch failure; heavy golf ball damage.
845	Blue gum	60	3	Poor	Large trunk wound with decay; history of branch failure; hangers.
846	River red gum	8	3	Moderate	Suppressed; high crown.
847	English elm	12	1	Poor	Trunk wound; sparse canopy; twig & branch dieback.
848	Blackwood acacia	13	1	Poor	Dead top; little remains.
849	River red gum	20	4	Good	Sapsucker damage; good tree.
850	English elm	8	2	Poor	Twig & branch dieback; high crown.
851	Monterey pine	11	3	Poor	Crowded; poor form & structure; golf ball damage.
852	English elm	5	1	Poor	All but dead.
853	Monterey pine	12	2	Poor	Crowded; poor form & structure; sparse canopy.
854	English elm	12	2	Poor	Crowded; twig & branch dieback.
855	River red gum	16	2	Poor	Very sparse canopy; twig & branch dieback.
856	River red gum	24	1	Poor	Lost top; history of branch failure; poor form & structure.
857	River red gum	18	1	Poor	History of branch failure; poor form & structure.
858	River red gum	2)	1	Poor	Dead top; history of branch failure.
859	English elm	16	2	Poor	Very sparse canopy; twig & branch dieback.
860	Aleppo pine	19,13	3	Moderate	Codominant trunks @ 2'; leans.
861	Aleppo pine	13	4	Good	Good young tree; leans.
862	English elm	11	2	Poor	Codominant trunks @ 6'; sparse canopy; twig & branch dieback.
863	English elm	9	1	Poor	All but dead.
864	Monterey cypress	18,11	2	Poor	Multiple attachments @ base; partial failure; dead top.
865	Monterey cypress	30	3	Poor	Multiple attachments @ 8'; extensive twig & branch dieback; dead top
866	Coast redwood	Group	3	Moderate	Group of four 5 to 7"; dehydrated.
867	Arizona cypress	8,7,6	3	Moderate	Multiple attachments @ base; crowded.
868	English elm	14	2	Poor	Codominant trunks @ 7'; crown separating; twig & branch dieback.
869	River red gum	30	2	Poor	Lost central leader; history of branch failure; trunk wound.
870	Monterey pine	18	3	Poor	Heavy lean; narrow crown.
871	River red gum	9,8	2	Poor	Codominant trunks @ base; lost tops.
872	Monterey pine	12	2	Poor	Heavy lean; sparse canopy; needle browning.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
873	Blue gum	17	3	Moderate	Twig & branch dieback; not too bad.
874	River red gum	24	2	Poor	Extensive twig & branch dieback; epicormics remain.
875	Monterey pine	13	2	Poor	Suppressed form; needle browning.
876	Casuarina	14	2	Poor	Dead top; sapsucker damage.
877	River red gum	24	3	Poor	Multiple attachments @ 9'; one stem failed; one stem separating.
878	Coast redwood	6	4	Good	Good young tree; dehydrated.
879	Silver dollar gum	6,5,4	2	Poor	Multiple attachments @ base; sprouts from failed tree.
880	English elm	13	2	Poor	Codominant trunks @ base; seam; twig & branch dieback.
881	River red gum	27	4	Good	Full spreading crown; trunk wound.
882	English elm	13	2	Poor	Codominant trunks @ 3'; suppressed; twig & branch dieback.
883	River red gum	27	3	Moderate	Crowded; heavy epicormics.
884	River red gum	23	1	Poor	All but dead.
885	River red gum	27	2	Poor	Twig & branch dieback @ the top; heavy epicormics.
886	English elm	9	2	Poor	Multiple attachments @ 7'; all but dead; crowded; twig & branch dieback.
887	River red gum	31	1	Poor	Multiple attachments @ 15'; tufts of foliage @ ends of bare branches.
888	Blue gum	34	3	Poor	Codominant trunks @ 2'; twig & branch dieback; history of branch failure.
889	Blue gum	32	2	Poor	Codominant trunks @ 20'; sparse canopy; history of branch failure.
890	Blue gum	30	4	Moderate	Codominant trunks @ 10'; upright form; history of branch failure.
891	Blue gum	40	4	Moderate	Multiple attachments @ 15'; spreading form; history of branch failure.
892	Blue gum	36	2	Poor	Multiple attachments @ 15'; suppressed form; history of branch failure.
893	Blue gum	54	4	Moderate	Multiple attachments @ 15'; spreading form; history of branch failure; dead branches; trunk wound.
894	River red gum	8	2	Poor	Suppressed; poor form & structure; history of branch failure.
895	English elm	6	2	Poor	Codominant trunks @ 7'; crowded; topped.
896	River red gum	7,6	2	Poor	Codominant trunks @ base; very sparse canopy.
897	English elm	16	3	Poor	Multiple attachments @ 3'; twig & branch dieback.
898	Blackwood acacia	6	1	Poor	All but dead.
899	River red gum	36	1	Poor	History of branch failure; weakly attached epicormics remain.
900	Blue gum	40	4	Moderate	Codominant trunks @ 6'; spreading form; minor dead wood.
901	Privet	6	3	Moderate	Multiple attachments @ base; suppressed.
902	Calif. pepper	5	2	Poor	Bowed; suppressed; branch wound.
903	English elm	6	2	Poor	Suppressed; twig & branch dieback.
904	Blue gum	15	3	Poor	Codominant trunks @ 3'; heavy lean; twig & branch dieback.
905	Blue gum	30	3	Moderate	Low lateral; twig & branch dieback.
906	Monterey pine	15	2	Poor	Pine pitch canker; declining.
907	Calif. pepper	6	4	Moderate	Good young tree; suppressed.
908	Privet	Group	3	Moderate	Group of seven 4 to 9"; multiple attachments @ base; stump sprout.
909	English elm	Group	2	Poor	Group of twenty saplings 5 to 8"; crowded; poor form & structure.
910	Calif. pepper	11	3	Poor	History of branch failure; dead branches; suppressed.
911	Calif. pepper	11,11,9	2	Poor	Multiple attachments @ base; twig & branch dieback.
912	Silver dollar gum	15	3	Moderate	Codominant trunks @ 3'; dead top.
913	River red gum	13	3	Moderate	Horizontal form.
914	Blue gum	7	2	Poor	Suppressed; heavy lean.
915	Blue gum	9	3	Poor	Suppressed form; leaning.
916	Blue gum	25	3	Poor	Dead branches; leaning.
917	River red gum	Group	1	Poor	Group of sixteen 10 to 14"; crowded; several whole tree failures; history of branch failure.
918	River red gum	28	3	Poor	Upright with high crown; history of branch failure.
919	Silver dollar gum	Group	3	Moderate	Group of two 6"; suppressed.
920	English elm	10,6	2	Poor	Codominant trunks @ base; suppressed; twig & branch dieback.
921	River red gum	10	2	Poor	Extensive twig & branch dieback; leaning.
922	Arizona cypress	7	3	Poor	Multiple attachments @ base; sparse canopy.
923	English elm	14	3	Poor	Codominant trunks @ 7'; twig & branch dieback.
924	River red gum	9	1	Poor	All but dead.
925	Arizona cypress	10,9,7,6	3	Poor	Multiple attachments @ 2'; some stems with dead tops.
926	River red gum	33	3	Poor	Multiple attachments @ 5'; crowded with crossing stems.
927	River red gum	26	1	Poor	Codominant trunks @ 4'; all but dead.
928	Casuarina	10	2	Poor	Dead top; very little remains.
929	English elm	12,7	3	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
930	Aleppo pine	27	3	Poor	Codominant trunks @ 4'; spreading crown; history of branch failure.
931	Blackwood acacia	14	2	Poor	Codominant trunks @ 4'; dead top.
932	River red gum	19	1	Poor	All but dead.
933	Silver dollar gum	7	1	Poor	Beaten; all but dead.
934	Aleppo pine	17	2	Poor	Heavy lean; twig & branch dieback
935	English elm	17	2	Poor	Codominant trunks @ 5'; history of branch failure; decay; poor form & structure.
936	Aleppo pine	29	3	Poor	Codominant trunks @ 6'; narrow crown; history of branch failure.
937	River red gum	19	2	Poor	Heavy lean; history of branch failure; twig & branch dieback..
938	Aleppo pine	14	3	Poor	Suppressed; poor form & structure.
939	English elm	13	3	Moderate	Codominant trunks @ 10'; narrow crown; heavy lateral limb.
940	Boxelder	17	3	Moderate	Trunk wound with decay; good form & structure.
941	Coast redwood	3	4	Good	Good young tree; minor trunk wound.
942	English elm	10,6	2	Poor	Codominant trunks @ base; high narrow crown; history of branch failure.
943	Aleppo pine	8	2	Poor	Partial failure; suppressed.
944	English elm	17	2	Poor	Codominant trunks @ 2'; separating stems; twig & branch dieback.
945	English elm	23	2	Poor	Codominant trunks @ 4'; one stem all but dead.
946	River red gum	27	3	Poor	Good form; extensive twig & branch dieback.
947	English elm	17	2	Poor	Heavy lean; twig & branch dieback.
948	English elm	14	2	Poor	Codominant trunks @ 3'; twig & branch dieback.
949	River red gum	27	1	Poor	All but dead.
950	Aleppo pine	24	3	Moderate	Codominant trunks @ 2'; suppressed form; crown bows.
951	Aleppo pine	14,13	3	Poor	Previous failure; all but on the ground.
952	Arizona cypress	6	3	Moderate	A little one-sided; good screen along rd.
953	Casuarina	17	3	Moderate	Good screen; twig & branch dieback.
954	River red gum	34	2	Poor	Codominant trunks @ 3'; very sparse canopy; twig & branch dieback.
955	River red gum	37	1	Poor	All but dead.
956	Aleppo pine	16	2	Poor	Heavy lean; twig & branch dieback
957	American elm	7	3	Moderate	Crowded; upright.
958	American elm	7,7,5	3	Poor	Multiple attachments; suppressed forms.
959	English elm	35	3	Poor	Full crown; mostly epicormics; twig & branch dieback.
960	Privet	8,6,5,4	3	Moderate	Multiple attachments @ base; suppressed by large elm.
961	Canary Island palm	Group	3	Moderate	Group of six 18"; beneath large elm; 1' of clear trunk.
962	Aleppo pine	17	2	Poor	Heavy lean; poor form & structure.
963	River red gum	Group	2	Poor	Group of five 12 to 15" live stems mixed with ten dead stems; some all but dead; all with poor form & structure; leaners over road.
964	English elm	Group	2	Poor	Group of forty saplings 8 to 14"; crowded with suppressed form; some with heavy lateral limb over road.
965	Canary Island palm	15	3	Moderate	Suppressed beneath elms; 1' of clear trunk.
966	Coast redwood	Group	2	Poor	Group of seven 6 to 10"; suppressed beneath elm grove; poor form & structure.
967	Arizona cypress	7	2	Poor	Suppressed beneath elm grove; poor form & structure.
968	Casuarina	Group	2	Poor	Group of three 10 to 12"; suppressed beneath elm grove; poor form & structure.
969	Privet	Group	3	Moderate	Group of six 6 to 8"; multiple attachments @ base; suppressed beneath elm grove; poor form & structure.
970	English elm	10	4	Moderate	Good tree; minor twig & branch dieback.
971	Privet	6,5,5,4	3	Moderate	Multiple attachments @ base; suppressed.
972	Canary Island palm	20	3	Moderate	Suppressed beneath elms; 2' of clear trunk.
973	English elm	23	3	Poor	Multiple attachments @ 8'; history of branch failure; twig & branch dieback.
974	English elm	7,5	3	Poor	Multiple attachments @ base; crowded & one-sided.
975	English elm	46	3	Poor	Multiple attachments @ 4'; big dominant tree; history of branch failure; heavy lateral limb.
976	English elm	25	3	Poor	Codominant trunks @ 8'; suppressed form; history of branch failure.
977	Canary Island palm	16	3	Moderate	Suppressed beneath elms; 2' of clear trunk.
978	Canary Island palm	27	4	Good	Good tree; 25' of clear trunk.
979	English elm	34	3	Poor	Multiple attachments @ 12'; big dominant tree; history of branch failure.
980	English elm	38	3	Moderate	Multiple attachments @ 12'; big edge tree; one-sided.
981	Hackberry	14	2	Poor	Heavy lean; twig & branch dieback.
982	Canary Island palm	26	3	Moderate	Suppressed beneath elms; 2' of clear trunk.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
983	English elm	15,6,4	3	Poor	Multiple attachments @ base; suppressed form; history of branch failure.
984	American elm	35	2	Poor	Codominant trunks @ 7'; decay; one stem broke @ 15'.
985	American elm	34	2	Poor	Had codominant trunks @ 2'; decay; 1 stem failed.
986	American elm	34	1	Poor	Whole tree failed @ 10'.
987	Calif. pepper	14	2	Poor	Suppressed form; history of branch failure.
988	American elm	13	2	Poor	Codominant trunks @ 2'; one stem failed @ 5'.
989	River red gum	30	1	Poor	All but dead.
990	American elm	15	2	Poor	Codominant trunks @ base; stump sprouts; decay.
991	Italian cypress	Group	4	Good	Group of 3 9 to 10"; one codominant trunk @ base.
992	English walnut	15	2	Poor	English & black; multiple attachments @ 6'; good habitat trees.
993	Blackwood acacia	20	2	Poor	Poor form & structure; twig & branch dieback.
994	Blackwood acacia	Group	3	Poor	Group of five 5 to 6"; suppressed beneath eucalyptus.
995	River red gum	25,23	2	Poor	Codominant trunks @ 2'; very sparse canopy; extensive twig & branch dieback.
996	Euonymus japonicus 'Aureo Variegatus'	6,2,1	3	Moderate	Multiple attachments @ base; twig & branch dieback.
997	Monterey pine	20	3	Poor	Pine pitch canker; twig & branch dieback.
998	River red gum	11,6,3	2	Poor	Stump sprout; trunk wound; poor form & structure.
999	River red gum	32	2	Poor	Codominant trunks @ 2'; very sparse canopy; extensive twig & branch dieback.
1000	Coast redwood	9,8	3	Poor	Sparse canopy; beneath dying eucalyptus.
1001	Coast redwood	10	5	Good	Good young tree
1002	Plum	10,9,8,6,6,5,	3	Moderate	Multiple attachments @ base; stubbed; low branching.
1003	Blue gum	44	3	Moderate	Low branch @ 7'; moderate twig & branch dieback.
1004	Blue gum	37	2	Poor	Extensive twig & branch dieback; mostly epicormics.
1005	Silver dollar gum	8	1	Poor	Lost central leader; all but dead.
1006	Blackwood acacia	12,11	3	Poor	Codominant trunks @ base; stems separating; trunk wound.
1007	River red gum	13	2	Poor	Very sparse canopy; extensive twig & branch dieback.
1008	Blue gum	42	2	Poor	Extensive twig & branch dieback; mostly epicormics.
1009	River red gum	Group	2	Poor	Group of six 6 to 10"; very sparse canopy; extensive twig & branch dieback.
1010	Blackwood acacia	12	3	Moderate	Bowed crown.
1011	Calif. black walnut	10	2	Poor	Codominant trunks @ 6'; poor form & structure.
1012	Blue gum	16	3	Moderate	Crown bows but full.
1013	Blue gum	32	3	Poor	Codominant trunks @ 7'; moderate twig & branch dieback; moderate epicormics.
1014	Blackwood acacia	11	3	Moderate	Edge of row; trunk wound & dead branches.
1015	Blackwood acacia	Group	2	Poor	Group of two 6 to 8"; dead tops.
1016	River red gum	15	2	Poor	High crown; bowed; poor form & structure.
1017	Coast live oak	23	3	Moderate	Multiple attachments @ 3'; narrow attachment; included bark.
1018	Calif. pepper	5	4	Good	Codominant trunks @ base; good young tree.
1019	Calif. pepper	6,1	3	Poor	Codominant trunks @ base; twig & branch dieback.
1020	River red gum	22	1	Poor	Codominant trunks @ 10'; history of branch failure; all but dead.
1021	Almond	7,6,3,3,2	2	Poor	Multiple attachments @ base; history of branch failure; poor form & structure.
1022	Privet	Group	3	Moderate	Group of four 3 to 6"; multiple attachments @ base.
1023	River red gum	Group	2	Poor	Group of two 6 to 8"; multiple attachments @ base; topped for power lines.
1024	Monterey pine	15	2	Poor	Topped for power lines; poor form & structure.
1025	Red iron bark	5,2,2,1	2	Poor	Multiple attachments @ base; topped for power lines.
1026	Port Orford cedar	6	3	Moderate	Codominant trunks @ 2'; on waters edge; heavy lean
1027	Calif. pepper	5	2	Poor	Suppressed & leaning.
1028	Arizona cypress	Group	3	Moderate	Group of three 7 to 9"; on waters edge; crowded.
1029	Sydney golden wattle	Group	2	Poor	Group of four 3 to 6"; multiple attachments @ base; collapsing.
1030	Privet	Group	3	Moderate	Group of three 2 to 6"; multiple attachments @ base.
1031	Arizona cypress	12,10,9,8	3	Moderate	Multiple attachments @ base; on waters edge.
1032	River red gum	32	3	Poor	Multiple attachments @ 5'; low lateral; sparse canopy.
1033	Arizona cypress	7,6	3	Poor	Codominant trunks @ base; one stem failed @ 8'; on waters edge.
1034	Calif. pepper	5	2	Poor	Suppressed & leaning.
1035	River red gum	17	2	Poor	Topped for power lines; poor form & structure; sparse canopy.
1036	Toyon	5,2,2	4	Good	Multiple attachments @ base; crowded.
1037	Sydney golden wattle	8	3	Moderate	No tag; edge of water.
1038	English elm	Group	3	Moderate	Group of saplings 4 to 6"; on waters edge.
1039	English elm	16	2	Poor	Codominant trunks @ 7'; topped for power lines.
1040	River red gum	24	2	Poor	Multiple attachments @ 12'; topped for power lines.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1041	English elm	6,4	3	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.
1042	Blackwood acacia	7,5,4	3	Moderate	Group of saplings.
1043	Monterey pine	20	2	Poor	Topped for power lines; poor form & structure.
1044	Italian cypress	8,7,5,5,3	4	Good	Multiple attachments @ base.
1045	Casuarina	10,8,7,5	3	Moderate	Multiple attachments @ base; one stem broken.
1046	Coast redwood	5	3	Poor	Sparse canopy; beneath power lines.
1047	Privet	6,5,3	3	Moderate	Multiple attachments @ base; in standing water.
1048	Coast redwood	Group	2	Poor	Group of five 10 to 18"; declining; in standing water.
1049	River red gum	20	1	Poor	Trunk broken; hung up in neighbor; all but dead.
1050	Coast live oak	10,7	4	Good	Codominant trunks @ base; good young tree.
1051	Coast redwood	14	3	Poor	Sparse canopy; lost top.
1052	European birch	Group	3	Poor	Group of two 13 to 14"; poor form & structure; one was topped.
1053	Coast redwood	25,17,14	3	Poor	Multiple attachments @ base; twig & branch dieback.
1054	River red gum	25,21,18,14	3	Poor	Multiple attachments @ base; twig & branch dieback; heavy lateral limbs.
1055	English elm	15	2	Poor	Multiple attachments @ 7'; heavy lateral limb; poor form & structure.
1056	Silver dollar gum	14	1	Poor	Lost central leader; one weakly attached lateral remains.
1057	Casuarina	14	3	Poor	Sparse canopy; twig & branch dieback.
1058	River red gum	21	1	Poor	Dead top; epicormics.
1059	River red gum	21	4	Good	Full crown; trunk wound; bleeding.
1060	Silver dollar gum	14	3	Moderate	Codominant trunks @ 3'; dead top; epicormics.
1060	English elm	15	2	Poor	Multiple attachments @ 7'; history of branch failure; poor form & structure.
1061	River red gum	23	1	Poor	Dead top; epicormics.
1063	Evergreen ash	10	3	Moderate	Suppressed form; leans.
1064	English elm	20	2	Poor	Multiple attachments @ 7'; dead branches.
1065	River red gum	31	4	Good	Low laterals; full crown.
1066	Monterey pine	21	3	Poor	Multiple attachments @ 6'; poor form & structure; needle browning.
1067	Italian cypress	6	5	Good	Good young tree.
1068	Coast redwood	5	2	Poor	Very sparse canopy; needle discoloration.
1069	Silver dollar gum	15	3	Moderate	Codominant trunks @ 3'; dead top; epicormics.
1070	River red gum	48	4	Good	Multiple attachments @ 3'; full spreading crown.
1071	English elm	15	3	Poor	Multiple attachments @ 6'; twig & branch dieback.
1072	Evergreen ash	13	2	Poor	Suppressed form; leans.
1073	River red gum	17,15,8	2	Poor	Multiple attachments @ 2'; sparse crown; poor form & structure.
1074	River red gum	24	2	Poor	Low lateral; very sparse crown; poor form & structure.
1075	Evergreen ash	8,7,2	2	Poor	Multiple attachments @ 2'; seam to base; poor form & structure.
1076	English elm	20,17,8,8,6	3	Moderate	Multiple attachments @ 8'; dead wood.
1077	River red gum	34	4	Good	Codominant trunks @ 6'; full crown; golf ball damage.
1078	Evergreen ash	17	3	Poor	Multiple attachments @ 6'; sparse spreading crown.
1079	Silver dollar gum	12,9	3	Poor	Codominant trunks @ 3'; suppressed & one-sided.
1080	English elm	21	3	Poor	Codominant trunks @ 7'; full crowns; twig & branch dieback.
1081	River red gum	34	4	Good	Multiple attachments @ 8'; full crown; golf ball damage.
1082	River red gum	17	2	Poor	All but dead.
1083	English elm	21	3	Poor	Codominant trunks @ 6'; poor form & structure; twig & branch dieback.
1084	River red gum	25	2	Poor	All but dead.
1085	English elm	Group	3	Moderate	Group of twenty-four saplings 4 to 6"; root sprouts.
1086	Italian cypress	9	4	Good	Multiple attachments @ base.
1087	Monterey pine	20	3	Poor	Extensive twig & branch dieback.
1088	Silver dollar gum	16	2	Poor	Codominant trunks @ 2'; twig & branch dieback; leaning.
1089	River red gum	19	3	Moderate	Crowded & one-sided; full crown.
1090	Silver dollar gum	21	3	Poor	Crowded; high crown; poor form & structure.
1091	River red gum	20	2	Poor	Codominant trunks @ 6'; sparse crown.
1092	Silver dollar gum	9	2	Poor	Crowded; very sparse canopy.
1093	Silver dollar gum	9,7,6	2	Poor	Multiple attachments @ base; crowded; stems separating.
1094	Silver dollar gum	6	2	Poor	Multiple attachments @ base; previous failure; suppressed.
1095	Blackwood acacia	15	2	Poor	Multiple attachments @ 4'; poor form & structure.
1096	Silver dollar gum	13,11,6,6	2	Poor	Multiple attachments @ base; previous failure; poor form & structure.
1097	Monterey pine	26	3	Poor	One-sided; twig & branch dieback.
1098	Italian cypress	5	2	Poor	Suppressed; declining.
1099	Italian cypress	5	3	Poor	Suppressed; poor form & structure.
1100	Italian cypress	5	2	Poor	Suppressed; declining.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1101	River red gum	16	3	Poor	Codominant trunks @ 6'; leans; topped.
1102	River red gum	30	2	Poor	Codominant trunks @ 10'; lost central leader; very sparse canopy.
1103	English elm	Group	3	Moderate	Group of five 6 to 10"; on edge of pond; some in the water.
1104	Chinese elm	18	3	Poor	Heavy lean over pond.
1105	Willow-leaf peppermint	22	3	Poor	Heavy lean over lake; poor form & structure.
1106	Lombardy poplar	Group	3	Moderate	Group of four 4 to 6" saplings; on edge of pond; crowded.
1107	Casuarina	14	2	Poor	Topped; on edge of pond.
1108	Hawthorn	4,4,3,2	3	Moderate	Multiple attachments @ base; leans; shrubby.
1109	Blue gum	26	3	Moderate	Straight; dead branches; moderate crown.
1110	Valley oak	6	4	Good	Codominant trunks @ 6'; crowded but good form & structure.
1111	River red gum	5,4,4	2	Poor	Multiple attachments @ base; one all but dead.
1112	Willow-leaf peppermint	26,12	3	Moderate	Codominant trunks @ 4'; dead branches; full crown.
1113	Casuarina	11	2	Poor	Suppressed; poor form & structure; on edge of pond.
1114	Weeping willow	21	1	Poor	All but dead; on edge of pond.
1115	Casuarina	Group	2	Poor	Group of three 8 to 5"; declining.
1116	River red gum	18	3	Poor	Codominant trunks @ 5'; dead branches; poor form & structure.
1117	Blackwood acacia	Group	3	Moderate	Group of four 6" saplings; on edge of pond; dead branches; one engulfed in ivy.
1118	River red gum	21,12	2	Poor	Codominant trunks @ 1'; poor form & structure; dead branches.
1119	Silver dollar gum	19	3	Moderate	Narrow crown; heavy epicormics.
1120	Italian buckthorn	5,3,3	3	Moderate	Multiple attachments @ base; shrubby.
1121	River red gum	18	3	Moderate	Leans; full crown.
1122	Compact blue gum	14,12	3	Moderate	Multiple attachments @ base; dead branches.
1123	River red gum	16	2	Poor	Heavy lean; crook @ 15'.
1124	River red gum	23	4	Moderate	Straight; high sparse crown.
1125	Compact blue gum	52	4	Good	Multiple attachments @ base; full crown.
1126	River red gum	29	4	Good	Codominant trunks @ 6'; full spreading crown.
1127	Boxelder	5	2	Poor	Lost top; poor form & structure.
1128	River red gum	43	2	Poor	Multiple attachments @ 5'; stubs; dead branches; trunk wound.
1129	Silver dollar gum	14	1	Poor	3' stump sprout.
1130	River red gum	22	3	Poor	Multiple attachments @ 20'; leans; sparse canopy.
1131	River red gum	29	3	Poor	Crown bows; history of branch failure.
1132	Willow-leaf peppermint	36,17	3	Poor	Multiple attachments @ 3'; full crown; twig & branch dieback.
1133	Blue gum	Group	2	Poor	Group of ten 6" saplings; multiple attachments @ base; stump sprouts.
1134	Casuarina	Group	2	Poor	Group of four 8 to 10"; topped; poor form & structure.
1135	Blue gum	12	2	Poor	Topped; poor form & structure.
1136	Casuarina	14	2	Poor	Topped; sparse; poor form & structure.
1137	Blue gum	8,5,5,4,4	2	Poor	Group of five 4 to 8" saplings.
1138	Blackwood acacia	15,14	1	Poor	Codominant trunks @ base; stems split to ground.
1139	River red gum	29	3	Poor	Codominant trunks @ 4'; crowded with poor form & structure; dead branches.
1140	River red gum	18	3	Moderate	Leans; codominant trunks @ 24'; dead branches.
1141	English elm	14	2	Poor	History of branch failures; crowded with poor form & structure.
1142	Valley oak	7	2	Poor	Suppressed with heavy lean.
1143	English elm	14	4	Good	Good form & structure; minor dead wood.
1144	Chinese elm	9,9	3	Moderate	Codominant trunks @ 7'; crowded.
1145	Almond	Group	3	Poor	Group of three 4 to 6"; suppressed; poor form & structure.
1146	River red gum	18,8	2	Poor	Codominant trunks @ 2'; one stem dead; dead branches.
1147	Coast live oak	Group	3	Poor	Group of two 6"; crowded; poor form & structure.
1148	Arizona cypress	Group	3	Poor	Group of two; crowded; poor form & structure.
1149	Coast live oak	6	4	Good	Crowded; chlorotic.
1150	Aleppo pine	16	3	Poor	Heavy lean; poor form & structure.
1151	River red gum	48	4	Good	Slight lean; good form & structure; minor twig & branch dieback.
1152	Casuarina	10	2	Poor	Crowded; dead branches.
1153	Arizona cypress	9,8,7	3	Poor	Multiple attachments @ 2'; crowded; poor form & structure.
1154	River red gum	12,12	2	Poor	Codominant trunks @ base; poor form & structure; very sparse canopy.
1155	Coast redwood	16	2	Poor	Water stress; needle browning.
1156	Coast redwood	6	2	Poor	Water stress; needle browning.
1157	River red gum	28	3	Poor	Multiple attachments @ 10'; twig & branch dieback; sparse canopy.
1158	River red gum	40,24,18	3	Poor	Multiple attachments @ 3'; one stem failed; full but separating crown.
1159	River red gum	32	4	Good	Multiple attachments @ 12'; full crown.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1160	River red gum	19,17	3	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.
1161	Arizona cypress	17	3	Poor	Asymmetric form; twig & branch dieback.
1162	Arizona cypress	11	2	Poor	Partial failure.
1163	River red gum	30	1	Poor	Had codominant trunks @ 8'; 1 stem failed; all but dead.
1164	Aleppo pine	19	2	Poor	Crowded with heavy lean.
1165	Arizona cypress	7	3	Poor	Suppressed; poor form & structure.
1166	Casuarina	11	2	Poor	Multiple attachments @ 7'; crowded; dead branches.
1167	Coast live oak	6	4	Good	Crowded; good tree.
1168	Aleppo pine	21	3	Moderate	Multiple attachments @ 16'; slight lean; heavy lateral limb.
1169	River red gum	13	2	Poor	Lost central leader; very sparse canopy.
1170	Aleppo pine	16	3	Moderate	
1171	Blackwood acacia	Group	3	Poor	Group of two 4 to 6"; suppressed; crowded.
1172	Italian cypress	11,3	4	Good	Codominant trunks @ 2'; good tree.
1173	Valley oak	12	4	Good	Low lateral; good tree; minor twig & branch dieback.
1174	Blue gum	14,12,9,8,7,7,5	2	Poor	Multiple attachments @ base; stump sprouts.
1175	Weeping willow	36,18	2	Poor	Multiple attachments @ base; 18" stem a previous failure.
1176	River red gum	Group	2	Poor	Group of twelve 6 to 12"; twig & branch dieback; poor form & structure.
1177	River red gum	14	3	Moderate	Crown crooked; low lateral; twig & branch dieback.
1178	English elm	12	2	Poor	Codominant trunks @ 1'; history of branch failure.
1179	River red gum	Group	2	Poor	Grove of forty saplings 4 to 8"; small stems; suppressed; poor form & structure.
1180	River red gum	10	2	Poor	Sparse canopy; poor form & structure.
1181	English elm	16	2	Poor	Codominant trunks @ 5'; twig & branch dieback; history of branch failure.
1182	Lombardy poplar	Group	3	Moderate	Group of four 8 to 12"; crowded.
1183	River red gum	23,20,18	2	Poor	Multiple attachments @ base; sparse canopy; history of branch failure.
1184	Chinese elm	7	1	Poor	Extensive twig & branch dieback; poor form & structure.
1185	Western red cedar	7,6,6,5,5,4	3	Poor	Multiple attachments @ base; sparse canopy.
1186	River red gum	33	4	Moderate	Asymmetric trunk; twig & branch dieback; history of branch failure.
1187	Coast live oak	19	4	Good	Codominant trunks @ 4'; leans; good tree.
1188	Casuarina	16	3	Poor	Sparse canopy; twig & branch dieback.
1189	Coast redwood	Group	2	Poor	Group of four 4 to 7"; water stress.
1190	River red gum	18	1	Poor	All but dead
1191	Coast live oak	12	5	Good	Good young tree.
1192	Coast redwood	11	4	Good	Minor water stress.
1193	Coast redwood	9,8,8,5,4	3	Moderate	Multiple attachments @ base; water stress.
1194	Aleppo pine	26	3	Moderate	Codominant trunks @ 3'; twig & branch dieback.
1195	Aleppo pine	38	3	Poor	Codominant trunks @ 4'; history of branch failure; full spreading crown.
1196	River red gum	17	1	Poor	All but dead.
1197	Calif. pepper	8,7,7,6,5	3	Moderate	Multiple attachments @ base; spreading form.
1198	River red gum	40	3	Poor	Multiple attachments @ 5'; twig & branch dieback; golf ball damage.
1199	Casuarina	15	3	Poor	One-sided; twig & branch dieback.
1200	Aleppo pine	34	2	Poor	Partial failure; very asymmetric form .
1201	Aleppo pine	14,11	2	Poor	Partial failure; very asymmetric form .
1202	Italian cypress	10	4	Good	Good tree; crowded by #1200
1203	Casuarina	15	2	Poor	Multiple attachments @ 5'; one-sided; history of branch failure.
1204	Boxelder	15	2	Poor	Multiple attachments @ 4'; included bark; one-sided; history of branch failure.
1205	Coast redwood	10	3	Moderate	Needle browning.
1206	Casuarina	20	2	Poor	Multiple attachments @ 7'; twig & branch dieback; history of branch failure.
1207	Coast redwood	15	4	Good	Good tree; narrow but nice crown.
1208	Italian cypress	11	5	Good	Good tree.
1209	Coast redwood	13,7	3	Poor	Codominant trunks @ 2'; weak attachment; sparse canopy.
1210	Silver dollar gum	12,6	1	Poor	Lost top; trunk decayed; all but dead.
1211	Aleppo pine	13	3	Poor	Leans; sparse canopy.
1212	Silver dollar gum	23	2	Poor	Multiple attachments @ 18'; golf ball damage; history of branch failure.
1213	Silver dollar gum	15	2	Poor	All but dead..
1214	Coast redwood	21	2	Poor	Water stress; sparse canopy.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1215	English elm	13	3	Moderate	Nice crown but poor root anchorage.
1216	Coast redwood	15,11,9	2	Poor	Multiple attachments @ base; one stem dead; crowded narrow form.
1217	English elm	30	4	Moderate	Codominant trunks @ 7'; full crown; hazard beam; dead branches.
1218	Silver dollar gum	29	2	Poor	Dead top; history of branch failure.
1219	Casuarina	18	3	Poor	One-sided; twig & branch dieback.
1220	Casuarina	25	3	Moderate	Low laterals; twig & branch dieback.
1221	Blue gum	42	4	Moderate	Multiple attachments @ 15'; dead branches; twig & branch dieback.
1222	English elm	23	2	Poor	Leans; history of branch failure; dead branches.
1223	Valley oak	36	4	Good	Multiple attachments @ 7'; full spreading crown; dead wood.
1224	English elm	23	3	Poor	Codominant trunks @ 3'; narrow attachment; twig & branch dieback.
1225	Coast redwood	9	2	Poor	Water stress; sparse canopy.
1226	River red gum	24	2	Poor	Multiple attachments @ 15'; history of branch failure; hazard stem.
1227	Coast redwood	6	2	Poor	Topped; all but dead.
1228	English elm	16	2	Poor	Multiple attachments @ 8'; very one-sided; history of branch failure.
1229	Aleppo pine	26	2	Poor	Partial failure; was codominant trunks @ 3'; one stem removed.
1230	River red gum	32	3	Poor	Heavy lateral limb @ 15'; dead wood; history of branch failure.
1231	English elm	26	3	Poor	Codominant trunks @ 7'; low lateral; twig & branch dieback.
1232	River red gum	24	1	Poor	All but dead.
1233	Monterey pine	18	3	Poor	One-sided; leaning.
1234	River red gum	32	1	Poor	Extensive twig & branch dieback; mostly epicormics..
1235	English elm	15	2	Poor	Codominant trunks @ 2'; suppressed & bent over.
1236	Calif. pepper	15	3	Moderate	Multiple attachments @ 2'; good tree.
1237	Coast redwood	5	2	Poor	Stump sprout; water stress; sparse canopy.
1238	Coast live oak	36	4	Good	Multiple attachments @ 4'; full spreading crown; golf ball damage.
1239	Monterey pine	28	2	Poor	Multiple attachments @ 8'; yellow needles; twig & branch dieback.
1240	River red gum	20	1	Poor	All but dead.
1241	English elm	11	2	Poor	Crowded; twig & branch dieback.
1242	Coast live oak	23	2	Poor	Codominant trunks @ 4'; very sparse canopy; chlorotic.
1243	Monterey pine	26	2	Poor	Leans; yellow needles; twig & branch dieback.
1244	River red gum	16	2	Poor	Crowded with narrow crown; all but dead.
1245	River red gum	25	2	Poor	History of branch failure; mostly epicormics.
1246	Blackwood acacia	36	2	Poor	Multiple attachments @ 2'; poor form & structure; dead wood.
1247	Blackwood acacia	9,5	3	Poor	Codominant trunks @ base; crowded with poor form & structure.
1248	Aleppo pine	25	3	Moderate	Crowded; crown sweeps; poor form & structure.
1249	Blackwood acacia	33	3	Poor	Codominant trunks @ 2'; history of branch failure; low lateral.
1250	Italian cypress	8	5	Good	Good tree; good form & structure.
1251	Blackwood acacia	7	2	Poor	Poor form & structure; lost central leader.
1252	Coast live oak	30,11	4	Good	Codominant trunks @ base; full crown.
1253	Coast redwood	7	1	Poor	Water stress; sparse canopy.
1254	Coast live oak	28	4	Good	Multiple attachments @ 6'; full spreading crown; golf ball damage.
1255	Coast redwood	6,6	2	Poor	Codominant trunks @ base; stump sprout; water stress; sparse canopy.
1256	English elm	16	3	Poor	Codominant trunks @ 7'; history of branch failure; dead wood.
1257	River red gum	13	1	Poor	Extensive twig & branch dieback; mostly epicormics.
1258	Coast redwood	13	3	Poor	Chlorotic; twig & branch dieback.
1259	Coast redwood	14	3	Moderate	Codominant trunks @ 3'; full crown; water stress.
1260	Monterey pine	16	2	Poor	Pine pitch canker; lost central leader.
1261	Monterey pine	20	3	Moderate	Moderate crown; pine pitch canker; trunk bleeding.
1262	English elm	21	3	Moderate	Codominant trunks @ 5'; crowded & bowed; dead wood.
1263	English elm	19	3	Poor	Codominant trunks @ 4'; twig & branch dieback; dead wood.
1264	Blackwood acacia	11	2	Poor	Dead top; sparse canopy.
1265	Blackwood acacia	15	2	Poor	Codominant trunks @ 3'; poor form & structure.
1266	Privet	9,8,6	3	Moderate	Multiple attachments @ base; twig & branch dieback.
1267	English elm	24	3	Moderate	Codominant trunks @ 4'; trunk wounds; dead wood.
1268	Coast redwood	24	3	Moderate	Narrow crown.
1269	Blackwood acacia	9	2	Poor	Dead top; sparse canopy.
1270	River red gum	26	4	Moderate	A little sparse canopy; straight.
1271	Blackwood acacia	10	2	Poor	Trunk wound; crowded & leaning.
1272	River red gum	27	2	Poor	Codominant trunks @ 5'; twig & branch dieback.
1273	Coast redwood	7	3	Poor	Suppressed; narrow crown.
1274	Deodar cedar	18	3	Poor	Topped for power lines.
1275	Deodar cedar	19	3	Poor	Side-pruned for power lines.
1276	Coast live oak	11	3	Poor	Growing through fence; crowded

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1277	Deodar cedar	20	3	Poor	Topped @ 15'; poor form & structure.
1278	Aleppo pine	7	2	Poor	Sparse canopy; poor form & structure.
1279	Coast redwood	15	3	Moderate	Narrow crown; water stress.
1280	Coast redwood	13	3	Poor	Crowded; water stress.
1281	Italian cypress	18	4	Good	Multiple attachments @ base; good form & structure.
1282	Coast live oak	7	3	Poor	Growing through fence; codominant trunks @ 1'.
1283	Deodar cedar	15	4	Good	Good form & structure.
1284	Arizona cypress	15	4	Moderate	Good form & structure; history of branch failure.
1285	Monterey pine	10	2	Poor	Crowded & one-sided; needle browning.
1286	Italian cypress	9	3	Moderate	Multiple attachments @ 2'; moderate structure.
1287	Italian cypress	4,4	3	Moderate	Multiple attachments @ base; moderate structure.
1288	Italian cypress	8,7,7,6	3	Moderate	Multiple attachments @ base; suppressed beneath large redwood.
1289	Coast redwood	36	3	Moderate	Codominant trunks @ 10'; narrow attachment.
1290	Casuarina	20	3	Moderate	Dead wood; sapsucker damage.
1291	Monterey cypress	49	3	Poor	Multiple attachments @ 5'; poor form & structure; extensive twig & branch dieback.
1292	Privet	7,6	2	Poor	Codominant trunks @ base; crowded & bowed over.
1293	Brazilian pepper	9,7,7,4,4,4	3	Poor	Multiple attachments @ base; poor form & structure.
1294	Brazilian pepper	16,12,12,8,7	3	Poor	Multiple attachments @ base; large surface root; poor form & structure.
1295	River red gum	18	1	Poor	All but dead.
1296	River red gum	14,8	1	Poor	All but dead.
1297	Coast live oak	10	4	Good	Multiple attachments @ 7'; low branching new growth chlorotic.
1298	Casuarina	23	4	Good	Big tree; sapsucker damage.
1299	Silver dollar gum	20	3	Moderate	Codominant trunks @ 10'; twisted form.
1300	Coast redwood	5	4	Good	Good young tree; beneath large eucalyptus.
1301	Casuarina	19	3	Poor	Twig & branch dieback; sapsucker damage.
1302	Privet	5,5,3,3	2	Poor	Multiple attachments @ base; suppressed; poor form & structure.
1303	River red gum	20,11	1	Poor	All but dead.
1304	Aleppo pine	30	3	Poor	Poor form & structure; twisted trunk; dead wood.
1305	Blackwood acacia	12	2	Poor	High crown; golf ball damage; dead wood.
1306	Aleppo pine	23	3	Moderate	Codominant trunks @ 7'; leans; dead wood.
1307	Blackwood acacia	8	1	Poor	All but dead.
1308	River red gum	12	1	Poor	All but dead.
1309	Monterey cypress	10	3	Poor	Crowded; topped @ 14'.
1310	English elm	13	2	Poor	Codominant trunks @ 7'; poor form & structure; crowded & bowed.
1311	Silver dollar gum	15	2	Poor	Codominant trunks @ 20'; poor form & structure.
1312	English elm	12	2	Poor	Codominant trunks @ 3'; poor form & structure; crowded & bowed.
1313	Coast live oak	25	4	Good	Multiple attachments @ 5'; heavy golf ball damage.
1314	Valley oak	6	3	Moderate	Growing through fence; crowded.
1315	River red gum	9	2	Poor	Codominant trunks @ 3'; very sparse canopy.
1316	Arizona cypress	11	3	Poor	Heavy leans; history of branch failure.
1317	River red gum	35	3	Moderate	Codominant trunks @ 3'; spreading crown; minor twig & branch dieback.
1318	Valley oak	6	3	Moderate	Crowded; crook @ 10'.
1319	English elm	7	2	Poor	Topped; poor form & structure.
1320	Monterey pine	19	3	Moderate	Trunk bleeding; moderate crown density.
1321	Blackwood acacia	36	2	Poor	Codominant trunks @ 4'; weak attachment with cavity; history of branch failure.
1322	Blackwood acacia	Group	3	Poor	Group of four saplings 4 to 7"; poor form & structure.
1323	Monterey pine	25	3	Moderate	Trunk bleeding; moderate crown density.
1324	Silver dollar gum	6	2	Poor	Topped; poor form & structure.
1325	Valley oak	6	3	Moderate	Crowded; bit of a suppressed form.
1326	Almond	6,3	3	Moderate	Codominant trunks @ base; crown sweeps.
1327	Silver dollar gum	6,6,5	2	Poor	Multiple attachments @ 3'; spreading form; dead wood.
1328	Blackwood acacia	25	4	Moderate	Codominant trunks @ 20'; crown swept slightly.
1329	Blue gum	28	3	Moderate	Codominant trunks @ 20'; full but narrow crown.
1330	Blackwood acacia	7,4,4	2	Poor	Multiple attachments @ base; stump sprout.
1331	Aleppo pine	25	4	Moderate	Crowded; crown sweeps south.
1332	River red gum	25	2	Poor	Crowded; crown sweeps heavily over entry rd.
1333	River red gum	25	1	Poor	All but dead.
1334	Blackwood acacia	6	1	Poor	All but dead.
1335	River red gum	17	2	Poor	Dead top; declining.
1336	River red gum	17	2	Poor	Swept south; poor form & structure.
1337	Coast live oak	25	4	Good	Multiple attachments @ 4'; heavy golf ball damage.
1338	Monterey pine	19	2	Poor	Extensive twig & branch dieback; declining.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1339	Silver dollar gum	11	3	Moderate	Codominant trunks @ 8'; twig & branch dieback.
1340	Monterey pine	30	4	Good	Full crown; good tree.
1341	Coast redwood	5,4	2	Poor	Codominant trunks @ base; stump sprout.
1342	Coast redwood	5,4	1	Poor	All but dead.
1343	Blackwood acacia	9	4	Good	Straight trunk; full crown.
1344	English elm	7	4	Moderate	Suppressed; bowed.
1345	Aleppo pine	24	4	Good	Straight trunk; full crown.
1346	Casuarina	15	2	Poor	Crowded; poor form & structure.
1347	Casuarina	15	2	Poor	Codominant trunks @ 3'; crowded; poor form & structure.
1348	Aleppo pine	18	3	Poor	Crowded & bowed; low lateral.
1349	Casuarina	15	2	Poor	Sparse canopy; sapsucker damage.
1350	Casuarina	21	3	Moderate	Edge tree; full crown; sapsucker damage.
1351	Casuarina	18	3	Moderate	Full crown; sapsucker damage.
1352	Blackwood acacia	13	3	Moderate	Straight trunk; crowded, branch wounds.
1353	River red gum	19	1	Poor	All but dead.
1354	Monterey pine	30	3	Poor	Sparse canopy; dead branches.
1355	Monterey pine	18	3	Poor	One-sided; minor twig & branch dieback.
1356	Silver dollar gum	22	2	Poor	Codominant trunks @ 5'; history of branch failure; full weeping crown.
1357	Casuarina	12	2	Poor	Crowded; one-sided; sapsucker damage.
1358	English elm	9,8	3	Poor	Codominant trunks @ base; one stem topped for power lines.
1359	Arizona cypress	18	4	Moderate	Codominant trunks @ 3'; narrow attachment; history of branch failure.
1360	Casuarina	16	2	Poor	Lost central leader; fire damage killed half of tree.
1361	River red gum	9	3	Poor	Poorly anchored; twig & branch dieback.
1362	Blackwood acacia	6,5	3	Moderate	Codominant trunks @ base; straight trunk; good tree.
1363	River red gum	64	4	Good	Big tree; codominant trunks @ 8'; minor dead wood.
1364	Western red cedar	5	2	Poor	Codominant trunks @ base; suppressed.
1365	Aleppo pine	23	3	Moderate	Codominant trunks @ 10'; one stem upright; one stem bowed.
1366	English elm	18	2	Poor	Poor form & structure; dead wood.
1367	Coast live oak	7	3	Poor	Suppressed; crown swept.
1368	English elm	21	2	Poor	Codominant trunks @ 6'; poor form & structure; extensive dead wood.
1369	English elm	12	2	Poor	Codominant trunks @ 6'; poor form & structure; dead wood.
1370	Coast live oak	22	3	Poor	Codominant trunks @ 5'; one stem upright; one stem bowed.
1371	Brazilian pepper	12,9,6	2	Poor	Multiple attachments @ base; suppressed; not much remains.
1372	Coast live oak	14	3	Poor	Codominant trunks @ 6'; suppressed; crown swept.
1373	Brazilian pepper	14,8,7	2	Poor	Multiple attachments @ base; suppressed; breaking wall.
1374	English elm	15	1	Poor	Codominant trunks @ 4'; decayed trunk; all but dead.
1375	Brazilian pepper	13,9,9	3	Poor	Multiple attachments @ base; poor form & structure; breaking wall.
1376	Brazilian pepper	13,9,9	3	Poor	Multiple attachments @ base; poor form & structure; breaking wall.
1377	Western red cedar	8,7,7	3	Moderate	Multiple attachments @ base; crowded with high crown.
1378	Brazilian pepper	17,16,10	3	Poor	Multiple attachments @ base; full but one-sided crown; breaking wall.
1379	Chinese elm	22	3	Poor	Crown sweeps north; history of branch failure; growing against retaining wall.
1380	Chinese elm	16	3	Poor	Multiple attachments @ 6'; history of branch failure.
1381	Chinese elm	11	2	Poor	Suppressed; not much left.
1382	Chinese elm	15	3	Moderate	Full crown; growing into guard rail.
1383	Chinese elm	21	2	Poor	Lost central leader; history of branch failure; big hanger; breaking retaining wall.
1384	Chinese elm	11	2	Poor	Suppressed; heavy lean.
1385	Monterey pine	38	2	Poor	Codominant trunks @ 3'; poor form & structure; trunk wound; leans.
1386	River red gum	35	3	Poor	Multiple attachments @ 8'; history of branch failure; dead wood.
1387	English elm	12	2	Poor	Suppressed; growing in fence.
1388	River red gum	21	2	Poor	Codominant trunks @ 4'; history of branch failure; very sparse canopy.
1389	English elm	10	2	Poor	Suppressed; high narrow crown.
1390	English elm	12,9	2	Poor	Codominant trunks @ base; high narrow crown; growing in fence.
1391	River red gum	18,18	2	Poor	Codominant trunks @ base; history of branch failure; very sparse canopy.
1392	River red gum	18	3	Poor	Codominant trunks @ 10'; leans; twig & branch dieback.
1393	Silver dollar gum	9	1	Poor	Stump sprout; poor form & structure.
1394	Silver dollar gum	9,6	2	Poor	Codominant trunks @ base; poor form & structure; Ganoderma.
1395	River red gum	18,4	3	Poor	Codominant trunks @ 10'; leans; history of branch failure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1396	English elm	9	2	Poor	Codominant trunks @ 4'; suppressed & bowed.
1397	River red gum	18	1	Poor	All but dead.
1398	Coast live oak	7	3	Moderate	Crowded; crown sweeps north.
1399	Silver dollar gum	7,6	2	Poor	Codominant trunks @ base; poor form & structure.
1400	River red gum	32	1	Poor	Multiple attachments @ 7'; all but dead.
1401	River red gum	36	2	Poor	Multiple attachments @ 10'; extensive dead wood; very sparse canopy.
1402	Silver dollar gum	13,10	3	Poor	Codominant trunks @ base; poor form & structure.
1403	English elm	8,4	3	Moderate	Codominant trunks @ 3'; crowded & leaning.
1404	River red gum	30	2	Poor	Codominant trunks @ 8'; dead wood; history of branch failure.
1405	River red gum	22	2	Poor	Codominant trunks @ 5'; extensive dead wood; very sparse canopy; ivy.
1406	English elm	8	2	Poor	Codominant trunks @ 10'; one-sided; history of branch failure.
1407	English elm	10,9,7	2	Poor	Multiple attachments @ base; one-sided over road.
1408	English elm	10,7	3	Poor	Codominant trunks @ base; narrow crown; history of branch failure.
1409	River red gum	15	1	Poor	Crown bows heavy over neighbors; trunk wound; all but dead.
1410	River red gum	11	1	Poor	All but dead.
1411	River red gum	14	1	Poor	All but dead.
1412	Silver dollar gum	19,7,6,5	2	Poor	Multiple attachments @ base; history of branch failure; poor form & structure.
1413	Almond	7	2	Poor	Topped; leaning.
1414	Casuarina	23	4	Moderate	Full crown; heavy lateral limb; sapsucker damage.
1415	Arizona cypress	11	2	Poor	Topped; trunk wound.
1416	River red gum	15	2	Poor	Very sparse canopy; poor form & structure; trunk wound.
1417	Arizona cypress	5,4	3	Poor	Codominant trunks @ base; suppressed.
1418	River red gum	14	2	Poor	Suppressed; bows over neighbors; poor form & structure.
1419	River red gum	27,25	4	Moderate	Codominant trunks @ base; full crown; history of branch failure.
1420	Arizona cypress	12,4	4	Good	Codominant trunks @ base.
1421	River red gum	27	2	Poor	Sparse canopy; history of branch failure; declining.
1422	Arizona cypress	14	4	Good	Codominant trunks @ 1'; good tree.
1423	Italian cypress	6	3	Moderate	Multiple attachments @ base; suppressed.
1424	River red gum	34	2	Poor	Multiple attachments @ 10'; dead wood; history of branch failure; declining.
1425	Italian cypress	7	3	Moderate	Multiple attachments @ 2'; suppressed.
1426	River red gum	45	3	Poor	Codominant trunks @ 5'; full spreading crown; history of branch failure.
1427	River red gum	19	2	Poor	Codominant trunks @ 10'; sparse canopy; one-sided; history of branch failure.
1428	River red gum	9	1	Poor	All but dead.
1429	River red gum	41	3	Poor	Multiple attachments @ 4'; full spreading crown; history of branch failure.
1430	River red gum	21	2	Poor	Low lateral; high sparse crown; weight over neighbors.
1431	River red gum	17	1	Poor	All but dead.
1432	River red gum	20	2	Poor	Crowded; high sparse crown.
1433	River red gum	24	3	Moderate	Full crown; weight over neighbors.
1434	River red gum	18	1	Poor	Heavy bow; weight over neighbors.
1435	River red gum	12	1	Poor	All but dead.
1436	Arizona cypress	11	3	Poor	Codominant trunks @ 3'; suppressed.
1437	River red gum	23	2	Poor	Lost central leader; resprouts failed.
1438	River red gum	23	3	Poor	History of branch failure; twig & branch dieback.
1439	River red gum	14	1	Poor	All but dead.
1440	River red gum	28	3	Poor	Full crown; heavy lateral limb; history of branch failure.
1441	Almond	14	3	Poor	Codominant trunks @ base; suppressed.
1442	Blackwood acacia	10	3	Poor	Suppressed; good form & structure.
1443	River red gum	42	3	Poor	Codominant trunks @ 8'; poor form & structure; history of branch failure.
1444	River red gum	8	1	Poor	All but dead.
1445	River red gum	30	1	Poor	Multiple attachments @ 2'; very sparse canopy; dead wood over road.
1446	River red gum	38	3	Poor	Multiple attachments @ 10'; full crown; history of branch failure; dead wood.
1447	River red gum	22	1	Poor	History of branch failure; all but dead.
1448	River red gum	13	1	Poor	History of branch failure; all but dead.
1449	Arizona cypress	Group	3	Moderate	Row of fifty 4 to 8"; good screen trees; a little crowded.
1450	River red gum	41	3	Poor	Multiple attachments @ 12'; full spreading crown; history of branch failure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1451	Silver dollar gum	20	2	Poor	High crown; bows over neighbors; lost central leader.
1452	River red gum	7	1	Poor	Topped; all but dead.
1453	River red gum	24	2	Poor	Codominant trunks @ 8'; sparse crown; history of branch failure.
1454	River red gum	22	2	Poor	Lost central leader; heavy lateral limb remains.
1455	River red gum	38	3	Poor	Codominant trunks @ 10'; full spreading crown; history of branch failure.
1456	River red gum	12,6	1	Poor	Codominant trunks @ base; all but dead.
1457	River red gum	8	1	Poor	All but dead.
1458	River red gum	20	2	Poor	Codominant trunks @ 5'; very sparse canopy; dead wood.
1459	River red gum	33	3	Poor	Multiple attachments @ 8'; spreading crown; history of branch failure.
1460	River red gum	38	2	Poor	Lost half of tree; weight over empty field.
1461	River red gum	12	3	Poor	Codominant trunks @ 10'; suppressed & leaning.
1462	River red gum	33	3	Poor	Multiple attachments @ 8'; spreading crown; history of branch failure; dead wood.
1463	River red gum	24	1	Poor	Very sparse canopy; dead wood.
1464	Monterey pine	12	2	Poor	Crowded; pine pitch canker.
1465	River red gum	44	4	Good	Codominant trunks @ 6'; full crown; dead wood.
1466	Red iron bark	20	3	Poor	Full high crown; large trunk wound; history of branch failure.
1467	Red iron bark	22	2	Poor	Codominant trunks @ 5'; poor form & structure; trunk wound; history of branch failure.
1468	Monterey pine	14	2	Poor	Lost central leader; crown bowed.
1469	Monterey pine	10	2	Poor	Crowded; sparse canopy; poor form & structure.
1470	Monterey pine	14	3	Moderate	Full crown; crook @ 20'.
1471	Monterey pine	26	3	Moderate	Codominant trunks @ 24'; full crown; pine pitch canker.
1472	Monterey pine	18	2	Poor	Crowded; bowed; pine pitch canker.
1473	Monterey pine	19	2	Poor	Heavy bow; poor form & structure.
1474	Monterey pine	15	3	Moderate	One-sided; minor needle browning.
1475	Monterey pine	9	1	Poor	Crowded; dead top.
1476	Monterey pine	29	3	Moderate	Full crown; dead wood; pine pitch canker.
1477	Arizona cypress	7	2	Poor	Poor form & structure; bowed to horizontal.
1478	English elm	8	2	Poor	Topped for power lines; poor form & structure.
1479	English elm	5	2	Poor	Topped for power lines; poor form & structure.
1480	English elm	7	3	Poor	Sparse canopy.
1481	Coast redwood	16	2	Poor	Dehydrated; sparse canopy.
1482	Arizona cypress	19	3	Poor	Leans; engulfed in ivy.
1483	River red gum	34,7	2	Poor	Engulfed in ivy; pruned for power lines; very sparse canopy.
1484	Monterey pine	9	2	Poor	Topped for power lines.
1485	Arizona cypress	22	2	Poor	Topped for power lines, poor form & structure.
1486	Monterey pine	7	2	Poor	Girdled; leaning.
1487	Aleppo pine	20	3	Poor	Girdled; leaning; pruned for power lines.
1488	Casuarina	16	3	Moderate	Codominant trunks @ 5'; crowded; dead wood.
1489	Privet	8	4	Good	Codominant trunks @ 2'.
1490	Casuarina	12	3	Moderate	Crowded; dead wood; sap sucker damage.
1491	Coast live oak	6	2	Poor	Suppressed; sap sucker damage.
1492	Monterey pine	18	3	Moderate	Crowded; pine pitch canker.
1493	Casuarina	17	3	Moderate	Codominant trunks @ 5'; crowded; sap sucker damage.
1494	Monterey pine	10	2	Poor	Crowded; dead top.
1495	Casuarina	20	3	Moderate	Codominant trunks @ 2'; dead wood.
1496	Dracena palm	7	3	Moderate	Multiple attachments @ 6'; dead wood.
1497	Arizona cypress	Group	3	Moderate	Group of three 6 to 8"; multiple attachments @ base; lean over drive.
1498	Privet	6,5,4,4	3	Poor	Multiple attachments @ base; topped; poor form & structure.
1499	English elm	27	2	Poor	Multiple attachments @ 8'; topped; poor form & structure.
1500	English elm	5	2	Poor	Multiple attachments @ 6'; topped; poor form & structure.
1501	Privet	5,4,4	2	Poor	Multiple attachments @ base; topped; poor form & structure.
1502	English elm	23	2	Poor	Codominant trunks @ 8'; half of tree failed; weight over parking lot.
1503	English elm	23	2	Poor	History of branch failure; twig & branch dieback; weight over parking lot.
1504	Casuarina	17	3	Moderate	Minor dead wood; one-sided.
1505	Plum	8,6,6	3	Poor	Multiple attachments @ base; twig & branch dieback.
1506	Olive	8,6	4	Good	Multiple attachments @ base; spreading form.
1507	English elm	25	3	Moderate	Codominant trunks @ 4'; dead wood over parking lot.
1508	Privet	6,5,4,4	2	Poor	Multiple attachments @ base; poor form & structure.
1509	Olive	7	3	Moderate	Multiple attachments @ 3'; crowded.
1510	English elm	12	2	Poor	Poor form & structure; dead wood.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1511	Coast redwood	18	3	Poor	Water stress; needle browning.
1512	Arizona cypress	10	2	Poor	Crowded; lost central leader.
1513	English elm	28	2	Poor	Codominant trunks @ 2'; half of tree failed; history of branch failure.
1514	English elm	18	2	Poor	Codominant trunks @ 2'; half of tree failed; dead wood.
1515	English elm	25	3	Poor	Upright; twig & branch dieback.
1516	Purpleleaf plum	11	1	Poor	Multiple attachments @ 2'; multiple trunk failures; little remains.
1517	Italian cypress	11	3	Poor	Codominant trunks @ 5'; poor form & structure.
1518	River red gum	29	3	Poor	Sparse canopy; dead wood.
1519	Plum	9,8	1	Poor	Multiple attachments @ base; all but dead
1520	English elm	19	3	Poor	Codominant trunks @ 5'; upright; twig & branch dieback.
1521	Privet	Group	2	Poor	Group of six 4 to 6"; multiple attachments @ base; topped; poor form & structure.
1522	English elm	23	2	Poor	Codominant trunks @ 3'; topped; poor form & structure; twig & branch dieback.
1523	English elm	Group	2	Poor	Group of five 6 to 8"; topped for power lines; poor form & structure.
1524	Casuarina	16	2	Poor	Crowded; high crown.
1525	English elm	25	2	Poor	Codominant trunks @ 3'; topped for power lines; poor form & structure.
1526	English elm	34	3	Poor	Codominant trunks @ 8'; side trimmed for power lines; poor form & structure.
1527	English elm	27	3	Moderate	Multiple attachments @ 8'; spreading crown; weight over road.
1528	Coast redwood	7	3	Poor	Suppressed form; sparse canopy.
1529	River red gum	16	1	Poor	All but dead.
1530	River red gum	33	3	Poor	Codominant trunks @ 3'; sparse spreading crown; history of branch failure.
1531	Monterey cypress	8	2	Poor	Suppressed; poor form & structure.
1532	Aleppo pine	26	4	Moderate	Codominant trunks @ 5'; slight lean; good form & structure.
1533	Aleppo pine	18	1	Poor	8' stump; two branches remain.
1534	Aleppo pine	30	3	Poor	Codominant trunks @ 10'; side pruned for power line; engulfed in ivy.
1535	Aleppo pine	20	2	Poor	Topped for power line; poor form & structure.
1536	Casuarina	9	2	Poor	Topped for power line; poor form & structure.
1537	Italian cypress	13	3	Poor	Topped for power line.
1538	Monterey cypress	Group	2	Poor	Group of two 18 & 28"; all but dead.
1539	Privet	Group	2	Poor	Group of three 6 to 10"; multiple attachments @ base; engulfed in ivy; poor form & structure.
1540	English elm	23	3	Poor	Codominant trunks @ 4'; poor form & structure.
1541	Arizona cypress	8	1	Poor	All but dead.
1542	Purpleleaf plum	18,17,8	4	Good	Multiple attachments @ base; very full crown; engulfed in ivy.
1543	English elm	22	3	Poor	Multiple attachments @ 6'; dead wood; cavities; history of branch failure.
1544	Purpleleaf plum	12	2	Poor	Multiple attachments @ base; dead top.
1545	Evergreen ash	15	2	Poor	Codominant trunks @ 3'; extensive twig & branch dieback.
1546	English elm	26	3	Poor	Low laterals; dead wood; cavities; history of branch failure.
1547	English elm	26	2	Poor	Codominant trunks @ 6'; dead wood; half of tree bowed to ground; history of branch failure.
1548	Monterey cypress	30	4	Good	Low lateral; full crown; history of branch failure.
1549	Casuarina	8	2	Poor	Suppressed; dead top.
1550	Italian cypress	14	3	Moderate	Codominant trunks @ 8'; one-sided.
1551	English elm	15	2	Poor	Codominant trunks @ 4'; high sparse crown; dead wood; history of branch failure.
1552	English elm	14	2	Poor	Codominant trunks @ 3'; tree bowed to ground.
1553	English elm	17	3	Poor	Codominant trunks @ 6'; one stem bowed; history of branch failure.
1554	English elm	16	2	Poor	Multiple attachments @ 10'; lost central leader.
1555	Monterey pine	26	2	Poor	Multiple attachments @ 15'; sparse crown; leans; red turpentine beetle.
1556	Monterey pine	16	3	Poor	Pine pitch canker; sparse crown.
1557	Holly oak	26	2	Poor	Multiple attachments @ 3'; topped; poor form & structure.
1558	Monterey pine	28	3	Moderate	Crook @ 35'; dead wood.
1559	Monterey pine	30	3	Moderate	Full straight crown; trunk bleeding; dead wood.
1560	Aleppo pine	25	3	Poor	Previous failure; codominant trunks @ 4'; crowded.
1561	Coast redwood	21	2	Poor	Water stress; sparse canopy.
1562	Monterey pine	21	3	Poor	Slight lean; twig & branch dieback.
1563	English elm	22	2	Poor	Had codominant trunks @ 5'; half of tree failed; mostly epicormics.
1564	English elm	25	2	Poor	History of branch failure; hangers & dead wood.
1565	Italian cypress	8	4	Good	Good form & structure; dead branch from neighbor.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1566	Lombardy poplar	Group	2	Poor	Group of two 36 & 38"; all but dead.
1567	Norway maple	10	3	Poor	Codominant trunks @ 4'; twig & branch dieback.
1568	English elm	29	2	Poor	Half of tree failed; twig & branch dieback.
1569	English elm	27	3	Poor	Very one-sided; history of branch failure; twig & branch dieback.
1570	English elm	25	3	Poor	Codominant trunks @ 10'; history of branch failure; big hanger; twig & branch dieback.
1571	English elm	14	2	Poor	Codominant trunks @ 4'; history of branch failure; topped.
1572	English elm	25	3	Poor	Multiple attachments @ 12'; history of branch failure; twig & branch dieback.
1573	Purpleleaf plum	22	3	Poor	Multiple attachments @ 3'; twig & branch dieback.
1574	English elm	27	2	Poor	Multiple attachments @ 10'; history of branch failure; collapsing.
1575	English elm	23	2	Poor	Multiple attachments @ 10'; history of branch failure; collapsing; basal cavity.
1576	Purpleleaf plum	24	2	Poor	Multiple attachments @ 3'; extensive twig & branch dieback.
1577	Privet	Group	3	Moderate	Group of two 6 & 12"; multiple attachments @ base; engulfed in ivy.
1578	Purpleleaf plum	Group	3	Moderate	Group of two 10 & 12"; multiple attachments @ base.
1579	English elm	Group	2	Poor	Group of two 16 & 18"; engulfed in ivy.
1580	Coast live oak	12	3	Poor	Multiple attachments @ 4'; topped; poor form & structure.
1581	Italian cypress	10	3	Poor	Topped for power lines.
1582	Aleppo pine	23	2	Poor	Topped for power lines: poor form & structure.
1583	English elm	26	2	Poor	Codominant trunks @ 6'; side pruned for power lines; history of branch failure.
1584	English elm	27	2	Poor	Multiple attachments @ 3'; side pruned for power lines; history of branch failure.
1585	English elm	26	2	Poor	Lost half of tree; poor form & structure; history of branch failure.
1586	Olive	7,6	2	Poor	Codominant trunks @ base; crowded; engulfed in ivy.
1587	English elm	6	4	Good	Codominant trunks @ 7'; good young tree.
1588	English elm	20	2	Poor	Lost half of tree; poor form & structure; twig & branch dieback.
1589	Purpleleaf plum	26,9,8	3	Poor	Multiple attachments @ base; twig & branch dieback.
1590	Norway maple	12	4	Moderate	Multiple attachments @ 6'; twig & branch dieback.
1591	Arizona cypress	24	2	Poor	Topped for power lines: poor form & structure; leans west.
1592	Aleppo pine	16	2	Poor	Topped for power lines; one-sided to north.
1593	Arizona cypress	34	2	Poor	Multiple attachments @ 3'; topped for power lines.
1594	Elderberry	16,10,10	3	Poor	Multiple attachments @ base; topped for power lines.
1595	Casuarina	16	2	Poor	Topped for power lines; engulfed in ivy.
1596	English elm	18	2	Poor	Topped for power lines; poor form & structure.
1597	Arizona cypress	26	2	Poor	Multiple attachments @ 8'; repeatedly stubbed; poor form & structure.
1598	English walnut	Group	3	Poor	Group of three 6 to 7"; topped; poor form & structure.
1599	Casuarina	11	3	Poor	Crowded; one-sided; poor form & structure.
1600	Calif. pepper	48	3	Poor	Multiple attachments @ 7'; full spreading crown; Ganoderma conk @ base.
1601	Privet	14,8,7,7,6	3	Poor	Multiple attachments @ base; engulfed in ivy; poor form & structure.
1602	Arizona cypress	17	3	Poor	Engulfed in ivy; history of branch failure.
1603	Casuarina	12	2	Poor	Engulfed in ivy; poor form & structure.
1604	Italian cypress	5	3	Moderate	Multiple attachments @ base; crowded.
1605	Canary Island palm	40	4	Good	No clear trunk.
1606	English elm	Group	2	Poor	Group of three 7 to 9"; engulfed in ivy; crowded with poor form & structure.
1607	Privet	Group	3	Poor	Group of three 6 to 8"; engulfed in ivy; crowded with poor form & structure.
1608	Casuarina	18	4	Good	Full crown; good screen tree; engulfed in ivy.
1609	English elm	16	3	Poor	Codominant trunks @ 3'; engulfed in ivy; twig & branch dieback; poor form & structure.
1610	Aleppo pine	24	3	Moderate	Engulfed in ivy; full crown.
1611	Arizona cypress	25	3	Poor	Very one-sided; engulfed in ivy; history of branch failure.
1612	Arizona cypress	12	2	Poor	Previous failure.
1613	Casuarina	20	3	Moderate	Codominant trunks @ 5'; dead top.
1614	Arizona cypress	14	2	Poor	Crowded; history of branch failure; poor form & structure.
1615	Casuarina	20	3	Poor	On Flint Ave.; dead top; history of branch failure.
1616	English elm	15	2	Poor	On Flint Ave.; engulfed in ivy; poor form & structure.
1617	Aleppo pine	20	4	Good	On Flint Ave.; good form & structure.
1618	Aleppo pine	21	4	Good	On Flint Ave.; good form & structure.
1619	Aleppo pine	12,12	3	Moderate	On Flint Ave.; codominant trunks @ base; crowded.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1620	Aleppo pine	20	4	Good	On Flint Ave.; slight lean; good form & structure.
1621	Aleppo pine	10	2	Poor	On Flint Ave.; leans over course; poor form & structure.
1622	Aleppo pine	12,12	3	Poor	On Flint Ave.; codominant trunks @ base; leans; poor form & structure.
1623	River red gum	21	2	Poor	On Flint Ave.; asymmetric form; twig & branch dieback.
1624	Aleppo pine	19	3	Poor	On Flint Ave.; asymmetric form; corrected lean.
1625	English elm	Group	2	Poor	Group of five 4 to 6" on Flint Ave.; suppressed with poor form & structure.
1626	River red gum	22	4	Good	On Flint Ave.; slightly one-sided.
1627	Casuarina	6	2	Poor	On Flint Ave.; suppressed.
1628	River red gum	15,10	2	Poor	On Flint Ave.; codominant trunks @ base; poor form & structure; twig & branch dieback.
1629	English elm	7	2	Poor	On Flint Ave.; leans to golf course; twig & branch dieback.
1630	Aleppo pine	21	3	Moderate	On Flint Ave.; corrected lean; crowded.
1631	Arizona cypress	10	2	Poor	On Flint Ave.; suppressed.
1632	Aleppo pine	17	3	Poor	On Flint Ave.; codominant @ 15'; topped for power lines.
1633	Holly oak	5	2	Poor	On Flint Ave.; suppressed.
1634	English elm	Group	2	Poor	Group of five 6 to 10" saplings on Flint Ave.; topped for power lines.
1635	Calif. black walnut	7	1	Poor	On Flint Ave.; bowed to horizontal; all but dead.
1636	Casuarina	18	2	Poor	On Flint Ave.; topped for power lines.
1637	English elm	14	2	Poor	On Flint Ave.; topped for power lines.
1638	Arizona cypress	15	2	Poor	On Flint Ave.; topped for power lines.
1639	Aleppo pine	16	2	Poor	Group of two on Flint Ave.; bows to road; topped for power lines.
1640	River red gum	17,7	2	Poor	Group of two on Flint Ave.; topped for power lines.
1641	Calif. pepper	14,8,6	2	Poor	Group of two on Flint Ave.; suppressed.
1642	Blackwood acacia	9	1	Poor	Group on Flint Ave.; topped for power lines; all but dead.
1643	Bailey acacia	10	2	Poor	On Flint Ave.; topped for power lines; poor form & structure.
1644	River red gum	36	2	Poor	On Vista Verde Dr.; multiple attachments @ 7'; extensive twig & branch dieback; history of branch failure.
1645	Arizona cypress	Group	3	Moderate	Group of eleven 8 to 11" on Tully Ave.; good screen trees.
1646	English elm	17	2	Poor	On Tully Ave.; codominant trunks @ 5'; separating crown; twig & branch dieback.
1647	Aleppo pine	13	2	Poor	On Tully Ave.; leans with crown weight over Tully.
1648	River red gum	37,27	3	Poor	On Tully Ave.; multiple attachments @ 4'; history of branch failure; minor twig & branch dieback.
1649	Aleppo pine	12	3	Poor	On Tully Ave.; crowded & leaning.
1650	River red gum	6	3	Poor	On Tully Ave.; suppressed; poor form & structure.
1651	English elm	Group	2	Poor	Group of twelve 6 to 9" on Tully Ave.; twig & branch dieback; poor form & structure.
1652	Arizona cypress	17	4	Good	On Tully Ave.; good form & structure; minor twig & branch dieback.
1653	Arizona cypress	18	3	Poor	On Tully Ave.; multiple attachments @ base; crowded with twig & branch dieback.
1654	Arizona cypress	24	2	Poor	On Tully Ave.; dead top.
1655	Aleppo pine	17	3	Poor	On Tully Ave.; leaning.
1656	Coast live oak	28	4	Good	On Tully Ave.; multiple attachments @ 7'; a little crowded.
1657	Blue gum	42	4	Moderate	On Tully Ave.; codominant trunks @ 20'; good form & structure; heavy lateral limbs over Tully.
1658	English elm	20	2	Poor	Multiple attachments @ 6'; extensive twig & branch dieback; history of branch failure.
1659	English elm	8	1	Poor	Engulfed in ivy; all but dead.
1660	English elm	32	2	Poor	Codominant trunks @ 4'; extensive twig & branch dieback; history of branch failure; hanger.
1661	Norway maple	9	2	Poor	Codominant trunks @ 6'; leans; extensive twig & branch dieback.
1662	English elm	28	2	Poor	Extensive twig & branch dieback; history of branch failure.
1663	Zelkova	18	3	Poor	Codominant trunks @ 12'; crowded; poor form & structure.
1664	Purpleleaf plum	19	2	Poor	Codominant trunks @ 3'; extensive twig & branch dieback.
1665	Zelkova	30	4	Good	Multiple attachments @ 4'; good form & structure; stubs & dead wood.
1666	Purpleleaf plum	18	2	Poor	Multiple attachments @ 3'; extensive twig & branch dieback; hangers
1667	Privet	Group	2	Poor	Group of three 4 to 6"; multiple attachments @ base; topped.
1668	English elm	16	2	Poor	Extensive twig & branch dieback; history of branch failure; half of tree failed; poor form & structure.
1669	English elm	31	3	Poor	Multiple attachments @ 10'; twig & branch dieback; history of branch failure; hangers.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1670	English elm	33	2	Poor	Multiple attachments @ 10'; separating crown; extensive twig & branch dieback; history of branch failure.
1671	Purpleleaf plum	Group	2	Poor	Group of two 10 & 12"; multiple attachments @ 3'; extensive twig & branch dieback.
1672	Evergreen ash	32	2	Poor	Multiple attachments @ 6'; extensive twig & branch dieback; history of branch failure.
1673	English elm	30	2	Poor	Codominant trunks @ 7'; extensive twig & branch dieback; history of branch failure.
1674	Privet	8	2	Poor	Multiple attachments @ base; crowded; twig & branch dieback.
1675	Purpleleaf plum	22	3	Poor	Multiple attachments @ base; crowded; twig & branch dieback; history of branch failure.
1676	Norway maple	21	3	Poor	Codominant trunks @ 1'; twig & branch dieback.
1677	Coast redwood	23	3	Moderate	Water stress.
1678	English elm	31	3	Poor	Multiple attachments @ 12'; full crown; cavity; twig & branch dieback; hangers.
1679	English elm	27	2	Poor	Cavity; extensive twig & branch dieback; history of branch failure.
1680	Purpleleaf plum	20	3	Poor	Multiple attachments @ 2'; twig & branch dieback.
1681	English elm	6,5	2	Poor	Codominant trunks @ base; stump sprout.
1682	Purpleleaf plum	7	2	Poor	Codominant trunks @ base; stump sprout.
1683	Evergreen ash	12	2	Poor	Codominant trunks @ 6'; extensive twig & branch dieback.
1684	English elm	29	2	Poor	Multiple attachments @ 10'; crowded with poor form & structure; twig & branch dieback; history of branch failure.
1685	English elm	23	3	Poor	Codominant trunks @ 5'; lost central leader; poor form & structure.
1686	Evergreen ash	34	3	Poor	Multiple attachments @ 6'; full spreading crown; twig & branch dieback.
1687	English elm	31	3	Poor	Codominant trunks @ 7'; full crown; seam in attachment; twig & branch dieback.
1688	English elm	27	2	Poor	Ivy; extensive twig & branch dieback; history of branch failure.
1689	Arizona cypress	7	2	Poor	Suppressed; poor form & structure.
1690	English elm	14	2	Poor	Ivy; topped; twig & branch dieback; history of branch failure.
1691	Italian buckthorn	7,6	3	Poor	Codominant trunks @ base; suppressed with poor form & structure.
1692	English elm	12	3	Poor	Topped @ 6'; suppressed; twig & branch dieback.
1693	Evergreen ash	25	2	Poor	Multiple attachments @ 6'; partial failure; heavy lean.
1694	English elm	22	3	Poor	History of branch failure; twig & branch dieback.
1695	Coast redwood	14,7,5	2	Poor	Multiple attachments @ base; water stress.
1696	Evergreen ash	12,7,6,5	2	Poor	Multiple attachments @ base; engulfed in ivy; chlorotic.
1697	Italian cypress	14	3	Moderate	Multiple attachments @ 8'; crowded; minor twig & branch dieback.
1698	English elm	16	3	Poor	Multiple attachments @ 15'; history of branch failure; twig & branch dieback.
1699	Evergreen ash	20	3	Poor	Multiple attachments @ 6'; full crown; twig & branch dieback.
1700	Coast redwood	8	2	Poor	Multiple attachments @ base; dead top; water stress.
1701	Apple	7,6,4,4	2	Poor	Multiple attachments @ base; poor form & structure.
1702	Hawthorn	7,6	3	Poor	Multiple attachments @ base; suppressed; poor form & structure.
1703	English elm	22	3	Poor	Multiple attachments @ 15'; history of branch failure; twig & branch dieback.
1704	Zelkova	17	4	Moderate	Codominant trunks @ 5'; crowded; one-sided.
1705	Coast redwood	12,8	2	Poor	Codominant trunks @ base; crowded; water stress.
1706	English elm	14	1	Poor	Splitting @ attachment; history of branch failure.
1707	English elm	19	3	Poor	Twig & branch dieback; history of branch failure; full crown.
1708	Hawthorn	7,6	2	Poor	Multiple attachments @ 2'; suppressed; poor form & structure.
1709	English elm	28	3	Poor	Multiple attachments @ 8'; twig & branch dieback; history of branch failure; hangers.
1710	Norway maple	8	2	Poor	Not much left; twig & branch dieback.
1711	English elm	Group	1	Poor	Group of two 14 & 18"; stumps; engulfed in ivy.
1712	English elm	15	1	Poor	Codominant trunks @ 6'; history of branch failure; twig & branch dieback.
1713	Evergreen ash	12	2	Poor	Codominant trunks @ 6'; suppressed; crown bowed.
1714	English elm	22	2	Poor	Codominant trunks @ 7'; decayed stump; poor form & structure.
1715	Evergreen ash	12	2	Poor	Codominant trunks @ 4'; extensive twig & branch dieback.
1716	English elm	20	1	Poor	Codominant trunks @ 4'; history of branch failure.
1717	Monterey cypress	20	2	Poor	Dead top; twig & branch dieback.
1718	Evergreen ash	16	3	Poor	Multiple attachments @ 6'; extensive twig & branch dieback.
1719	English elm	18,16	1	Poor	Codominant trunks @ base; bowed to horizontal; engulfed in ivy.
1720	Hawthorn	10	3	Moderate	Multiple attachments @ 3'; suppressed.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1721	English elm	18	1	Poor	Collapsing; history of branch failure; twig & branch dieback; branch wounds with decay.
1722	English elm	8	1	Poor	Suppressed; history of branch failure; twig & branch dieback; multiple attachments from base.
1723	Evergreen ash	23	3	Poor	Multiple attachments @ 8'; twig & branch dieback; hangers.
1724	Evergreen ash	15	2	Poor	Multiple attachments @ 6'; extensive twig & branch dieback; bowed heavily.
1725	Chinese elm	12	2	Poor	Multiple attachments @ 7'; topped; poor form & structure.
1726	English elm	24	2	Poor	History of branch failure; twig & branch dieback; trunk wound.
1727	Evergreen ash	12	2	Poor	Suppressed; extensive twig & branch dieback.
1728	Hawthorn	10	2	Poor	Multiple attachments @ 3'; extensive twig & branch dieback.
1729	Plum	7,7	2	Poor	Codominant trunks @ base; suppressed with poor form & structure.
1730	Coast redwood	7	2	Poor	Suppressed; water stress.
1731	Raywood ash	25	3	Poor	Multiple attachments @ 6'; twig & branch dieback.
1732	Coast redwood	18	2	Poor	Crowded; very sparse.
1733	Aleppo pine	33	3	Moderate	Multiple attachments @ 15'; crowded; weight to south.
1734	Monterey cypress	23	2	Poor	Codominant trunks @ 5'; dead top; extensive twig & branch dieback.
1735	English elm	37	3	Poor	Codominant trunks @ 10'; history of branch failure; twig & branch dieback.
1736	English elm	6,5	3	Poor	Codominant trunks @ base; history of branch failure; suppressed.
1737	Raywood ash	15	3	Moderate	Bowed south; twig & branch dieback.
1738	English elm	21	2	Poor	Codominant trunks @ 5'; half of tree failed; trunk wound; twig & branch dieback.
1739	English elm	27	2	Poor	Codominant trunks @ 8'; history of branch failure; trunk wound; twig & branch dieback.
1740	Evergreen ash	20	2	Poor	Codominant trunks @ 3'; dead wood; twig & branch dieback.
1741	English elm	24	2	Poor	Codominant trunks @ 3'; half of tree failed; decayed trunk; twig & branch dieback.
1742	Coast redwood	30	4	Good	Good tree; water stress.
1743	English elm	30	2	Poor	Codominant trunks @ 7'; engulfed in ivy; twig & branch dieback.
1744	English elm	28	2	Poor	Codominant trunks @ 6'; history of branch failure; twig & branch dieback; hangers.
1745	Coast redwood	18	2	Poor	Codominant trunks @ base; poor form & structure; water stress.
1746	Coast redwood	20,19	3	Moderate	Codominant trunks @ base; water stress.
1747	River red gum	22	4	Good	Full straight crown; minor twig & branch dieback.
1748	Hawthorn	6,5,4	2	Poor	Multiple attachments @ base; poor form & structure; decayed stem.
1749	English elm	24	2	Poor	Codominant trunks @ 4'; stem failure; twig & branch dieback; narrow attachment.
1750	Raywood ash	17	3	Poor	Codominant attachments @ 7'; asymmetric form; twig & branch dieback.
1751	English elm	28	2	Poor	Codominant trunks @ 7'; multiple branch failures; twig & branch dieback.
1752	English elm	15	1	Poor	Suppressed; leaning; engulfed in ivy.
1753	English elm	28	2	Poor	Codominant trunks @ 7'; stem failed; decay; twig & branch dieback.
1754	English elm	18	3	Poor	Codominant trunks @ 5'; twig & branch dieback.
1755	English elm	25	2	Poor	Codominant trunks @ 5'; stem failed; decay; twig & branch dieback.
1756	English elm	25	2	Poor	Multiple attachments @ 10'; history of branch failure; twig & branch dieback.
1757	Evergreen ash	12,11	2	Poor	Codominant trunks @ base; suppressed & bowed to horizontal.
1758	English elm	15	2	Poor	Codominant trunks @ 2'; crowded; poor form & structure.
1759	Calif. black walnut	11,9	3	Moderate	Codominant trunks @ 2'; crowded & bowed.
1760	English elm	18	3	Poor	Codominant trunks @ 2'; twig & branch dieback.
1761	Privet	6,5,4	3	Moderate	Multiple attachments @ base; crowded & one-sided.
1762	English elm	10	2	Poor	Codominant trunks @ 2'; stem failure; poor form & structure.
1763	Privet	23	3	Moderate	Codominant trunks @ base; crowded & one-sided.
1764	Plum	8,7,6,5,4	3	Poor	Multiple attachments @ base; twig & branch dieback.
1765	English elm	27	2	Poor	Codominant trunks @ 6'; engulfed in ivy; history of branch failure.
1766	English elm	14	2	Poor	Multiple attachments @ 2'; collapsing; extensive twig & branch dieback; history of branch failure.
1767	Valley oak	16	4	Good	Codominant trunks @ 8'; good form & structure; twig & branch dieback.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1768	Calif. black walnut	8,6,6,5	3	Moderate	Multiple attachments @ base; stump sprout.
1769	English elm	22	2	Poor	Collapsing; history of branch failure; one-sided.
1770	Evergreen ash	17	2	Poor	Multiple attachments @ 5'; crowded & one-sided; twig & branch dieback.
1771	River red gum	14	2	Poor	Multiple attachments @ 20'; high sparse crown.
1772	Raywood ash	23	2	Poor	Multiple attachments @ 6'; history of branch failure; twig & branch dieback.
1773	English elm	37	3	Poor	Codominant trunks @ 3'; engulfed in ivy; history of branch failure.
1774	English elm	9	2	Poor	Multiple attachments @ 9'; topped.
1775	River red gum	36	4	Moderate	High narrow crown; twig & branch dieback.
1776	English elm	22	3	Poor	Codominant trunks @ 7'; one stem removed; history of branch failure.
1777	Coast redwood	11	2	Poor	Water stress; sparse canopy.
1778	English elm	10	2	Poor	Crowded; engulfed in ivy; history of branch failure.
1779	Evergreen ash	14	1	Poor	Multiple attachments @ 4'; extensive twig & branch dieback.
1780	Hawthorn	6,4	2	Poor	Codominant trunks @ base; poor form & structure; twig & branch dieback.
1781	English elm	27	3	Poor	Poor form & structure; twig & branch dieback; history of branch failure.
1782	Aleppo pine	17	3	Poor	Suppressed with heavy lean.
1783	Aleppo pine	32	3	Poor	Multiple attachments @ 6'; two stems vertical; two bowed; one is 18" hazard beam.
1784	Silver dollar gum	15	2	Poor	Lost half of tree; poor form & structure.
1785	English elm	10,8	3	Poor	Codominant trunks @ base; history of branch failure; little remains.
1786	English elm	20	3	Moderate	Multiple attachments @ 20'; dead branches.
1787	Coast redwood	20	3	Poor	Water stress; sparse canopy.
1788	English elm	23	2	Poor	Multiple attachments @ 10'; lost several central leaders.
1789	Silver dollar gum	18	3	Poor	Heavy lean; history of branch failure; weak branch attachments
1790	English elm	9	2	Poor	Codominant trunks @ 2'; history of branch failure; little remains.
1791	Aleppo pine	18	3	Moderate	Full crown; trunk bows.
1792	Raywood ash	12	2	Poor	Multiple attachments @ 7'; poor form & structure; extensive twig & branch dieback.
1793	English elm	22	3	Poor	Codominant trunks @ 5'; history of branch failure; twig & branch dieback.
1794	Silver dollar gum	18	3	Poor	History of branch failure; poor form & structure.
1795	English elm	23	2	Poor	Had codominant trunks @ 10' but lost 1 stem.
1796	Aleppo pine	32,18	2	Poor	Partial failure; crack @ base.
1797	Hawthorn	11	2	Poor	Multiple attachments @ 3'; twig & branch dieback; dehydrated.
1798	English elm	23	2	Poor	Codominant trunks @ 20'; history of branch failure; little remains.
1799	Coast redwood	16	3	Poor	Codominant trunks @ 3'; sparse canopy.
1800	Red flowering gum	24	2	Poor	Codominant trunks @ 8'; poor form & structure; epicormics.
1801	English elm	21	2	Poor	Had codominant trunks @ 8'; lost half of tree; decay.
1802	Arizona cypress	17	1	Poor	Codominant trunks @ 5'; suppressed; extensive twig & branch dieback.
1803	English elm	15	3	Poor	Codominant trunks @ 8'; separating crown.
1804	Silver dollar gum	11,11	2	Poor	Lost half of tree; decay; suppressed.
1805	English elm	20	3	Poor	Codominant trunks @ 8'; history of branch failure; hanger.
1806	Aleppo pine	25	2	Poor	Previous failure; codominant trunks @ 3'; poor form & structure.
1807	Holly oak	7	3	Moderate	Good form & structure; growing @ base of failed pine.
1808	English elm	27	1	Poor	15' stump sprout.
1809	English elm	28	3	Poor	Multiple attachments @ 15'; full crown; history of branch failure.
1810	English elm	12	1	Poor	15' stump sprout.
1810	English elm	18	3	Poor	Codominant trunks @ 5'; one-sided; twig & branch dieback.
1812	English elm	18	3	Poor	Codominant trunks @ 5'; twig & branch dieback; history of branch failure.
1813	English elm	24,9,8,8	1	Poor	Multiple attachments @ base; stump sprout; 24" stem decayed through.
1814	English elm	26	1	Poor	Multiple attachments @ 8'; history of branch failure; hangers; collapsing.
1815	Purpleleaf plum	16	2	Poor	Multiple attachments @ 2'; suppressed with twig & branch dieback.
1816	English elm	19	3	Poor	Multiple attachments @ 12'; history of branch failure; full crown.
1817	English elm	23	2	Poor	Multiple attachments @ 10'; history of branch failure; hangers; collapsing.
1818	English elm	22	2	Poor	Codominant trunks @ 6'; history of branch failure; extensive dead wood.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1819	English elm	23	3	Poor	Codominant trunks @ 8'; history of branch failure; full crown.
1820	English elm	23	3	Poor	Multiple attachments @ 5'; history of branch failure; one-sided.
1821	Raywood ash	21	3	Poor	Codominant trunks @ 3'; twig & branch dieback.
1822	English elm	24,6,5,4,3	3	Poor	Codominant trunks @ 6'; stump sprouts; dead wood; history of branch failure.
1823	English elm	5	3	Poor	Suppressed; sparse crown.
1824	Sydney golden wattle	16	3	Poor	Codominant trunks @ 5'; twig & branch dieback.
1825	Privet	9,8,7,4	3	Moderate	Multiple attachments @ 1'; trunk wound; weak attachments
1826	English elm	15	3	Poor	Codominant trunks @ 3'; twig & branch dieback.
1827	English elm	26	3	Poor	Codominant trunks @ 5'; engulfed in ivy; history of branch failure.
1828	English elm	6,5,4,3	3	Moderate	Multiple attachments @ base; one-sided.
1829	English elm	24	2	Poor	Codominant trunks @ 5'; topped for power lines; history of branch failure.
1830	English elm	28	2	Poor	Codominant trunks @ 5'; topped for power lines; history of branch failure; engulfed in ivy.
1831	Purpleleaf plum	20,8	2	Poor	Multiple attachments @ 3'; poor form & structure; topped for power lines.
1832	Holly oak	6	3	Moderate	Suppressed; could be a good screen tree.
1833	River red gum	10,7	2	Poor	Codominant trunks @ base; topped for power lines.
1834	Arizona cypress	15,10	2	Poor	Codominant trunks @ base; topped for power lines.
1835	Arizona cypress	16	2	Poor	Engulfed in ivy; topped for power lines.
1836	Olive	6	3	Moderate	Suppressed; codominant trunks @ 2'; could be a good screen tree.
1837	Arizona cypress	16,11	2	Poor	Codominant trunks @ 2'; topped for power lines.
1838	Arizona cypress	16,11	2	Poor	Topped for power lines.
1839	Evergreen ash	6	3	Poor	Suppressed; codominant trunks @ base; topped for power lines.
1840	Plum	7	3	Moderate	Suppressed; codominant trunks @ base; topped for power lines.
1841	Italian buckthorn	7	3	Poor	Multiple attachments @ base; topped for power lines.
1842	Arizona cypress	7	2	Poor	Topped for power lines.
1843	English elm	15	2	Poor	Topped for power lines.
1844	Arizona cypress	27	1	Poor	Multiple attachments @ base; totally decayed; leaning; topped for power lines.
1845	Arizona cypress	7	3	Poor	Topped for power lines.
1846	Arizona cypress	19,18	1	Poor	Codominant trunks @ base; engulfed in ivy; topped for power lines.
1847	Arizona cypress	11	2	Poor	Growing against power pole; topped for power lines.
1848	English elm	6,5	2	Poor	Codominant trunks @ base; topped for power lines.
1849	Arizona cypress	23,10	1	Poor	Codominant trunks @ base; history of branch failure; topped for power lines.
1850	Arizona cypress	12	2	Poor	Partial failure; poor form & structure.
1851	Evergreen ash	13,7,7	2	Poor	Multiple attachments @ base; topped for power lines.
1852	Arizona cypress	9	2	Poor	Topped for power lines.
1853	Evergreen ash	13,7,7	4	Moderate	Leans away from power lines; good form & structure; good screen tree.
1854	Casuarina	14,13	2	Poor	Codominant trunks @ base; poor form & structure; topped for power lines.
1855	Arizona cypress	11,11	2	Poor	Codominant trunks @ base; topped for power lines.
1856	Italian buckthorn	7,5,5,4	2	Poor	Multiple attachments @ base; collapsing; suckers.
1857	Arizona cypress	5,4,3	2	Poor	Multiple attachments @ base; topped for power lines.
1858	English elm	27	2	Poor	Multiple attachments @ 2'; history of branch failure; topped for power lines.
1859	English elm	16	2	Poor	Codominant trunks @ 10'; history of branch failure; topped for power lines.
1860	Calif. pepper	19	2	Poor	Codominant trunks @ 3'; topped for power lines.
1861	Olive	19	3	Moderate	Multiple attachments @ 3'; topped for power lines.
1862	Purpleleaf plum	16,11,6,6,6	3	Poor	Multiple attachments @ base; topped for power lines.
1863	English elm	28	2	Poor	Multiple attachments @ 10'; history of branch failure; side pruned for power lines.
1864	English elm	24	2	Poor	Multiple attachments @ 10'; history of branch failure; side pruned for power lines.
1865	English elm	24	2	Poor	Codominant trunks @ 2'; history of branch failure; cavity.
1866	Coast redwood	16	2	Poor	Water stress; sparse canopy.
1867	English elm	24	2	Poor	Multiple attachments @ 10'; history of branch failure; one-sided.
1868	English elm	30	3	Poor	Multiple attachments @ 6'; full crown; history of branch failure.
1869	Privet	15	3	Moderate	Multiple attachments @ 5'; engulfed in ivy.
1870	English elm	26	2	Poor	Codominant trunks @ 8'; history of branch failure; extensive dead wood.
1871	Arizona cypress	22	2	Poor	Leans; topped for power lines.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1872	English elm	26	2	Poor	Multiple attachments @ 4'; history of branch failure; topped for power lines.
1873	Aleppo pine	25	2	Poor	Codominant trunks @ base; wide attachment; topped for power lines.
1874	Arizona cypress	8	2	Poor	Little remains; topped for power lines.
1875	Chinese elm	15	2	Poor	Multiple attachments @ 10'; topped for power lines.
1876	English elm	22	2	Poor	Codominant trunks @ 4'; history of branch failure; topped for power lines.
1877	English elm	22	2	Poor	Multiple attachments @ 15'; topped for power lines.
1878	Holly oak	5,5	3	Moderate	Codominant trunks @ base; growing beneath power lines
1879	English elm	25	2	Poor	Multiple attachments @ 8'; poor form & structure; topped for power lines.
1880	Olive	5	2	Poor	Suppressed & growing beneath power lines.
1881	Coast live oak	7	3	Poor	Topped for power lines.
1882	Italian buckthorn	6,3	3	Poor	Codominant trunks @ base; suppressed; poor form & structure.
1883	English elm	15	2	Poor	Codominant trunks @ 8'; poor form & structure; topped for power lines.
1884	Arizona cypress	15	2	Poor	Multiple attachments @ 10'; topped for power lines.
1885	English elm	6	2	Poor	15' stump topped for power lines.
1886	Boxelder	15,7	2	Poor	Multiple attachments @ 7'; half of tree topped for power lines.
1887	River red gum	15	2	Poor	15' stump topped for power lines.
1889	Monterey cypress	15,7	2	Poor	Codominant trunks @ 2'; topped for power lines.
1889	Privet	10,7,7	3	Moderate	Multiple attachments @ base; ivy; one-sided.
1890	Arizona cypress	40	2	Poor	Multiple attachments @ 3'; topped for power lines.
1891	Cottonwood	20	1	Poor	Outside fence on White Ave.; was codominant trunks @ base; failed; decayed.
1892	Cottonwood	20	1	Poor	Outside fence on White Ave.; was multiple attachments @ 10'; failed; decayed.
1893	Deodar cedar	16	3	Poor	Trunk crooked @ 3'; poor form & structure; sparse canopy.
1894	Giant sequoia	24	2	Poor	Topped for power lines, little remains.
1895	English elm	9,7	3	Moderate	One sided; engulfed in ivy.
1896	English elm	8,5	3	Moderate	Leans; engulfed in ivy.
1897	English elm	10, 7,5	3	Moderate	Multiple attachments @ base; engulfed in ivy.
1898	English elm	16, 7,4	3	Poor	Multiple attachments @ 2'; poor form & structure; history of branch failure; engulfed in ivy.
1899	English elm	16, 10	3	Poor	Multiple attachments @ 3'; poor form & structure; history of branch failure; engulfed in ivy.
1900	English elm	8	3	Poor	Engulfed in ivy; leaning; poor form & structure.
1901	English elm	8,6,5	3	Poor	Multiple attachments @ base; poor form & structure.
1902	English elm	12	3	Poor	Next to #488; multiple attachments @ 10'; poor form & structure.
1903	English elm	16	3	Poor	Codominant trunks @ 10'; trunk wound & branch dieback.
1904	English elm	12	3	Poor	Suppressed; history of branch failure; trunk wound & branch dieback.
1905	English elm	10	3	Moderate	Suppressed; dead wood.
1906	English elm	8	2	Poor	Multiple attachments @ 5'; poor form & structure; narrow crown.
1907	English elm	9,8	3	Moderate	Codominant trunks @ 2'; seam; crown bowed.
1908	English elm	15	3	Poor	Codominant trunks @ 15'; included bark; full crown
1909	English elm	10	2	Poor	Codominant trunks @ 5'; poor form & structure.
1910	English elm	11	2	Poor	Codominant trunks @ 5'; dead wood.
1911	English elm	12	3	Poor	Codominant trunks @ 3'; trunk wound & branch dieback.
1912	English elm	10,9,7	3	Poor	Multiple attachments @ 2'; seam; included bark; trunk wounds.
1913	English elm	12	3	Poor	Codominant trunks @ 6'; trunk wound & branch dieback.
1914	English elm	15	3	Poor	Multiple attachments @ 8'; trunk wound & branch dieback.
1915	Evergreen ash	9	2	Poor	Next to #487; multiple attachments @ 6'; leans; little left.
1916	English elm	10,8	3	Moderate	Codominant trunks @ 3'; low lateral.
1917	Evergreen ash	9	3	Poor	Multiple attachments @ 3'; poor form & structure..
1918	English elm	9	3	Poor	Trunk wound; poor form & structure..
1919	English elm	11	3	Poor	Next to #489; codominant @ 6'; poor form & structure.
1920	English elm	9	2	Poor	Suppressed; codominant @ 5'; poor form & structure.
1921	English elm	7,4	2	Poor	Suppressed; codominant @ base; poor form & structure.
1922	River red gum	23	1	Poor	Lost central leader; little remains.
1923	English elm	6	2	Poor	Suppressed; bowed to ground.
1924	English elm	6	2	Poor	Crown bowed; trunk wound & branch dieback.
1925	River red gum	18	2	Poor	Codominant trunks @ 15'; trunk wound & branch dieback.
1926	Evergreen ash	5	2	Poor	Bowed to horizontal; poor form & structure.
1927	River red gum	15	1	Poor	Codominant trunks @ 20'; very sparse.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1928	River red gum	21	2	Poor	Lost central leader; very sparse.
1929	River red gum	18	1	Poor	Very sparse; epicormics.
1930	River red gum	17	2	Poor	High crown; dead wood.
1931	River red gum	13	1	Poor	Codominant trunks @ 6'; bowed crown; all but dead.
1932	River red gum	13	1	Poor	Crook; all but dead.
1933	English elm	16	3	Moderate	Next to #323; crowded.
1934	English elm	15	3	Poor	Crowded; poor form & structure.
1935	English elm	6,5,5	2	Poor	Next to #352; dead wood; poor form & structure.
1936	English elm	10	2	Poor	Next to #366; suppressed; split branch attachment
1937	English elm	10	2	Poor	Codominant trunks @ 6'; poor form & structure.
1938	English elm	10	2	Poor	Suppressed.
1939	English elm	15,8,6,6	3	Poor	Multiple attachments @ 2'; poor form & structure; dead wood.
1940	English elm	12,11,10	3	Poor	Multiple attachments @ 2'; poor form & structure; one stem bowed to horizontal.
1941	English elm	13	1	Poor	Stump sprout off of previous failure.
1942	English elm	10,8	2	Poor	Codominant trunks @ base; seam; poor form & structure.
1943	English elm	12	2	Poor	Next to #378; multiple attachments @ 1'; trunk wound & branch dieback; poor form & structure.
1944	English elm	8	2	Poor	Codominant trunks @ 4'; all but dead.
1945	English elm	8	1	Poor	All but dead.
1946	English elm	6	2	Poor	Codominant trunks @ 4'; all but dead.
1947	English elm	7,6	2	Poor	Codominant trunks @ 4'; very sparse.
1948	English elm	7,6	3	Poor	Codominant trunks @ 10'; upright; trunk wound & branch dieback.
1949	English elm	7	2	Poor	Next to #369, crowded & one-sided.
1950	English elm	8	2	Poor	Crowded; poor form & structure.
1951	English elm	11	2	Poor	Codominant trunks @ 2'; seam; poor form & structure.
1952	English elm	11	2	Poor	Next to #383; codominant @ base; leaning; poor form & structure.
1953	English elm	11	2	Poor	Codominant trunks @ 3'; leaning; poor form & structure.
1954	English elm	11	1	Poor	Next to #424; all but dead.
1955	English elm	8	1	Poor	All but dead.
1956	English elm	9	2	Poor	Multiple attachments @ 3'; history of branch failure; trunk wound & branch dieback.
1957	English elm	10	2	Poor	Was codominant @ 6'; history of branch failure; all but dead.
1958	English elm	17	2	Poor	Next to #433; multiple attachments @ 3'; included bark; bowed crown.
1959	English elm	6	1	Poor	Codominant trunks @ 2'; all but dead.
1960	English elm	11	2	Poor	Codominant trunks @ 2'; crown bowed.
1961	English elm	7	1	Poor	Codominant trunks @ 4'; all but dead.
1962	English elm	10	2	Poor	Codominant trunks @ 12'; poor form & structure.
1963	English elm	16	3	Poor	Next to #439; multiple attachments @ 10'; sparse crown.
1964	English elm	10,10	2	Poor	Multiple attachments @ 2'; dead wood; crown bowed.
1965	English elm	17	3	Poor	Multiple attachments @ 2'; trunk wound & branch dieback.
1966	English elm	7,4	2	Poor	Next to #451; codominant @ base; trunk wound & branch dieback.
1967	English elm	14	2	Poor	Next to #453; multiple attachments @ 7'; extensive trunk wound & branch dieback.
1968	English elm	16	2	Poor	Multiple attachments @ 15'; extensive trunk wound & branch dieback.
1969	English elm	12	1	Poor	Next to #562; multiple attachments @ 7'; all but dead.
1970	English elm	7,5	1	Poor	Codominant trunks @ base; all but dead.
1971	English elm	9	1	Poor	Very sparse; dead wood.
1972	English elm	13	2	Poor	Very sparse; one-sided.
1973	English elm	12	1	Poor	Next to #613; codominant @ 10'; history of branch failure.
1974	English elm	6,6,5	2	Poor	Multiple attachments @ base; sparse narrow crown.
1975	English elm	13,4	2	Poor	Codominant trunks @ base; poor form & structure; trunk wound.
1976	English elm	6,5,5	2	Poor	Multiple attachments @ base; suppressed.
1977	English elm	17	2	Poor	Codominant trunks @ 3'; one stem topped; poor form & structure.
1978	English elm	13	1	Poor	Very sparse; all but dead.
1979	English elm	17	1	Poor	Multiple attachments @ base; all but dead.
1980	English elm	12,9,8,7	2	Poor	Multiple attachments @ base; extensive trunk wound & branch dieback.
1981	English elm	11,10,8	2	Poor	Multiple attachments @ 2'; one stem topped; poor form & structure.
1982	English elm	17	1	Poor	Next to #617; multiple attachments @ 6'; trunk wound & branch dieback; poor form & structure.
1983	English elm	9,6	1	Poor	Next to #620; codominant @ base; trunk wound & branch dieback; poor form & structure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1984	English elm	17	1	Poor	Next to #624; multiple attachments @ 7'; trunk wound & branch dieback; history of branch failure.
1985	English elm	11	1	Poor	Multiple attachments @ 7'; all but dead.
1986	English elm	11	1	Poor	Multiple attachments @ 6'; all but dead.
1987	English elm	10	1	Poor	Next to #643; codominant @ 7'; all but dead.
1988	English elm	14	2	Poor	Next to #661; codominant @ 3'; dead wood.
1989	English elm	16	1	Poor	Codominant trunks @ 4'; all but dead.
1990	English elm	8,7	1	Poor	Codominant trunks @ base; all but dead.
1991	English elm	10	2	Poor	Crowded; one-sided; trunk wound & branch dieback.
1992	English elm	9	1	Poor	Suppressed; bowed.
1993	English elm	14	2	Poor	Crowded; bowed; trunk wound & branch dieback.
1994	English elm	7	2	Poor	Next to #663; suppressed & bowed.
1995	English elm	7,7,7	2	Poor	Multiple attachments @ 1'; spreading form; trunk wound & branch dieback.
1995	English elm	16	2	Poor	Next to #665; codominant @ 4'; history of branch failure; trunk wound & branch dieback.
1997	English elm	7	2	Poor	Suppressed & bowed; dead wood.
1998	English elm	11	2	Poor	One sided; trunk wound & branch dieback.
1999	English elm	6,5	2	Poor	Codominant trunks @ 2'; history of branch failure; dead top.
2000	English elm	17	2	Poor	Dead wood; poor form & structure.
2001	English elm	6	1	Poor	All but dead.
2002	English elm	7	1	Poor	All but dead.
2003	English elm	24,11,5	3	Poor	Next to #681; multiple attachments @ base; history of branch failure; large spreading crown.
2004	English elm	7	2	Poor	Suppressed & bowed.
2005	English elm	19	2	Poor	Codominant trunks @ 5'; history of branch failure; hangers.
2006	English elm	20	1	Poor	Codominant trunks @ 6'; all but dead.
2007	English elm	17	3	Poor	Codominant trunks @ 6'; history of branch failure; poor form & structure.
2008	Privet	5,4	2	Poor	Codominant trunks @ base; crowded with poor form & structure.
2009	Casuarina	12	1	Poor	Next to #688; topped; poor form & structure.
2010	Casuarina	12	1	Poor	Dead top; one-sided.
2011	Evergreen ash	13,12,12,6	2	Poor	Next to #689; multiple attachments @ base; horizontal stems.
2012	Evergreen ash	13,12,12,6	2	Poor	Codominant trunks @ 6'; sparse; poor form & structure.
2013	Evergreen ash	14	2	Poor	Suppressed; poor form & structure.
2014	Evergreen ash	8	2	Poor	Suppressed; bowed to horizontal.
2015	Evergreen ash	18	3	Moderate	Codominant trunks @ 6'; full crown; dead wood.
2016	English elm	7,5	2	Poor	Next to #730; codominant @ 2'; suppressed.
2017	English elm	7	2	Poor	Multiple attachments @ 6'; suppressed.
2018	English elm	18	3	Poor	Multiple attachments @ 8'; sparse crown; dead wood.
2019	English elm	18	2	Poor	Codominant trunks @ 15'; trunk wound & branch dieback; dead wood.
2020	English elm	19	2	Poor	Codominant trunks @ 6'; trunk wound & branch dieback; dead wood.
2021	English elm	6	2	Poor	Codominant trunks @ 4'; trunk wound & branch dieback; suppressed.
2022	English elm	9,7	2	Poor	Next to #742; codominant @ 2'; suppressed.
2023	English elm	8	2	Poor	Next to #752; suppressed; poor form & structure.
2024	Silver dollar gum	11	1	Poor	All but dead.
2025	English elm	6	2	Poor	Codominant trunks @ 6'; sparse; poor form & structure.
2026	Silver dollar gum	14	1	Poor	All but dead.
2027	English elm	6	2	Poor	Codominant trunks @ 6'; sparse; poor form & structure.
2028	English elm	12	1	Poor	All but dead.
2029	English elm	12	1	Poor	Codominant trunks @ 5'; all but dead.
2030	English elm	9,5	2	Poor	Next to #757; codominant @ 2'; seam; poor form & structure
2031	English elm	12	3	Moderate	Codominant trunks @ 8'; spreading crown; dead wood.
2032	English elm	8	2	Poor	Suppressed; bowed.
2033	English elm	12	2	Poor	Bowed; trunk wound & branch dieback.
2034	English elm	7	2	Poor	Suppressed; sparse.
2035	English elm	5	1	Poor	All but dead.
2036	English elm	11	2	Poor	Next to #761; suppressed & bowed heavily.
2037	English elm	11	2	Poor	Lost central leader; crook @ 20'.
2038	English elm	7	2	Poor	Codominant trunks @ 7'; dead wood; poor form & structure.
2039	English elm	15	2	Poor	Next to #781; codominant @ 7'; trunk wound & branch dieback.
2040	English elm	15	2	Poor	Multiple attachments @ 5'; all but dead.
2041	English elm	7	2	Poor	Codominant trunks @ 4'; suppressed; poor form & structure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2042	English elm	9,6	2	Poor	Codominant trunks @ 1'; seam to base; poor form & structure.
2043	English elm	18	2	Poor	Codominant trunks @ 5'; poor form & structure.
2044	English elm	7	1	Poor	Topped; all but dead.
2045	English elm	10	2	Poor	Topped; all but dead.
2046	English elm	7	1	Poor	Codominant trunks @ 6'; suppressed; trunk wound & branch dieback.
2047	English elm	16	2	Poor	Codominant trunks @ 8'; one stem topped.
2048	English elm	22	2	Poor	Next to #781; codominant @ 3'; one stem dead.
2049	English elm	13	2	Poor	Codominant trunks @ 5'; heavy bow.
2050	English elm	21	3	Poor	Multiple attachments @ 6'; spreading crown; dead wood.
2051	Cottonwood	7	2	Poor	Next to #795; suppressed; leans
2052	Cottonwood	15	2	Poor	Leans; dead wood.
2053	Cottonwood	5	2	Poor	Suppressed; leans.
2054	Cottonwood	37	2	Poor	Multiple attachments @ 3'; leans; dead top.
2055	River red gum	16	2	Poor	Bowed; poor form & structure; trunk wound & branch dieback.
2056	River red gum	12	2	Poor	Bowed toward tee box.
2057	River red gum	16	1	Poor	Bowed to horizontal; failed @ 20'.
2058	River red gum	15	2	Poor	Top dead; upright form.
2059	River red gum	21	1	Poor	All but dead.
2060	River red gum	17	2	Poor	Bowed toward White Ave.; lost central leader..
2061	Cottonwood	15,7	2	Poor	Codominant trunks @ base; dead top.
2062	Cottonwood	9,8,7,6	4	Good	Next to #804; multiple attachments @ base.
2063	English elm	13,10	3	Poor	Codominant trunks @ base; crowded; poor form & structure.
2064	English elm	11	2	Poor	Codominant trunks @ 8'; crowded; history of branch failure.
2065	English elm	7,7	2	Poor	Codominant trunks @ 1'; crowded; included bark; history of branch failure.
2066	English elm	10	2	Poor	Codominant trunks @ 6'; crowded; history of branch failure.
2067	Monterey cypress	16	3	Poor	Next to #810; along fence; low lateral; poor form & structure.
2068	Monterey cypress	13	3	Poor	Along fence; codominant @ 4'; poor form & structure.
2069	English elm	10	2	Poor	Next to #820; codominant @ 6'; crowded; poor form & structure.
2070	English elm	10	2	Poor	Codominant trunks @ 15'; crowded; poor form & structure.
2071	English elm	13	2	Poor	Codominant trunks @ 1'; narrow attachments; poor form & structure.
2072	English elm	13	2	Poor	Codominant trunks @ 9'; bowed crown; trunk wound & branch dieback.
2073	English elm	13	2	Poor	Codominant trunks @ 5'; poor form & structure; trunk wound & branch dieback.
2074	English elm	13	3	Poor	Next to #822; low lateral; trunk wound & branch dieback.
2075	English elm	11	3	Poor	Bowed; poor form & structure; trunk wound & branch dieback.
2076	English elm	10	2	Poor	Suppressed; high crown; trunk wound & branch dieback.
2077	English elm	11,10	2	Poor	Multiple attachments @ base; dead stem; trunk wound & branch dieback.
2078	English elm	8	2	Poor	Suppressed; bowed crown; trunk wound & branch dieback.
2079	English elm	9	2	Poor	Codominant trunks @ 7'; suppressed; bowed crown; trunk wound & branch dieback.
2080	English elm	21	2	Poor	Codominant trunks @ 10'; one stem bowed; trunk wound & branch dieback.
2081	English elm	6	1	Poor	Suppressed; all but dead.
2082	English elm	14	2	Poor	Codominant trunks @ 3'; suppressed; narrow crown; trunk wound & branch dieback.
2083	English elm	14	2	Poor	Codominant trunks @ 8'; high crown; trunk wound & branch dieback.
2084	English elm	6	1	Poor	Suppressed; all but dead.
2085	English elm	12	2	Poor	Codominant trunks @ 13'; high crown; trunk wound & branch dieback.
2086	English elm	10	2	Poor	Suppressed; bowed crown; trunk wound & branch dieback.
2087	English elm	22	2	Poor	Partial failure; trunk wound & branch dieback.
2088	English elm	8	2	Poor	Suppressed; all but dead; trunk wound.
2089	English elm	13	3	Poor	Codominant trunks @ 7'; trunk wound & branch dieback.
2090	English elm	13	2	Poor	Crowded; bowed crown; trunk wound & branch dieback.
2091	English elm	6,6,6,5	2	Poor	Multiple attachments @ base; sparse crown; trunk wound & branch dieback.
2092	English elm	10	2	Poor	Codominant trunks @ 7'; one stem bowed; trunk wound & branch dieback.
2093	English elm	14	2	Poor	Codominant trunks @ 1'; one stem bowed; trunk wound; trunk wound & branch dieback.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2094	English elm	6,5	2	Poor	Codominant trunks @ 2'; trunk wound & branch dieback.
2095	English elm	6,5	3	Poor	Codominant trunks @ 4'; trunk wound & branch dieback.
2096	English elm	7	2	Poor	Codominant trunks @ 4'; suppressed; trunk wound & branch dieback.
2097	English elm	7	1	Poor	All but dead.
2098	English elm	17	2	Poor	Codominant trunks @ 6'; crowded; crown bowed.
2099	English elm	12	2	Poor	Codominant trunks @ 6'; crowded; trunk wound & branch dieback.
2100	English elm	8	2	Poor	Next to #843; sparse; trunk wound & branch dieback.
2101	English elm	16	2	Poor	Codominant trunks @ 3'; bowed crown; trunk wound & branch dieback.
2102	English elm	15	2	Poor	Codominant trunks @ 4'; bowed crown; trunk wound & branch dieback.
2103	English elm	5,4	2	Poor	Codominant trunks @ base; suppressed; trunk wound & branch dieback.
2104	English elm	8,7	3	Moderate	Codominant trunks @ 1'; bowed crown; some dead wood.
2105	English elm	14	2	Poor	Codominant trunks @ 5'; extensive trunk wound & branch dieback.
2106	English elm	6	1	Poor	Multiple attachments @ 2'; all but dead.
2107	English elm	15	1	Poor	Codominant trunks @ 4'; bowed crown; extensive dead wood.
2108	English elm	12	2	Poor	Codominant trunks @ 12'; high crown; trunk wound & branch dieback.
2109	English elm	11	2	Poor	Codominant trunks @ 4'; bowed crown; trunk wound & branch dieback.
2110	English elm	12	2	Poor	Heavy lateral limb; one-sided; extensive trunk wound & branch dieback.
2111	English elm	13	2	Poor	Codominant trunks @ 10'; twisted form; twig & branch dieback.
2112	English elm	12	2	Poor	Codominant trunks @ 2'; narrow separating crown; trunk wound & branch dieback.
2113	English elm	9	2	Poor	Codominant trunks @ 8'; trunk wound; bowed crown.
2114	English elm	5	2	Poor	Next to #850; trunk wound; suppressed.
2115	English elm	15	3	Poor	Heavy lateral limb @ 10'; trunk wound; bowed crown.
2116	English elm	11	2	Poor	Trunk wound; crowded with high crown.
2117	English elm	10	2	Poor	Trunk wound; crowded; one-sided.
2118	English elm	10	2	Poor	Trunk wound; crowded; high crown.
2119	English elm	12	2	Poor	Multiple attachments @ 10'; sparse high crown.
2120	English elm	9	2	Poor	Multiple attachments @ 8'; narrow crown; weak attachments.
2121	English elm	10	2	Poor	Codominant trunks @ 7'; narrow crown; trunk wound & branch dieback.
2122	English elm	9	2	Poor	Next to #857; codominant @ 6'; all but dead.
2123	English elm	7,6,6	2	Poor	Multiple attachments @ base; all but dead.
2124	English elm	6	1	Poor	Multiple attachments @ 2'; all but dead.
2125	English elm	7	1	Poor	Multiple attachments @ 6'; all but dead.
2126	English elm	8	2	Poor	Trunk wound; trunk wound & branch dieback; low lateral.
2127	English elm	8	2	Poor	Codominant trunks @ 5'; all but dead.
2128	English elm	10	2	Poor	Codominant trunks @ 8'; all but dead.
2129	English elm	5	1	Poor	Next to #863; all but dead.
2130	English elm	7,4,4	2	Poor	Next to #868; multiple attachments @ base; suppressed; poor form & structure.
2131	English elm	11	3	Moderate	Codominant trunks @ 4'; bowed crown.
2132	English elm	7,5	2	Poor	Codominant trunks @ base; topped.
2133	English elm	7,5	2	Poor	Multiple attachments @ 5'; history of branch failure; crowded.
2134	English elm	12,10	2	Poor	Next to #880; codominant @ base; seam.
2135	English elm	17	2	Poor	Multiple attachments @ 2'; trunk wound & branch dieback.
2136	English elm	10	1	Poor	Codominant trunks @ 5'; all but dead.
2137	English elm	12	1	Poor	Codominant trunks @ 4'; all but dead.
2137	English elm	9	2	Poor	Next to #882; codominant @ 6'; poor form & structure.
2139	English elm	5	1	Poor	Suppressed; all but dead.
2140	English elm	13	2	Poor	Codominant trunks @ 6'; suppressed.
2141	English elm	8	2	Poor	Next to #886; multiple attachments @ 8'; poor form & structure.
2142	English elm	11	2	Poor	Codominant trunks @ 10'; narrow crown; trunk wound & branch dieback.
2143	English elm	8	2	Poor	Multiple attachments @ 8'; trunk wound & branch dieback; poor form & structure.
2144	English elm	8	2	Poor	Next to #894; codominant @ base; suppressed.
2145	River red gum	14,7	3	Moderate	Codominant trunks @ base; 14" stem upright; 7" stem heavily bowed.
2146	River red gum	9	2	Poor	Multiple attachments @ 10'; poor form & structure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2147	River red gum	9	2	Poor	Bowed to horizontal.
2148	River red gum	6	2	Poor	Codominant trunks @ base; trunk wound & branch dieback.
2149	Calif. pepper	11,8	2	Poor	Next to #906; codominant @ base; one stem horizontal.
2150	Blue gum	36	2	Poor	Next to #906; codominant @ 6'; history of branch failure; poor form & structure.
2151	Calif. pepper	9	2	Poor	Next to #905; suppressed; poor form & structure.
2152	English elm	11,5	2	Poor	Next to #909; codominant @ base; trunk wound & branch dieback; poor form & structure.
2153	Calif. pepper	12	2	Poor	Next to #909; multiple attachments @ 5'; history of branch failure; poor form & structure.
2154	Calif. pepper	21,16	3	Poor	Multiple attachments @ base; history of branch failure; spreading crown.
2155	English elm	11,7,4	2	Poor	Multiple attachments @ base; trunk wound & branch dieback; poor form & structure.
2156	River red gum	17	3	Moderate	Next to #916; upright.
2157	River red gum	24	3	Moderate	Upright; crowded; trunk wound & branch dieback.
2158	River red gum	21	3	Moderate	Bowed crown; crowded.
2159	River red gum	36	3	Poor	Codominant trunks @ 4'; crown sweeps; trunk wound & branch dieback.
2160	River red gum	30	2	Poor	Codominant trunks @ 6'; crowed & bowed; trunk wound & branch dieback.
2161	River red gum	10	2	Poor	Next to #921; codominant @ 5'; trunk wound & branch dieback.
2162	River red gum	10	2	Poor	Suppressed & bowed.
2163	American elm	10	2	Poor	Codominant trunks @ 4'; trunk wound & branch dieback; poor form & structure.
2164	River red gum	23	1	Poor	Next to #963; all but dead.
2165	River red gum	16	2	Poor	Bowed to horizontal; history of branch failure.
2166	River red gum	19	3	Moderate	Crowded; bowed crown.
2167	River red gum	19	2	Poor	Bowed crown; trunk wound.
2168	River red gum	20	2	Poor	Upright sparse crown; trunk wound.
2169	River red gum	18	1	Poor	Bowed crown; all but dead.
2170	Willow-leaf peppermint	20	2	Poor	Very bowed crown.
2171	River red gum	13	1	Poor	Bowed over White Ave.; all but dead.
2172	River red gum	14	1	Poor	Heavy bow over White Ave.; trunk wound.
2173	American elm	7,6,5	2	Poor	Multiple attachments @ base; bow to White Ave.
2174	American elm	22,17	3	Poor	Codominant trunks @ base; weight to White Ave removed; history of branch failure.
2175	American elm	14,13	3	Poor	Codominant trunks @ base; seam; weak attachments; history of branch failure.
2176	American elm	17,16,11,7	3	Poor	Multiple attachments @ base; weight over White Ave.; history of branch failure.
2177	American elm	17,8	3	Poor	Codominant trunks @ 20'; weak attachment; history of branch failure.
2178	American elm	18,14	3	Poor	Codominant trunks @ base; weight over White Ave.; history of branch failure.
2179	Arizona cypress	14	2	Poor	Low branches dead; on fence.
2180	American elm	42	3	Poor	Multiple attachments @ 20'; weight over White Ave.; cavities; history of branch failure.
2181	American elm	12	2	Poor	Multiple attachments @ 18'; topped; history of branch failure.
2182	American elm	13	2	Poor	Crowded & bowed over entrance.
2183	American elm	13	2	Poor	Crowded & bowed over entry road.
2184	American elm	26	3	Poor	Next to #976, codominant @ 5'; one-sided; history of branch failure.
2185	American elm	18,6	3	Poor	Codominant trunks @ base; crowded & bowed; history of branch failure.
2186	American elm	18,12, 8,6,5	3	Poor	Multiple attachments @ base; crowded; poor form & structure.
2187	Canary Island palm	20	3	Moderate	Next to #983, 3' of clear trunk.
2188	English elm	12,9,8,7	2	Poor	Next to #982, group of five; suppressed.
2189	Calif. black walnut	12,9,8,7	2	Poor	Next to #992, multiple attachments @ 6'; poor form & structure.
2190	American elm	17,5	2	Poor	Next to #989, codominant @ 2'; history of branch failure; decay.
2191	Blackwood acacia	7,5	2	Poor	Next to #1010; codominant @ base; suppressed; poor form & structure.
2192	River red gum	17	1	Poor	Next to #1011; all but dead.
2193	River red gum	19	2	Poor	Multiple attachments @ 25'; poor form & structure; mostly epicormics.
2194	River red gum	17	1	Poor	Very sparse; all but dead.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2195	Casuarina	8	2	Poor	Next to #1020; multiple attachments @ 10'; poor form & structure.
2196	River red gum	26	1	Poor	Codominant trunks @ 4'; all but dead.
2197	River red gum	21	2	Poor	Bowed crown; very sparse.
2198	Casuarina	16	2	Poor	Multiple attachments @ 10'; poor form & structure.
2199	River red gum	11	1	Poor	Lost central leader; all but dead.
2200	River red gum	16	1	Poor	Bowed to lake; all but dead.
2201	English elm	8	2	Poor	Next to #1071; multiple attachments @ 3'; poor form & structure.
2202	English elm	20	3	Poor	Multiple attachments @ 5'; history of branch failure; poor form & structure.
2203	English elm	15	3	Poor	Codominant trunks @ 2'; history of branch failure; poor form & structure.
2204	English elm	17	3	Poor	Next to #1080; codominant @ 6'; bowed crown; poor form & structure.
2205	English elm	22	3	Moderate	Codominant trunks @ 6'; full crown; heavy lateral leaders.
2206	English elm	13	2	Poor	Next to #1083; codominant @ 3'; topped; poor form & structure.
2207	English elm	19	2	Poor	Codominant trunks @ 5'; partial failure; poor form & structure.
2208	English elm	28	2	Poor	Codominant trunks @ 6'; extensive trunk wound & branch dieback; poor form & structure.
2209	Silver dollar gum	12,11,11	2	Poor	Next to #1088; multiple attachments @ 2'; poor form & structure.
2210	Silver dollar gum	18	2	Poor	Codominant trunks @ 2'; bowed crown; poor form & structure.
2211	Western red cedar	9,8,6,5,4,4	3	Moderate	Next to #1185; multiple attachments @ 2'.
2212	Coast redwood	6	3	Moderate	Next to #1189; suckers @ base.
2213	Coast redwood	7	4	Moderate	Twig dieback.
2214	Coast redwood	10	4	Moderate	Next to #1205; a little sparse.
2215	English elm	17	3	Poor	Next to #1241; codominant @ 4'; trunk wound & branch dieback.
2216	English elm	10	2	Poor	Codominant trunks @ 5'; crowded; narrow crown.
2217	English elm	12	2	Poor	Codominant trunks @ 5'; history of branch failure; poor form & structure.
2218	English elm	12	3	Poor	Codominant trunks @ 7'; trunk wound & branch dieback.
2219	English elm	15	3	Moderate	Codominant trunks @ 12'; leans south; hangers.
2220	English elm	7	2	Poor	Codominant trunks @ 10'; suppressed.
2221	English elm	20	3	Poor	Codominant trunks @ 5'; history of branch failure; trunk wound & branch dieback.
2222	Blackwood acacia	8,6,5	2	Poor	Next to #1322; multiple attachments @ base; poor form & structure.
2223	Silver dollar gum	4	2	Poor	Next to #1324; topped; poor form & structure.
2224	Italian cypress	14	4	Good	Next to #1464; included bark; burrow @ base.
2225	Arizona cypress	14	3	Moderate	Next to #1464; multiple attachments @ 8'.
2226	Monterey cypress	9,7,6,4,4	3	Poor	Entry tree; multiple attachments @ base; partial failure.
2227	Italian cypress	7	3	Moderate	Next to #1464; a little crowded.
2228	English elm	8	2	Poor	Next to #1509; codominant @ 7'; crowded; poor form & structure.
2229	English elm	6	2	Poor	Codominant trunks @ 12'; crowded; poor form & structure.
2230	English elm	7	2	Poor	Crowded & bowed; poor form & structure.
2231	English elm	9	2	Poor	Codominant trunks @ 15'; bowed over parking; poor form & structure.
2232	Privet	9	2	Poor	Multiple attachments @ 10'; crowded; poor form & structure.
2233	English elm	Group	2	Poor	Group of 3 5"-6"; crowded; poor form & structure.
2234	English elm	12	1	Poor	Multiple attachments @ 10'; dead wood; poor form & structure.
2235	Italian cypress	5,3,2	3	Poor	Next to #1531; multiple attachments @ base; suppressed & one-sided.
2236	Italian cypress	5	3	Poor	Next to #1533; suppressed & one-sided.
2237	Casuarina	13	2	Poor	Next to #1536; topped for power lines.
2238	Aleppo pine	19	2	Poor	Topped for power lines; poor form & structure.
2239	Casuarina	19	2	Poor	Topped for power lines; poor form & structure.
2240	Aleppo pine	19	2	Poor	Next to #1537; suppressed; poor form & structure.
2241	Privet	Group	2	Poor	Next to #1586; Group of 2 5"-7"; multiple attachments @ base; poor form & structure.
2242	Casuarina	20	2	Poor	Next to #2240; topped for power lines.
2243	Arizona cypress	9	2	Poor	Topped for power lines; engulfed in ivy.
2244	Arizona cypress	19	2	Poor	Topped for power lines; engulfed in ivy.
2245	English elm	9	2	Poor	Off-site; topped for power lines; poor form & structure.
2246	Arizona cypress	11	2	Poor	Topped for power lines; leans; engulfed in ivy.
2247	Aleppo pine	16	2	Poor	Topped for power lines.
2248	Arizona cypress	17	2	Poor	Topped for power lines; crown bows.
2249	Aleppo pine	13	2	Poor	Topped for power lines; leans to north.
2250	Arizona cypress	8	3	Poor	Topped for power lines.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2251	Aleppo pine	15	2	Poor	Topped for power lines; leans to north.
2252	Aleppo pine	22	2	Poor	Topped for power lines; heavy lean to south.
2253	Aleppo pine	20	2	Poor	Next to #1591; topped for power lines; poor form & structure.
2254	Arizona cypress	11	2	Poor	Topped for power lines; heavy lean to south.
2255	Arizona cypress	20	2	Poor	Codominant trunks @ 7'; topped for power lines; poor form & structure.
2256	Aleppo pine	18	2	Poor	Codominant trunks @ 3'; topped for power lines; poor form & structure.
2257	Aleppo pine	18	2	Poor	Topped for power lines; leans to south.
2258	Aleppo pine	19	2	Poor	Next to #1593; topped for power lines; leans to south.
2259	Arizona cypress	12	3	Poor	Codominant trunks @ 2'; topped for power lines; poor form & structure.
2260	Arizona cypress	12	3	Poor	Topped for power lines; poor form & structure.
2261	English elm	9	2	Poor	Next to #1596; topped for power lines; engulfed in ivy.
2262	English elm	11	2	Poor	Next to #1596; poor form & structure; engulfed in ivy.
2263	English elm	6	2	Poor	Poor form & structure; engulfed in ivy.
2264	English elm	13	2	Poor	Twig & branch dieback; poor form & structure; engulfed in ivy.
2265	English elm	8	2	Poor	Poor form & structure; engulfed in ivy.
2266	Arizona cypress	6,6	2	Poor	Next to #1601; poor form & structure; engulfed in ivy.
2267	Arizona cypress	6,6	2	Poor	Next to #1606; codominant @ 5'; poor form & structure; engulfed in ivy.
2268	Arizona cypress	9	2	Poor	Next to #1606; multiple attachments @ base; poor form & structure.
2269	Arizona cypress	6,3,3	2	Poor	Multiple attachments @ base; poor form & structure.
2270	Aleppo pine	28	4	Good	Next to #1609; codominant @ 10'; leans; engulfed in ivy.
2271	Aleppo pine	32	4	Good	Codominant trunks @ 10'; one-sided & leaning; engulfed in ivy.
2272	English elm	28	2	Poor	Next to #1660; codominant @ 4'; trunk wound & branch dieback; hanger.
2273	English elm	19	2	Poor	Next to #1663; codominant @ 15'; history of branch failure.
2274	English elm	24	2	Poor	Codominant trunks @ 15'; extensive trunk wound & branch dieback; history of branch failure.
2275	Purpleleaf plum	9	1	Poor	Multiple attachments @ 3'; all but dead.
2276	Zelkova	18	4	Good	Multiple attachments @ 15'; good form & structure.
2277	English elm	20	2	Poor	Codominant trunks @ 18'; mostly epicormics; history of branch failure.
2278	English elm	20	2	Poor	Codominant trunks @ 18'; very one-sided; history of branch failure.
2279	English elm	13,4	2	Poor	Codominant trunks @ base; poor form & structure; history of branch failure.
2280	Purpleleaf plum	16, 12, 8	2	Poor	Multiple attachments @ base; all but dead.
2281	English elm	12,12	2	Poor	Codominant trunks @ base; poor form & structure; history of branch failure.
2282	English elm	19	2	Poor	Was codominant @ 2'; stem removed; history of branch failure.
2283	English elm	26	2	Poor	Multiple attachments @ 10'; cavity; history of branch failure.
2284	Privet	8,6	2	Poor	Next to #1674; codominant @ base; suppressed; engulfed in ivy.
2285	English elm	18,12,7	2	Poor	Multiple attachments @ base; poor form & structure; included bark; history of branch failure.
2286	English elm	16,7	2	Poor	Codominant trunks @ 7'; poor form & structure; history of branch failure; engulfed in ivy.
2287	Coast redwood	18	3	Moderate	Water stressed.
2288	English elm	22	2	Poor	Codominant trunks @ 18'; stem bowed to horizontal; history of branch failure.
2289	Purpleleaf plum	16, 12, 8	2	Poor	Next to #1683; multiple attachments @ base; included bark..
2290	English elm	27	2	Poor	Multiple attachments @ 10'; history of branch failure; one-sided.
2291	English elm	12	2	Poor	Next to #1690; codominant @ 4'; suppressed.
2292	English elm	24	1	Poor	Topped @ 12'..
2293	English elm	31	3	Moderate	Multiple attachments @ 12'; full crown; seam @ attachment.
2294	Arizona cypress	9,5	2	Poor	Multiple attachments @ base; suppressed.
2295	English elm	14	2	Poor	Next to #1692; was codominant @ 4'; stem removed; poor form & structure.
2296	English elm	20	2	Poor	Codominant trunks @ 8'; crown bows heavily; dead wood.
2297	English elm	26	2	Poor	Topped; codominant @ 10'; poor form & structure.
2298	English elm	26	4	Moderate	Codominant trunks @ 10'; full crown; history of branch failure..
2299	English elm	24	2	Poor	Codominant trunks @ 5'; bowed; history of branch failure.
2300	Evergreen ash	8	2	Poor	Suppressed & bowed south.
2301	Evergreen ash	12	2	Poor	Sparse crown; bowed south.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2302	English elm	17,6	2	Poor	Codominant trunks @ 3'; seam @ attachment; previous stem failure.
2303	English elm	20	2	Poor	Next to #1694; history of branch failure; dead wood; poor form & structure.
2304	English elm	29	2	Poor	Next to #1698; codominant @ 6' & 10'; history of branch failure; hanger.
2305	Zelkova	24	4	Good	Next to #1703; multiple attachments @ 5'; full crown; trunk wounds.
2306	English elm	20	2	Poor	Cavity; history of branch failure; trunk wound & branch dieback.
2307	English elm	8	2	Poor	Suppressed; bowed to horizontal.
2308	English elm	12	2	Poor	Codominant trunks @ 10'; one-sided.
2309	English elm	25	2	Poor	Next to #1707; codominant @ 5'; cavities; history of branch failure.
2310	English elm	24	2	Poor	Multiple attachments @ 15'; separating crown; hanger.
2311	English elm	20	2	Poor	Codominant trunks @ 7'; narrow crown; history of branch failure.
2312	English elm	25	2	Poor	Codominant trunks @ 7'; cavities with decay; history of branch failure.
2313	English elm	5,5,4	2	Poor	Next to #1721; multiple attachments @ base; stump sprout.
2314	English elm	24	2	Poor	Multiple attachments @ 20'; vary sparse crown; history of branch failure.
2315	English elm	24	2	Poor	Codominant trunks @ 7'; dead wood; history of branch failure.
2316	English elm	24	2	Poor	Codominant trunks @ 10'; collapsing.
2317	English elm	23	3	Poor	Codominant trunks @ 10'; history of branch failure.
2318	English elm	28	3	Poor	History of branch failure; trunk wound & branch dieback.
2319	Raywood ash	17	3	Poor	Multiple attachments @ 5'; crowded; poor form & structure
2320	English elm	19	2	Poor	History of branch failure; one-sided.
2321	English elm	26	3	Poor	Codominant trunks @ 4' & 12'; history of branch failure.
2322	English elm	26	2	Poor	Codominant trunks @ 12'; history of branch failure; dense crown
2323	English elm	23	2	Poor	Multiple attachments @ 4'; narrow attachments.
2324	English elm	25	2	Poor	Codominant trunks @ 7'; separating crown; history of branch failure.
2325	Coast redwood	14,12	1	Poor	Next to #1732; codominant @ base; all but dead.
2326	Coast redwood	17,12,6	2	Poor	Multiple attachments @ base; very sparse.
2327	Coast redwood	15	3	Moderate	Crowded with narrow crown.
2328	Coast redwood	12	3	Moderate	Crowded with narrow crown.
2329	English elm	25	2	Poor	Next to #1735; codominant @ 7'; history of branch failure.
2330	Raywood ash	17	2	Poor	Next to #1738; codominant @ 8'; trunk wound & branch dieback.
2331	English elm	15	2	Poor	Codominant trunks @ 15'; narrow crown; engulfed in ivy.
2332	English elm	12,11	2	Poor	Codominant trunks @ base; history of branch failure; poor form & structure.
2333	English elm	27	3	Poor	Codominant trunks @ 6'; history of branch failure; full crown.
2334	English elm	18	2	Poor	Next to #1744; codominant @ 10'.
2335	English elm	22	2	Poor	History of branch failure; poor form & structure.
2336	English elm	26	2	Poor	Codominant trunks @ 6'; history of branch failure.
2337	English elm	26	2	Poor	Next to #1749; was codominant @ 10'; history of branch failure; one-sided.
2338	English elm	26	2	Poor	Codominant trunks @ 10'; history of branch failure; spreading crown.
2339	English elm	22	2	Poor	Codominant trunks @ 5'; history of branch failure; asymmetric form.
2340	Raywood ash	16	2	Poor	Multiple attachments @ 7'; history of branch failure; trunk wound & branch dieback.
2341	Privet	6,6,5,4,3	2	Poor	Multiple attachments @ base; crowded.
2342	Prunus spp.	4,4,4,3,2,2	3	Moderate	Multiple attachments @ base; weak attachment..
2343	English elm	12	1	Poor	Leans to horizontal; engulfed in ivy..
2344	English elm	12,6	2	Poor	Codominant trunks @ 3'; partial failure.
2345	English elm	6	2	Poor	Suppressed; high crown; trunk wound & branch dieback.
2346	English elm	10,9	2	Poor	Codominant trunks @ 2'; weak attachment; trunk wound & branch dieback.
2347	English elm	13,11,9	2	Poor	Multiple attachments @ 2'; one stem failed; trunk wound & branch dieback.
2348	English elm	9	2	Poor	Crowded with poor form & structure; trunk wound & branch dieback.
2349	English elm	14,7	2	Poor	Multiple attachments @ 3'; poor form & structure; trunk wound & branch dieback.
2350	English elm	8,5	1	Poor	Suppressed with poor form & structure.
2351	English elm	16	2	Poor	Crowded & one-sided; history of branch failure.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2352	English elm	4	1	Poor	Suppressed with poor form & structure.
2353	English elm	9	3	Moderate	Codominant trunks @ 3'; weak attachment.
2354	English elm	4	1	Poor	Suppressed with poor form & structure.
2355	English elm	10,4	2	Poor	Codominant trunks @ 3'; history of branch failure; trunk wound & branch dieback.
2356	English elm	23	2	Poor	Codominant trunks @ base & 4'; history of branch failure; extensive trunk wound & branch dieback.
2357	English elm	11	2	Poor	Crowded & bowed; trunk wound & branch dieback.
2358	English elm	21	2	Poor	Crowded; poor form & structure; history of branch failure.
2359	English elm	4	1	Poor	Lost central leader; resprouts remain.
2360	English elm	22	2	Poor	Codominant trunks @ 5'; engulfed in ivy; extensive trunk wound & branch dieback.
2361	English elm	14, 7,4	2	Poor	Multiple attachments @ base; engulfed in ivy; trunk wound & branch dieback.
2362	Purpleleaf plum	14	2	Poor	Codominant trunks @ 2'; trunk wound & branch dieback.
2363	Purpleleaf plum	13	2	Poor	Multiple attachments @ 2'; weak attachment; trunk wound & branch dieback.
2364	Privet	9,6,5,5,4,3,3	2	Poor	Multiple attachments @ base; trunk wound & branch dieback.
2365	Privet	5,5,4,3,3	2	Poor	Multiple attachments @ base; beneath power lines.
2366	Privet	5,5,4,3,3	2	Poor	Multiple attachments @ base; topper for power lines.
2367	Privet	5,5,4,3,3	2	Poor	Multiple attachments @ base; engulfed in ivy; beneath power lines.
2368	Calif. black walnut	4,3	3	Poor	Codominant trunks @ base; crowded; beneath power lines.
2369	Privet	9,7,4,3	3	Moderate	Codominant trunks @ base; engulfed in ivy; beneath power lines.
2370	English elm	7	2	Poor	Heavy lean; beneath power lines.
2371	Privet	4,3	3	Moderate	Codominant trunks @ base; engulfed in ivy; beneath power lines.
2372	Privet	4,3	3	Moderate	Codominant trunks @ base; beneath power lines.
2373	Evergreen ash	5	2	Poor	Next to #1839; topped for power lines.
2374	Evergreen ash	7	2	Poor	Topped for power lines; poor form & structure.
2375	Olive	5,4,2	2	Poor	Multiple attachments @ base; beneath power lines.
2376	Evergreen ash	7	2	Poor	Crowded; topped for power lines; poor form & structure.
2377	Evergreen ash	12,12	2	Poor	Codominant trunks @ base; separating crown; trunk wound & branch dieback.
2378	Prunus spp.	7,5	2	Poor	Codominant trunks @ base; crowded; topped for power lines.
2379	Prunus spp.	5,4	2	Poor	Codominant trunks @ base; crowded; topped for power lines.
2380	Olive	4	3	Moderate	Next to #1848; crowded; beneath power lines.
2381	Arizona cypress	8	2	Poor	Crowded; topped for power lines.
2382	Italian buckthorn	4	2	Poor	Crowded; beneath power lines.
2383	English elm	8,7	2	Poor	Next to #1856; codominant @ base; topped for power lines.
2384	English elm	9	2	Poor	Codominant at 15'; topped for power lines.
2385	English elm	13	2	Poor	Codominant at 10'; topped for power lines; history of branch failure.
2386	English elm	13	2	Poor	Next to #1885; 12' stump; engulfed in ivy.
2387	English elm	14	2	Poor	12' stump; heavy lateral leader; engulfed in ivy.
2388	English elm	20	2	Poor	Multiple attachments @ 4'; topped for power lines; engulfed in ivy.
2389	English elm	12	2	Poor	Topped for power lines.
2390	English elm	9,9	2	Poor	Codominant trunks @ base; topped for power lines.
2391	English elm	6	2	Poor	Topped for power lines.
2392	English elm	10	2	Poor	Next to #1631; on Flint Ave.; codominant @ 10'; crown separated.
2393	English elm	10	2	Poor	On Flint Ave.; bowed toward road.
2394	English elm	15	3	Poor	On Flint Ave.; codominant @ 5'; trunk wound & branch dieback.
2395	English elm	14	3	Moderate	On Flint Ave.; crowded; bows to golf course.
2396	English elm	14	2	Poor	On Flint Ave.; bowed toward road.
2397	English elm	8	2	Poor	On Flint Ave.; crowded; bows to golf course.
2398	English elm	7	2	Poor	On Flint Ave.; suppressed & bowed toward road.
2399	English elm	5	2	Poor	On Flint Ave.; suppressed.
2400	Aleppo pine	27	3	Poor	On Flint Ave.; codominant @ 4'; topped for power lines.
2401	Aleppo pine	21	2	Poor	On Flint Ave.; leans to golf course; pruned for power lines.
2402	Aleppo pine	18	2	Poor	On Flint Ave.; topped for power lines.
2403	English elm	10	2	Poor	Next to #1636; on Flint Ave.; bows to road.
2404	Aleppo pine	19	2	Poor	On Flint Ave.; topped for power lines.
2405	Casuarina	14	2	Poor	On Flint Ave.; topped for power lines.
2406	Aleppo pine	30	2	Poor	On Flint Ave.; codominant @ 3'; topped for power lines.
2407	Arizona cypress	5	2	Poor	On Flint Ave.; bowed to golf course.
2408	English elm	11	2	Poor	Next to #1639; on Flint Ave.; topped for power lines.
2409	English elm	8	2	Poor	On Flint Ave.; topped for power lines.
2410	English elm	6	2	Poor	On Flint Ave.; bowed to golf course.
2411	English elm	8	2	Poor	On Flint Ave.; codominant @ 15'; one stem over road.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2412	English elm	12,8	2	Poor	On Flint Ave.; codominant @ base; one stem over road.
2413	English elm	15	2	Poor	On Flint Ave.; codominant @ 8'; weight to golf course.
2414	Casuarina	11	2	Poor	On Flint Ave.; topped for power lines.
2416	Arizona cypress	11	2	Poor	On Flint Ave.; topped for power lines.
2417	English elm	10,7,6	2	Poor	On Flint Ave.; multiple attachments @ base; topped for power lines.
2418	English elm	6	1	Poor	On Flint Ave.; codominant @ base; topped.
2419	Privet	5	3	Moderate	On Flint Ave.; multiple attachments @ 7'; crowded.
2419	Casuarina	10	2	Poor	On Flint Ave.; topped for power lines.
2420	Aleppo pine	14	2	Poor	On Flint Ave.; side pruned for power lines; lean over road.
2421	Arizona cypress	7	2	Poor	On Flint Ave.; topped for power lines.
2422	Arizona cypress	14	2	Poor	On Flint Ave.; topped for power lines; heavy lean over road.
2423	Casuarina	9	2	Poor	On Flint Ave.; topped for power lines.
2424	River red gum	6	2	Poor	On Flint Ave.; topped for power lines.
2425	English elm	16	1	Poor	On Flint Ave.; codominant @ 3'; little remains.
2426	Casuarina	20	1	Poor	On Flint Ave.; topped for power lines.
2427	Calif. pepper	17,10	3	Moderate	On Flint Ave.; codominant @ 2'; spreading form.
2428	Casuarina	16	2	Poor	On Flint Ave.; topped for power lines.
2429	English elm	15	3	Moderate	Next to #1652; on Tully Ave.; codominant @ 7'; leans to Tully; trunk wound & branch dieback.
2430	Arizona cypress	20	3	Poor	On Tully Ave.; multiple attachments @ 3'; weight to Tully; trunk wound & branch dieback.
2431	English elm	16	3	Moderate	Next to #1653; on Tully Ave.; codominant @ 3'; included bark.
2432	Arizona cypress	12	2	Poor	On Tully Ave.; sparse & one-sided.
2433	English elm	12	3	Moderate	Next to #1105; on edge of lake; codominant @ #10'.
2434	Lombardy poplar	10	2	Poor	On edge of pond; trunk wound & branch dieback.
2435	Casuarina	11	2	Poor	Multiple attachments @ 3'; on edge of pond; poor form & structure.
2436	River red gum	11,2	1	Poor	Next to #1111; dead top.
2437	Casuarina	11	3	Moderate	Narrow crown; on edge of pond.
2438	Casuarina	14	2	Poor	Sparse crown; on edge of pond.
2439	Casuarina	12	2	Poor	Narrow crown; on edge of pond.
2440	Casuarina	group	2	Poor	Group of 4 8-10"; suppressed with poor form & structure.
2441	Casuarina	13	2	Poor	Sparse crown; opposite pond.
2442	Blackwood acacia	10	2	Poor	Next to #1117; codominant @ #12'; on edge of pond.
2443	Blackwood acacia	18	2	Poor	Codominant trunks @ 10'; dead top.
2444	Blackwood acacia	12	2	Poor	Multiple attachments @ 6'; poor form & structure.
2445	River red gum	12	3	Poor	Next to #1115; multiple attachments @ 25'; trunk wound & branch dieback.
2446	Compact blue gum	16,11	3	Poor	Next to #1123; multiple attachments @ 3'; trunk wound & branch dieback.
2447	Compact blue gum	15	3	Moderate	Next to #1123; bows over golf course; trunk wound & branch dieback.
2448	Blue gum	10	3	Poor	Next to #1135; sparse.
2449	Blue gum	Group	3	Moderate	Group of 4 trees 6-8"; sparse.
2450	Casuarina	Group	2	Poor	Group of 2 4-6"; stump sprouts.
2451	Casuarina	12	2	Poor	Narrow sparse crown.
2452	Blue gum	12	2	Poor	No tag; codominant @ 20'; engulfed in poison oak.
2453	Blue gum	14,12,8	2	Poor	Multiple attachments @ base; one stem suppressed & bowed; trunk wound & branch dieback.
2454	River red gum	25	2	Poor	Next to #1139; crowded & bowed; sparse.
2455	English elm	7	2	Poor	Next to #1143; suppressed; poor form & structure.
2456	English elm	7	2	Poor	Codominant atc4'; suppressed; poor form & structure.
2457	Chinese elm	10	3	Poor	Next to #1144; crowded; poor form & structure.
2458	English elm	12	2	Poor	Next to #1144; codominant @ 3'; poor form & structure.
2459	Holly oak	4	2	Poor	Next to #1147; crowded & shrubby.
2460	Casuarina	10,6	2	Poor	Next to #1152; codominant @ base; poor form & structure.
2461	River red gum	14	1	Poor	Next to #1154; all but dead.
2462	River red gum	14,13	1	Poor	Codominant trunks @ base; all but dead.
2463	Casuarina	5	2	Poor	Next to #1166; Codominant trunks @ base; sparse.
2464	Weeping willow	14,13,8,6,5	2	Poor	Next to #1175; multiple attachments @ base; root sprout.
2465	Weeping willow	10,8	2	Poor	Codominant trunks @ base; root sprout.
2466	River red gum	16,17	2	Poor	Next to #1179; codominant @ base; lost central leader; very sparse.
2467	River red gum	11,9	2	Poor	Next to #1180; codominant @ base; lost central leader; very sparse.
2468	River red gum	11	2	Poor	Codominant trunks @ 10'; lost central leader; very sparse.

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
2469	River red gum	5,5	2	Poor	Codominant trunks @ base; very sparse.
2470	River red gum	6	2	Poor	Next to #1181; suppressed & bowed.
2471	River red gum	7,6,5,4	2	Poor	Multiple attachments @ base; crowded with poor form & structure.
2472	River red gum	9	2	Poor	Next to #1184; all but dead.
2473	English elm	8	2	Poor	Next to #1616; suppressed; poor form & structure; growing through fence.
2474	English elm	10	2	Poor	Suppressed; poor form & structure; bowed to golf course.
2475	English elm	15	3	Poor	Codominant trunks @ 15'; engulfed in ivy; twig & branch dieback.
2476	English elm	7,6	2	Poor	Codominant trunks @ base; crown bowed; engulfed in ivy.
2477	English elm	14	3	Poor	Codominant trunks @ 10'; engulfed in ivy; twig & branch dieback.
2478	English elm	7	2	Poor	Suppressed; bowed; engulfed in ivy.
2479	English elm	15	2	Poor	Poor form & structure; bowed to golf course.
2480	English elm	15,7	2	Poor	Codominant trunks @ 10'; engulfed in ivy; twig & branch dieback.
2481	English elm	7	2	Poor	Suppressed; bowed to golf course; engulfed in ivy.
2482	English elm	15,6	3	Poor	Codominant trunks @ 3'; engulfed in ivy; dead top.
2483	English elm	13,6,6	2	Poor	Multiple attachments @ base; engulfed in ivy; bowed to horizontal.
2484	English elm	7	2	Poor	Suppressed; bowed to golf course; engulfed in ivy.
2485	English elm	7	2	Poor	Multiple attachments @ 5'; topped; poor form & structure..
2486	River red gum	11	1	Poor	Next to #797; all but dead.
2487	Red iron bark	10	1	Poor	Codominant trunks @ 4'; suppressed; poor form & structure.
2488	River red gum	8	2	Poor	Suppressed; bowed to horizontal.
2489	River red gum	16	3	Moderate	High crown; mostly epicormics.
2490	River red gum	13	2	Poor	Suppressed; lost central leader; poor form & structure.
2491	River red gum	12	2	Poor	Basal wound; bowed to horizontal.
2492	River red gum	5	2	Poor	Stump sprout; poor form & structure.

**TREE
SURVEY
on the
BERG/IDS
PROPERTY**

**conducted by
HORTSCIENCE, INC.**

SEPTEMBER 2004

David J. Powers and Associates
 Berg/IDS Site
 San Jose CA
 October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
1	Coast live oak	20,15	4	Good	Codominant trunks @ base & 5'; low branching.
2	Coast live oak	20	5	Good	Excellent form & structure.
3	Coast live oak	6,5,4,3	3	Moderate	Stems from base.
4	Coast live oak	13	4	Moderate	Crooked trunk.
5	Coast live oak	14	4	Good	Multiple attachments @ 2'.
6	Valley oak	23	3	Moderate	Thin crown; wire girdling; twig dieback.
7	Valley oak	20	4	Good	Multiple attachments @ 6'; thin crown.
8	Calif. bay	11	3	Moderate	Trunk wounds.
9	Coast live oak	7,7,6,5,4,3	3	Moderate	Multiple attachments @ base.
10	Valley oak	13	3	Moderate	Epicormics sprouts; good form & structure.
11	Valley oak	11	2	Poor	Extensive dieback.
12	Valley oak	11,9	2	Poor	Stems from base; very thin crown.
13	Valley oak	22	2	Poor	Extensive decay in point of attachment.
14	Valley oak	44	3	Poor	Twig & branch dieback; thin crown.
15	Blue gum	53	0	--	Declining; dead wood. Tree died during survey period.
16	Blue gum	5	3	Poor	Tall spindly form.
17	Blue gum	7	3	Poor	Tall spindly form.
18	Blue gum	6	3	Poor	Tall spindly form.
19	Blue gum	9	3	Moderate	Tall spindly form.
20	Blue gum	16,8,8	2	Poor	Stems from base; declining.
21	Blue gum	73	4	Moderate	Multiple attachments @ 12'; minor dieback.
22	Blue gum	7,3	3	Poor	Stems from base.
23	Calif. buckeye	11,8,7	1	Poor	Extensive trunk decay.
24	Calif. buckeye	11	1	Poor	Extensive trunk decay.
25	Canary Island palm	20	5	Good	Excellent tree.
26	Blue gum	9,4	2	Poor	Poor form & structure.
27	Calif. buckeye	18,16,10,9	2	Poor	Extensive trunk decay.
28	Valley oak	50	5	Good	Codominant trunks @ 8'; remove ivy; beautiful form.
29	Valley oak	14,13	4	Moderate	Stems from base; low branching.
30	Valley oak	21	4	Good	Twig dieback.
31	Almond	8	2	Poor	Thin & declining.
32	Almond	11	1	Poor	Failed @ base downhill; declining.
33	Almond	9,7	2	Poor	Heavy ground squirrels @ base.
34	Valley oak	12,10,9,8	3	Moderate	Multiple attachments @ base; edge of slope.
35	Almond	9	2	Poor	Thin crown.
36	Valley oak	6,5	2	Poor	Suppressed form; stems from base.
37	Valley oak	17	4	Moderate	Codominant trunks @ 5' with seam below.
38	Calif. black walnut	21	1	Poor	Extensive trunk decay.
39	Calif. black walnut	17	3	Poor	Multiple attachments @ 6' with decay in attachment.
40	Calif. black walnut	18	2	Poor	Dead wood; branch decay.
41	Valley oak	6	3	Moderate	Basal wound.
42	Deodar cedar	15	4	Moderate	Codominant trunks @ 12'.
43	Calif. black walnut	10,6,6,5	1	Poor	Dead upright leaders.
44	Calif. black walnut	11,8,7,7,6,6,6,5,4	2	Poor	Stump sprouts from base.
45	Calif. black walnut	16	2	Poor	Poor form & structure.
46	Calif. black walnut	14,6,6	2	Poor	Poor form & structure; twig dieback.
47	Calif. black walnut	12,7,7,6,6,6,3	2	Poor	Stump sprouts from base.
48	Calif. black walnut	5,5,5,4,4	2	Poor	Stump sprouts from decayed stumps.
49	Calif. black walnut	26,10	1	Poor	Extensive trunk decay.
50	Coast live oak	8	4	Good	Good form & structure.
51	Olive	10	2	Poor	Poor form & structure; twig dieback.
52	English walnut	16	2	Poor	Extensive decay in upright stems.
53	Deodar cedar	10	3	Moderate	Sap sucker damaged; upright narrow form.
54	Valley oak	21	4	Good	Good form & structure; twig dieback.
55	Almond	6,5,4	2	Poor	Girdled by fence; leaves eaten; thin crown.
56	Monterey pine	15	3	Moderate	Low lateral attachment; sequoia pitch moth.
57	Monterey pine	15,13	3	Poor	Stems from base; poor form.
58	Monterey pine	21	3	Moderate	Good form & structure.
59	Myoporum	Group	3	Moderate	Group of 3 trees, 2 to 4"; low shrubs; stems from base.
60	Evergreen ash	8	4	Moderate	Good form & structure; a bit dry.
61	Evergreen ash	5,4,4	3	Poor	Multiple attachments @ 1'; poor form.
62	Mayten	8,6	3	Poor	Poor form & structure; stems from base.
63	Xylosma	5	3	Moderate	Low branching shrub form.

David J. Powers and Associates
 Berg/IDS Site
 San Jose CA
 October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
64	Xylosma	4	2	Poor	Suppressed form.
65	Xylosma	6,3	2	Poor	Codominant trunks @ base; twig dieback.
66	Xylosma	4	2	Poor	Suppressed shrub form.
67	Xylosma	6,4,3	2	Poor	Stems from base; low branching shrub.
68	Xylosma	7,6	1	Poor	Failed stem @ base; top dead.
69	Deodar cedar	19	3	Moderate	Narrow codominant attachment @ 5'; otherwise nice full
70	Fig	11,8,8,6,6	3	Poor	Multiple attachments @ 2'; minor decay in upright leader.
71	Orange	6	1	Poor	Topped @ 4'; extensive trunk decay.
72	Glossy privet	4,4,3,3	3	Moderate	Stems from base.
73	Aleppo pine	41	4	Moderate	Good except heavy cone production; multiple attachments @ 6'; heavy attachments.
74	Glossy privet	Hedge	2	Poor	Row of 56 trees, 3 to 8"; stems from base; pruned high.
75	Arborvitae	6	3	Poor	Very close house.
76	English walnut	8	3	Poor	Trunk bowed; twig & branch dieback.
77	Toyon	7,6,6,5,5	3	Moderate	Multiple attachments @ 1'.
78	Jacaranda	12,8	3	Poor	History of branch failures; stems from base.
79	Dracena palm	12,12,3,2	2	Poor	Extensive decay @ base.
80	Italian stone pine	22	4	Good	Thin crown; good form & structure.
81	Aleppo pine	25	2	Poor	Poor color; heavy cone production; top dead.
82	English walnut	10,10,5	2	Poor	Stems from base; extensive twig & branch dieback.
83	Calif. black walnut	13,13,11,6	2	Poor	Multiple attachments @ 3'; failed stem from English walnut.
84	Coast live oak	17	5	Good	Excellent form & structure; low branching.
85	English walnut	21	3	Poor	Trunk wound; multiple attachments @ 5'; twig & branch dieback.
86	Fig	14	3	Poor	Multiple attachments @ 3'; very dry.'
87	Fig	11	3	Poor	Multiple attachments @ 4'; very dry.
88	Avocado	10	2	Poor	Poor form & structure.
89	Loquat	6	2	Poor	Poor form & structure.
90	Silk tree	20	2	Poor	Topped @ 6' with weak attachments.
91	Persimmon	7	3	Moderate	Multiple attachments @ 4'; very dry.
92	Fig	16	2	Poor	Stem failed; poor form & structure.
93	Olive	5,4,3,3	2	Poor	Stems from base; poor form & structure.
94	Glossy privet	7,4	2	Poor	Twig dieback; poor form & structure..
95	Douglas-fir	10	3	Moderate	Partial failure; asymmetrical crown.
96	Valley oak	7	4	Good	Codominant trunks @ 6'.
97	Apricot	Orchard	1	Poor	Grove of 15 declining trees; 7 to 12".'

**TREE
SURVEY
on the
LEGACY PARTNERS
PROPERTY**

**conducted by
HORTSCIENCE, INC.**

SEPTEMBER 2004

David J. Powers & Associates

Legacy site

San Jose, CA

October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
101	Coast live oak	6,2	5	Good	Branching to ground.
102	Coast live oak	14,10,7	4	Good	Stems from base.
103	Coast live oak	7	4	Good	Crooked trunk.
104	Coast live oak	7,6,4	4	Good	Stems from base; low branching.
105	Coast live oak	10,5	4	Good	Stems from base; low branching.
106	Coast live oak	6,3,2	4	Good	Stems from base; low branching.
107	Coast live oak	10	4	Good	Low branching.
108	Blue gum	49	4	Good	Multiple attachments @ 8'; one heavy lateral over site.
109	Blue gum	35	3	Moderate	Trunk wounds; narrow upright attachment.
110	Blue gum	48	3	Moderate	Good form & structure; minor trunk wounds.
111	Blue gum	46	1	Poor	Multiple attachments @ 15'; declining.
112	Blue gum	43	1	Poor	Extensive trunk wound; declining.
113	Blue gum	55	1	Poor	Multiple attachments @ 15'; large branch failure; declining.
114	Blue gum	42	2	Poor	Sprouts @ base; declining.
115	Blue gum	42	2	Poor	Bee hive; dry.
116	Blue gum	69	4	Moderate	Nice tree; large multiple attachments @ 12'; thinning.
117	Blue gum	53	0	---	Dead.
118	Blue gum	43	1	Poor	Declining; end of row of same sized dead blue gums; twig & branch dieback.
119	Blue gum	54	4	Moderate	Multiple attachments @ 15'; good overall health & structure but thinning canopy.
120	Blue gum	70	2	Poor	Multiple attachments @ 14' with narrow upright attachments; one heavy lateral limb over site; severe root damage; upper crown dead.
121	Blue gum	67	3	Moderate	Codominant trunks @ 8' & 12' with narrow upright attachments; trunk wound.
122	Blue gum	61	3	Moderate	Narrow upright attachments @ 10'.
123	Blue gum	53	4	Good	Branches stubbed back from road; heavy low lateral limbs.
124	Blue gum	58	3	Poor	Possible fill @ base (no flare); codominant trunks @ 10'.
125	Blue gum	85	4	Moderate	Large branch failure; multiple attachments @ 15; massive tree.
126	Blue gum	54	4	Good	Codominant trunks @ 8'; nice form.
127	Coast live oak	4,3,2,1,1	3	Moderate	Shrub form; stems from base.
128	Coast live oak	7,7,6,6,6,6,5,5,5,5	3	Moderate	Shrub form; stems from base.
129	Coast live oak	16,13	4	Moderate	Weak codominant trunks @ 1'; low branching.
130	Coast live oak	12,10,6,6	4	Moderate	Multiple attachments @ 1'; low branching.
131	Coast live oak	11,3	4	Moderate	Codominant trunks @ 3'; low branching.
132	Coast live oak	12	4	Good	Multiple attachments @ 6'; leaf spot; low branching.
133	Coast live oak	6	2	Poor	Stem broken @ base; flat topped.
134	Valley oak	8,7	4	Good	Codominant trunks @ 6"; one-sided.
135	Calif. black walnut	5,4,4,3,3,3,3	3	Poor	Stump sprouts from base.
136	Coast live oak	23	3	Moderate	Poor structure crossing branches; low branching.
137	Coast live oak	19	2	Poor	Untagged; off-site; poor form & structure; topped.
138	Coast live oak	25	4	Good	Untagged; off-site; small branches overhang fence.
139	Coast live oak	17	4	Good	Crown heavy to south
140	Coast live oak	6	3	Moderate	Untagged; in poison oak; high crown.
141	Coast live oak	9	4	Good	Low branching.
142	Coast live oak	9	4	Good	Low branching.
143	Coast live oak	24	4	Good	Crown heavy to south
144	Coast live oak	17	4	Good	Untagged; in poison oak; good form & structure.
145	Coast live oak	12	4	Good	Untagged; in poison oak; high crown.
146	Coast live oak	12	4	Good	High crown.
147	Coast live oak	30,22	4	Good	Codominant trunks @ 2'; edge of bank; heavy low lateral limbs.
148	Calif. bay	14,13	2	Poor	Untagged; in poison oak; poor color.
149	Calif. bay	15,15,12,12	3	Moderate	Untagged; crown overhangs; multiple attachments @ base; in creek bottom.
150	Calif. bay	15,9	3	Moderate	Stems from base; crown to south; 9" decayed.
151	Calif. bay	10,8,7,7,6,4	3	Poor	Stems from base; topped for line clearance.
152	Calif. bay	10,10,9,8	3	Poor	Stems from base; topped for line clearance.
153	Coast live oak	9	4	Moderate	One-sided; thin canopy.
154	Coast live oak	21	4	Moderate	One-sided from line clearing; multiple attachments @ 6'; low branching.
155	Calif. bay	20,12,10,9,8,8,8	4	Good	Stems from base; @ creek edge.

David J. Powers & Associates

Legacy site

San Jose, CA

October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
156	Coast live oak	8,8	2	Poor	Codominant trunks @ 1'; branch wounds; suppressed.
157	Coast live oak	13,9	2	Poor	Stems from base; branch wounds.; topped.
158	Calif. bay	17,16,16,13,13,1 2,12,10,10	2	Poor	Decay in upright stems; one stem overhangs site; in seasonal creek bed.
159	Coast live oak	6	3	Moderate	Dehydrated; low branching; thin.
160	Coast live oak	9	4	Good	Codominant trunks @ 3'; low branching.
161	Coast live oak	10	4	Good	Low branching.
162	Coast live oak	8	4	Good	Untagged; engulfed in poison oak; low branching.
163	Coast live oak	13	4	Good	Untagged; engulfed in poison oak; high crown.
164	Calif. bay	20,20,8	3	Moderate	Stems from base; high narrow crown.
165	Elderberry	10,6,5,4	3	Moderate	Stems from base; low branching.
166	Coast live oak	6	4	Good	Untagged; engulfed in poison oak; high narrow crown.
167	Coast live oak	16	4	Good	Codominant trunks @ 8'.
168	Coast live oak	6	3	Moderate	Suppressed.
169	Coast live oak	14	4	Good	Codominant trunks @ 4'; wide attachment.
170	Coast live oak	5	4	Moderate	Suppressed.
171	Coast live oak	13	4	Good	Codominant trunks @ 6'; low branching.
172	Elderberry	12,8,6	1	Poor	Trunk decay; mostly dead.
173	Coast live oak	13	5	Good	High crown.
174	Coast live oak	7	5	Good	Good young tree.
175	Coast live oak	6	5	Good	Good young tree.
176	Calif. buckeye	7,7	3	Moderate	Stem from base; trunk wounds.
177	Calif. buckeye	6,6,5,5,4,4,3,3	3	Moderate	Stems from base; edge of creek.
178	Calif. buckeye	13,13,8,7,7,6,6,6, 5,5	3	Moderate	Stems from base; edge of creek.
179	Coast live oak	9	4	Good	Remove stake; low branching.
180	Elderberry	4,4,3,3	3	Moderate	Stems from base.
181	Coast live oak	9	4	Good	Good young tree; low branching.
182	Coast live oak	6	2	Poor	Declining; thin; dieback.
183	Coast live oak	6	5	Good	Good young tree.
184	Coast live oak	6	3	Moderate	Crook @ 6'.
185	Coast live oak	5	3	Poor	Poor color.
186	Coast live oak	4	4	Good	Good young tree; a bit thin.
187	Coast live oak	14,11	4	Good	Stems from base; low branching.
188	Coast live oak	14	4	Good	Codominant trunks @ 5'.
189	Elderberry	10,7,6,6,5	2	Poor	Extensive trunk decay.
190	Coast live oak	14	4	Good	Codominant trunks @ 5'; low branching.
191	Coast live oak	6	4	Good	Crook @ 2'.
192	Coast live oak	6	5	Good	Good young tree.
193	Calif. buckeye	9,9,6,5,5	3	Moderate	Stems from base.
194	Calif. buckeye	9,9,7,6	3	Moderate	Stems from base.
195	Coast live oak	5	5	Good	Good young tree.
196	Calif. buckeye	8,8,8,8,8,8,6,6, 5,5,5,5	3	Moderate	Stems from base.
197	Coast live oak	6	4	Good	Crooked trunk.
198	Calif. buckeye	5,4,2	3	Moderate	Stems from base.
199	Calif. buckeye	7	2	Poor	Edge of bank with exposed roots.
200	Coast live oak	4,4,4	4	Good	Stems from base.
201	Coast live oak	8,4	4	Good	Stems from base; low branching.
202	Western sycamore	61	3	Moderate	Crook in trunk.
203	Coast live oak	10	5	Good	Good young tree.
204	Coast live oak	12	5	Good	Good young tree; low branching.
205	Coast live oak	9	5	Good	Good young tree.
206	Coast live oak	10	4	Good	Crook @ 6'; low branching.
207	Coast live oak	7	5	Good	Good young tree.
208	Coast live oak	6,2,2	4	Good	Stems twist around each other.
209	Coast live oak	42	3	Moderate	Trunk wound with decay; weak attachments.
210	Calif. bay	8,6,3	4	Good	Stems from base; low branching.
211	Coast live oak	15	4	Good	Multiple attachments @ 7'.
212	Coast live oak	Grove	4	Good	Grove of 8, 4" saplings.
213	Coast live oak	7	5	Good	Good young tree.
214	Coast live oak	5	5	Good	Good young tree.
215	Coast live oak	11	4	Good	Woodpecker damage; but good form & structure.

David J. Powers & Associates

Legacy site

San Jose, CA

October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
216	Blue gum	14,13	2	Poor	Poor form & structure.
217	Blue gum	30	1	Poor	Mostly dead.
218	Blue gum	46	2	Poor	Rapidly declining.
219	Valley oak	19	3	Poor	Poor form; thin canopy; trunk wound.
220	Valley oak	23	3	Moderate	Twig & branch dieback.
221	Coast live oak	13	4	Good	Codominant trunks @ 10'.
222	Valley oak	30	3	Moderate	Decay in low lateral limb.
223	Valley oak	28	3	Moderate	Trunk wounds; twig & branch dieback.
224	Coast live oak	46	4	Moderate	History of branch failures; basal wound; codominant trunks @ 10'.
225	Valley oak	42	2	Poor	History of large branch failures; weak structure.
226	Coast live oak	57,18	2	Poor	Main trunk has extensive decay; large sprouts remain;; full crown.
227	Elderberry	10,9,7	3	Moderate	Stems from base.
228	Coast live oak	6,5,4	4	Good	Stems from base.
229	Valley oak	31	5	Good	Excellent tree; multiple attachments @ 6'; low branching.
230	Valley oak	50	3	Poor	History of large branch failures; partial failure. abnormal branching.
231	Coast live oak	21	4	Good	Codominant trunks @ 8'.
232	Elderberry	5,4,3,2,2	2	Poor	Stems from decayed stump.
233	Coast live oak	13,9,6,6	3	Moderate	Chain link fence grows between stems; low branching.
234	Valley oak	24	3	Moderate	Twig & branch dieback; good form.
235	Coast live oak	38,18	5	Moderate	Off-site; crown overhangs; stems base with weak attachment; beautiful tree.
236	Coast live oak	56	1	Poor	Collapsing!!
237	Coast live oak	18	5	Good	Multiple attachments @ 8'.
238	Coast live oak	19	5	Good	Multiple attachments @ 8'.
239	Coast live oak	12,10	4	Good	Codominant trunks @ 1'.
240	Valley oak	27	2	Poor	History of branch failures; poor form & structure; cavity.
241	Valley oak	30	1	Poor	Extensive trunk decay.
242	Coast live oak	10,8	4	Good	Codominant trunks @ 1' with weak attachment.
243	Valley oak	7	4	Good	Flat-topped.
244	Coast live oak	12	5	Good	Good young tree.
245	Coast live oak	8,6	4	Good	Codominant trunks @ 1'; low branching.
246	Western sycamore	6	2	Poor	Heavy bow to south.
247	Coast live oak	10	5	Good	Good young tree; remove stake.
248	Coast live oak	10	3	Poor	Lost central leader; bows to south.
249	Coast live oak	10	5	Good	Good young tree.
250	Valley oak	28	2	Poor	Edge of creek; twig & branch dieback.
251	Calif. bay	6	2	Poor	Poor form & structure.
252	Elderberry	11,10	2	Poor	Trunk decay.
253	Calif. bay	5	3	Moderate	Tall spindly form.
254	Coast live oak	20	3	Moderate	Codominant trunks @ 4' with wide attachment; bottom of creek.
255	Elderberry	8	3	Moderate	High crown.
256	Calif. bay	6	2	Poor	Codominant trunks @ 2'; poor form.
257	Coast live oak	8	4	Good	Twisted form.
258	Coast live oak	Grove	4	Good	Grove of 10 saplings; 4 to 6"
259	Elderberry	6,5,5	3	Moderate	Stems from base twist around each other.
260	Blue gum	65	3	Moderate	Multiple attachments @ 20'; twig & branch dieback.
261	Calif. bay	60	2	Poor	Extensive decay & cavities in trunk; decay in branches.
262	Coast live oak	82	2	Poor	Huge canker @ base; beehive; decay & dieback in upright leaders.
263	Calif. bay	14	2	Poor	Poor form & structure.
264	Elderberry	9	1	Poor	Extensive trunk decay.
265	Elderberry	10	2	Poor	Trunk decay.
266	Coast live oak	30	3	Poor	Heavy lean to south; partial failure.
267	Calif. bay	10	1	Poor	Ganoderma conk @ base; poor form & structure.
268	Coast live oak	30	2	Poor	Poor color; history of branch failures; twig & branch dieback.
269	Calif. bay	16	3	Moderate	Poor form & structure.
270	Calif. bay	7	3	Moderate	Poor form & structure.
271	Elderberry	6	2	Poor	Poor form & structure.
272	Coast live oak	26	3	Moderate	Low attachment over creek; branch dieback.
273	Elderberry	6	2	Poor	Trunk wound.
274	Calif. bay	13	2	Poor	Failed in creek; poor form.
275	Calif. bay	9,8	2	Poor	Partial failure; poor form & structure.

David J. Powers & Associates
Legacy site
San Jose, CA
October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
276	Coast live oak	18	2	Poor	Sprout from decayed stump.
277	Calif. bay	14,12	3	Moderate	Edge of creek; stems from base.
278	Elderberry	15,6	3	Moderate	Stems from base.
279	Calif. bay	5,4	3	Moderate	Stems from base.
280	Elderberry	6,3,3	2	Poor	Stems from base.
281	Calif. bay	26,24,16	3	Moderate	Stems from base; edge of creek; low wide spreading crown.
282	Coast live oak	18,9	3	Moderate	Poor form & structure; edge of creek.
283	Coast live oak	6	4	Good	Good young tree.
284	Calif. bay	6	3	Moderate	Crook @ 4'.
285	Calif. bay	5	2	Poor	Poor form & structure.
286	Calif. bay	26	3	Moderate	Multiple attachments @ 5'; poor form & structure.
287	Coast live oak	18	3	Moderate	Exposed roots in creek bed.
288	Coast live oak	28	3	Poor	Partial failure; wide codominant trunks @ 8'
289	Coast live oak	53	4	Moderate	Huge tree; area of decay from old pruning wound; minor branch dieback; corrected trunk.
290	Coast live oak	10	5	Good	Low branching.
291	Coast live oak	42	4	Moderate	Codominant trunks @ 8'; cavity on east @ 10'.
292	Coast live oak	33	4	Good	Codominant trunks @ 10'; one-sided to south.
293	Calif. bay	6	5	Good	Suppressed.
294	Coast live oak	50	2	Poor	Huge cavity @ base; huge tree.
295	Coast live oak	41	4	Good	Good form & structure; 2 small cavities on southeast.
296	Valley oak	20	4	Good	Trunk wounds; thin canopy.
297	Coast live oak	24	4	Moderate	Codominant trunks @ 6'; wide attachment; cavity below point of connection.
298	Valley oak	20	3	Moderate	Twig & branch dieback.; epicormic shoots.
299	Valley oak	20	3	Moderate	Low lateral to south; thin canopy.
300	Valley oak	19	3	Moderate	Low lateral to south.; high crown+F306
301	Valley oak	16	1	Poor	Decay in upright leaders; trunk wound with decay.
302	Valley oak	20	3	Moderate	Twig & branch dieback.
303	Coast live oak	20,10	3	Moderate	Stems from base; twig & branch dieback.
304	Coast live oak	28	3	Moderate	Wound on north; full crown.
305	Coast live oak	22	4	Good	Codominant trunks @ 7'; minor branch dieback.
306	Coast live oak	32	3	Poor	History of branch failures; weight to north.
307	Coast live oak	29	3	Moderate	Codominant trunks @ 8'; thin canopy.
308	Coast live oak	35	3	Poor	History of branch failures; codominant trunks @ 4'; low branching.
309	Valley oak	19	3	Moderate	Flat-topped.
310	Valley oak	21	4	Good	Multiple attachments @ 9'.
311	Valley oak	24	3	Moderate	Branch dieback.
312	Valley oak	20	3	Moderate	Branch dieback.
313	Valley oak	17	3	Poor	History of branch failures; twig & branch dieback.
314	Valley oak	20	4	Good	Good form & structure.
315	Valley oak	26	3	Moderate	Codominant trunks @ 7'; low lateral is decayed.
316	Coast live oak	22	1	Poor	Declining; history of branch failures.
317	Valley oak	24	2	Poor	Very thin canopy.
318	Valley oak	26	2	Poor	Girdled by wire fence; twig & branch dieback.
319	Coast live oak	38	2	Poor	Extensive trunk decay.
320	Coast live oak	20	3	Moderate	One-sided to east; history of branch failures.
321	Valley oak	18	3	Moderate	Branch decay.
322	Coast live oak	26	4	Good	Low branching to south; codominant trunks @ 6'.
323	Valley oak	17	3	Moderate	Branch decay on low lateral.
324	Valley oak	20	4	Good	Wire fence girdles trunk.
325	Valley oak	17	4	Moderate	One-sided to east; minor decay.
326	Valley oak	20	4	Good	Good form & structure.
327	Valley oak	28	4	Good	Good form & structure; small cavities.
328	Coast live oak	36	2	Poor	Extensive trunk decay.
329	Elderberry	12,6	3	Moderate	Stems from base.
330	Coast live oak	8,7	3	Moderate	Sprouts from decayed trunk.
331	Coast live oak	38	3	Moderate	Trunk cavities with decay.
332	Valley oak	36	4	Good	Multiple attachments @ 14'; good form & structure.
333	Elderberry	9,8	3	Poor	Stems from; leans over creek.
334	Elderberry	8	1	Poor	Mostly dead.
335	Elderberry	9	2	Poor	Decay in upright leaders.
336	Elderberry	7,4	2	Poor	Poor form & structure.

David J. Powers & Associates

Legacy site
San Jose, CA
October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
337	Coast live oak	28	4	Good	Leans over creek.
338	Calif. bay	6,6	4	Good	Stems from base.
339	Coast live oak	23	2	Poor	History of branch failures; declining.
340	Coast live oak	30	5	Good	Good form & structure.
341	Calif. bay	40,9,8	4	Good	Stems from base; edge of creek.
342	Calif. bay	30,17,17	3	Moderate	Stems from base; edge of creek.
343	Coast live oak	13	3	Moderate	Edge of creek; exposed roots.
344	Coast live oak	12	3	Moderate	Codominant trunks @ 7'.
345	Coast live oak	25,14	2	Poor	Codominant trunks @ 2'; basal cavity with decay.
346	Calif. bay	30	3	Moderate	Edge of creek; good crown.
347	Calif. bay	37	3	Poor	Cavity @ base; huge tree; edge of creek.
348	Calif. bay	39	2	Poor	Edge of creek; beehive in massive crack.
349	Calif. bay	28,9	3	Moderate	Edge of bank.
350	Coast live oak	20	3	Moderate	Crown heavy to north.
351	Calif. bay	18,17,15	3	Moderate	Stems from base; edge of creek; roots undermined.
352	Calif. bay	16,12,12	3	Moderate	Edge of creek; roots undermined; stems from base.
353	Calif. bay	25,9,6,5	3	Poor	Stems from base; roots undermined in creek.
354	Coast live oak	18	3	Poor	Partially failed to north; branches touching ground.
355	Calif. bay	39	3	Moderate	Massive tree; roots undermined in creek.
356	Calif. bay	20,12,11,10,10	2	Poor	Stems from base. large trunk wound with decay; edge of creek.
357	Coast live oak	6	4	Good	Good young tree.
358	Coast live oak	6	5	Good	Good young tree.
359	Calif. bay	10,6	2	Poor	Stems from base; stubbed off.
360	Calif. bay	7,6,5	3	Moderate	Stems from base; upright stems through canopy of #361.
361	Coast live oak	27	3	Moderate	Codominant trunks @ 5'; suppressed form.
362	Coast live oak	28	5	Good	Multiple attachments @ 7'; nice tree.
363	Valley oak	25	3	Moderate	Twig & branch dieback.
364	Calif. bay	27,19	4	Good	Stems from base; good form & structure.
365	Calif. bay	31,27,24,16,6	3	Moderate	Stems from base; twig & branch dieback.
366	Elderberry	10,6	2	Poor	Heavy lean over creek.
367	Coast live oak	11,7	2	Poor	Branch dieback.
368	Coast live oak	22	3	Poor	History of branch failures; poor form & structure.
369	Calif. bay	16,16,15,9	3	Moderate	Untagged; in poison oak; stems from base.
370	Coast live oak	25	3	Moderate	Twig & branch dieback; cavity below point of connection.
371	Calif. bay	7	3	Moderate	Suppressed form.
372	Coast live oak	16	3	Moderate	Suppressed form.
373	Calif. bay	24,16,10	3	Moderate	Stump sprout; suppressed form.
374	Calif. bay	17,17,15,9	3	Moderate	Stump sprout.
375	Calif. bay	20,19	3	Moderate	Stump sprout; suppressed form to south.
376	Calif. bay	7,6,6	3	Moderate	Stump sprout; suppressed crown.
377	Calif. bay	11,9,6	3	Moderate	Stump sprout; suppressed form.
378	Elderberry	5	2	Poor	Poor form & structure.
379	Calif. bay	36,18,16,16,16,8	3	Moderate	Stump sprouts; one 16" stem dead; trunk cavities.
380	Coast live oak	21	3	Moderate	Twig & branch dieback.
381	Calif. bay	7	3	Moderate	Trunk is in center of creek; poor form & structure.
382	Calif. bay	13	3	Moderate	Edge of creek; deformed base.
383	Elderberry	8	1	Poor	Mostly dead.
384	Calif. bay	16	3	Moderate	High narrow crown.
385	Calif. bay	37,7	3	Poor	Partial failure; twig & branch dieback.
386	Calif. bay	5,4	3	Moderate	Suppressed form; stems from base.
387	Coast live oak	16	3	Moderate	High crown to east.
388	Coast live oak	23	4	Good	Crown heavy to south
389	Coast live oak	40	2	Poor	Massive cavity @ base; codominant trunks @ 6'.
390	Calif. bay	9,7,6,6,5	3	Moderate	Stems from base.
391	Elderberry	7	2	Poor	Untagged; failed in creek.
392	Calif. bay	7	3	Moderate	Untagged; edge of steep bank.
393	Elderberry	9	3	Moderate	Untagged; edge of steep bank.
394	Calif. bay	8	4	Good	Untagged; edge of steep bank; codominant trunks @ 6'.
395	Coast live oak	24	4	Good	Untagged; edge of steep slope; good form & structure.
396	Calif. bay	17,8,7,6,6,5	3	Poor	Stems from base; half of tree failed.
397	Coast live oak	35	3	Moderate	Untagged; edge of steep slope; good form & structure.
398	Coast live oak	10	3	Moderate	Untagged; edge of steep slope; suppressed form.
399	Coast live oak	9,9	4	Good	Codominant trunks @ 2'; good tree.

David J. Powers & Associates

Legacy site

San Jose, CA

October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
400	Coast live oak	5	4	Good	Good young tree.
401	Calif. bay	7	3	Moderate	Codominant trunks @ 5'.
402	Elderberry	7,4,2	2	Poor	Poor form & structure.
403	Coast live oak	24,21,20	3	Poor	History of branch failures; branch dieback; stems from base.
404	Coast live oak	11	4	Good	Codominant trunks @ 4'; good young tree.
405	Coast live oak	8	4	Good	Codominant trunks @ 3'.
406	Coast live oak	7,4,1	3	Moderate	Stems from base.
407	Coast live oak	5	4	Good	Good young tree.
408	Coast live oak	7	5	Good	Good young tree.
409	Coast live oak	5,5	4	Good	Stems from base.
410	Coast live oak	6,5	3	Moderate	Stems twist around each other @ 4'
411	Coast live oak	5	3	Moderate	Poor form & structure.
412	Coast live oak	10,9	4	Good	Codominant trunks @ 2'; good tree.
413	Coast live oak	6	5	Good	Good young tree.
414	Coast live oak	9	5	Good	Good young tree.
415	Coast live oak	6	5	Good	Good young tree.
416	Coast live oak	10	5	Good	Excellent form & structure.
417	Coast live oak	7	4	Good	Codominant trunks @ 3'.
418	Coast live oak	67	4	Moderate	History of large branch failures; overall good form & structure.
419	Coast live oak	48	2	Poor	Beehive in cavity to West; history of branch failures; declining.
420	Valley oak	5	4	Good	Thin canopy
421	Coast live oak	12	4	Good	Codominant trunks @ 2'; otherwise good young tree.
422	Coast live oak	16	5	Good	Multiple attachments @ 7'; good tree.
423	Coast live oak	9,9	4	Good	Codominant trunks @ base.
424	Coast live oak	6	3	Moderate	Codominant trunks @ 6'; narrow upright crown.
425	Coast live oak	14	4	Good	Codominant trunks @ 5'.
426	Coast live oak	8,6	3	Moderate	Codominant trunks @ 2'; with seam below attachment.
427	Coast live oak	7,6	2	Poor	Trunk wounds; poor form & structure.
428	Coast live oak	9	3	Moderate	Trunk wound.
429	Coast live oak	12	2	Poor	Crook @ 5'; borers.
430	Coast live oak	11	2	Poor	Poor form & structure; boring damage.
431	Coast live oak	7	4	Good	Good young tree.
432	Coast live oak	16	5	Good	Codominant trunks @ 6'.
433	Coast live oak	13	4	Good	Multiple attachments @ 5' with seam below.
434	Coast live oak	13	3	Moderate	Poor form & structure.
435	Coast live oak	7	4	Good	Low lateral limb.
436	Coast live oak	7	4	Good	Codominant trunks @ 6' with wide attachment.
437	Coast live oak	20	5	Good	Good form & structure.
438	Valley oak	5	4	Good	Tall narrow form.
439	Coast live oak	8	4	Moderate	Crown suppressed to west.
440	Coast live oak	8	4	Good	Codominant trunks @ 7'.
441	Coast live oak	13	3	Moderate	Trunk girdled by fence.
442	Coast live oak	8	5	Good	Good young tree.
443	Coast live oak	9	4	Good	Codominant trunks @ 8'.
444	Valley oak	4	2	Poor	Poor form & structure.
445	Coast live oak	10	4	Good	Multiple attachments @ 8'.
446	Coast live oak	12	4	Moderate	Leans to north.
447	Coast live oak	6	4	Moderate	Leans to north.
448	Coast live oak	12	4	Moderate	Codominant trunks @ 5' & 3' weak attachments.
449	Coast live oak	6	3	Moderate	Thin canopy; narrow form.
450	Coast live oak	5	3	Moderate	Thin canopy; narrow form.
451	Coast live oak	12	5	Good	Excellent form & structure.
452	Coast live oak	7	3	Moderate	Crowded by #453
453	Western sycamore	10	3	Poor	History of branch failures; twig dieback.
454	Blackwood acacia	19	1	Poor	Extensive trunk wound; top dead.
455	Western sycamore	9	3	Moderate	Codominant trunks @ 8'.
456	Western sycamore	14	4	Good	Good tree; small sprouts from old pruning wounds.
457	Blackwood acacia	5,5,4,4	1	Poor	Mostly dead; stump sprouts.
458	Western sycamore	10	5	Good	Excellent form & structure.
459	Blackwood acacia	17	1	Poor	Mostly dead; stump sprouts.
460	Western sycamore	12	5	Good	Excellent form & structure.
461	Coast live oak	6	5	Good	Good young tree.
462	Coast live oak	4	4	Moderate	Very close to fence.

David J. Powers & Associates
 Legacy site
 San Jose, CA
 October 2004

TREE No.	SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
463	Coast live oak	8	4	Good	Codominant trunks @ 7'.
464	Coast live oak	12	4	Moderate	Multiple attachments @ 2'; weak attachments.
465	Coast live oak	7	4	Good	Crooked trunk.
466	Coast live oak	11	3	Moderate	Codominant trunks @ 5' with wide attachment; one-sided to west.
467	Coast live oak	7	4	Good	Codominant trunks @ 3'; crowded.
468	Valley oak	60	1	Poor	Massive tree with massive cavities; half of tree failed.
469	Coast live oak	15	4	Moderate	Codominant trunks @ 2' with seam below.; low branching.
470	Coast live oak	12	4	Moderate	One-sided because of #468; otherwise good.
471	Coast live oak	13	4	Moderate	Codominant trunks @ 4' with seam below low branching.
472	Blue gum	41	3	Poor	Pruned for line clearance; decay in upright leaders.
473	Blue gum	42	4	Good	Multiple attachments @ 10'; beautiful crown.

**TREE
SURVEY
on the
EVERGREEN
VALLEY COLLEGE
PROPERTY**

**conducted by
HORTSCIENCE, INC.**

SEPTEMBER 2004

David J. Powers & Associates
Evergreen Community College
San Jose, CA
October 2004

TREE NUMBER		SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Hort- Sci.	Old					
101	--	Canary Island pine	6	5	Good	Tall upright form.
102	--	Canary Island pine	6	5	Good	Tall upright form.
103	--	Canary Island pine	6	5	Good	Tall upright form.
104	--	Canary Island pine	6	5	Good	Tall upright form.
105	--	Canary Island pine	5	4	Good	Tall upright form.
106	--	Canary Island pine	9	5	Good	Tall upright form.
107	--	Canary Island pine	9	4	Good	Tall upright form; top divides @ 20'.
108	--	Canary Island pine	8	5	Good	Tall upright form.
109	--	Canary Island pine	9	5	Good	Tall upright form.
110	--	Canary Island pine	7	5	Good	Tall upright form.
111	1206	Raywood ash	11	2	Poor	Multiple attachments @ 6'; twig & branch dieback.
112	1207	Valley oak	12	4	Good	Codominant trunks @ 9'.
113	1208	Valley oak	10	4	Good	Codominant trunks @ 9' with wide attachment.
114	1209	Valley oak	11	4	Good	Corrected lean to south; narrow form.
115	1211	Coast redwood	17	5	Good	Excellent form & structure.
116	1212	Coast redwood	15	5	Good	Excellent form & structure.
117	1213	Coast redwood	19	5	Good	Excellent form & structure.
118	1216	Canary Island pine	11	4	Good	Tall narrow form; crowded.
119	1217	Canary Island pine	12	4	Good	Tall narrow form; crowded.
120	1218	Canary Island pine	18	4	Good	Tall upright form; crowded.
121	1219	Canary Island pine	14	4	Good	Tall upright form; crowded.
122	1220	Raywood ash	7	2	Poor	Top dead; dieback.
123	1221	Valley oak	19	5	Good	Multiple attachments @ 9'.
124	1222	Valley oak	18	5	Good	Slightly one sided crown.
125	1224	Valley oak	17	5	Moderate	Exposed surface roots; multiple attachments @ 10'.
126	--	Beech	7	5	Good	Good young tree.
127	1225	Valley oak	16	4	Good	Wounds from old branch failures; codominant trunks @ 8'.
128	1226	Valley oak	15	4	Good	Codominant trunks @ 7' with wide attachment.
129	1227	Valley oak	14	5	Good	Multiple attachments @ 7'.
130	1228	Valley oak	19	5	Good	Good tree.
131	1229	Valley oak	16	4	Good	Codominant trunks @ 8'.
132	1230	Valley oak	16	4	Good	Multiple attachments @ 9'; corrected lean.
133	1231	Deodar cedar	13	5	Good	Excellent form & structure.
134	--	Chinese pistache	5	2	Poor	Top dead; poor color.
135	--	Chinese pistache	6	3	Poor	Poor form; decay in upright stem.
136	--	Coast live oak	5	4	Good	Flat-topped.
137	1210	Valley oak	15	3	Moderate	Codominant trunks @ 7' with included bark.
138	--	Coast redwood	4	3	Moderate	Thin canopy; dry.
139	1187	Valley oak	17	4	Moderate	Multiple attachments @ 5'; one-sided crown.
140	1186	Coast redwood	22	5	Good	Excellent form & structure.
141	1188	Coast redwood	27	3	Poor	Top dead.
142	1189	Coast redwood	23	4	Good	Good form & structure.
143	1190	Coast redwood	12	2	Poor	Needles browning.
144	1191	Coast redwood	23	5	Good	Excellent form & structure.
145	1193	Italian alder	10	4	Good	Leaf edges browning.
146	1194	Italian alder	13	2	Poor	Twig & branch dieback; girdling roots.
147	1195	Coast redwood	13	3	Moderate	Poor color.
148	1196	Coast redwood	11	1	--	Mostly dead. Tree removed during survey.
149	1197	Italian alder	7	1	Poor	Mostly dead.
150	1198	Coast redwood	33	5	Good	Good form & structure.
151	1199	Coast redwood	30	3	Moderate	Thin canopy; poor color.
152	1200	Beech	13	4	Good	Could be pruned to reduce crossing branches.
153	1201	Coast redwood	35	5	Good	Excellent form & structure.
154	1202	Coast redwood	14	2	Poor	Brown & declining.
155	1203	Coast redwood	23	2	Poor	Brown & declining.
156	1204	Coast redwood	30	4	Good	Good form & structure.
157	1205	Valley oak	19	4	Moderate	Multiple attachments @ 8'; one upright leader is weakly attached.
158	1232	Deodar cedar	16	5	Good	Excellent form & structure.
159	1233	Deodar cedar	17	4	Moderate	Lost central leader.
160	1234	Deodar cedar	19	4	Good	Good form & structure; irregular shape..
161	1235	Deodar cedar	17	5	Good	Excellent form & structure.

David J. Powers & Associates
Evergreen Community College
San Jose, CA
October 2004

TREE NUMBER		SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Hort- Sci.	Old					
162	1236	Deodar cedar	15	4	Moderate	Girdling root; otherwise good form.
163	1064	Red oak	10	3	Moderate	Multiple narrow attachments @ 4'.
164	1063	Red oak	17	5	Good	Excellent form & structure.
165	1062	Red oak	11	4	Good	Good tree; some branch attachments are weak.
166	1061	Red oak	15	4	Good	Good tree; some branches weakly attached.
167	1158	Black pine	12	3	Poor	Thin canopy.
168	1159	Black pine	8	2	Poor	Heavy pitch; very thin.
169	1160	Black pine	10	2	Poor	Heavy pitch; very thin.
170	1161	Cork oak	18	4	Good	Minor dieback; good form.
171	1162	Cork oak	12	4	Good	Crowded.
172	1163	Cork oak	20	4	Good	Multiple attachments @ 7'.
173	1164	Cork oak	25	3	Moderate	Codominant trunks @ 6' with wide attachment; crown separating.
174	1165	Cork oak	11	4	Good	Crown one-sided to south.
175	1166	Cork oak	14	4	Good	Good tree.
176	1167	Cork oak	15	4	Good	Multiple attachments @ 6'.
177	1168	Cork oak	16	4	Good	Multiple attachments @ 6'.
178	1169	Cork oak	12	3	Moderate	Thin canopy; poor color.
179	1170	Red oak	9	2	Poor	Extensive twig & branch dieback.
180	1171	Cork oak	16	3	Moderate	Poor form; weak lateral attachments
181	1172	Cork oak	28	3	Moderate	Codominant trunks @ 6' with wide attachment.
182	1173	Cork oak	12	3	Moderate	Thin canopy.
183	1174	Cork oak	20	4	Good	Multiple attachments @ 6'; crown goes into light post.
184	1175	Black pine	8	2	Poor	Very thin canopy.
185	1185	Chinese pistache	9	3	Moderate	Lost central leader; multiple attachments @ 7'.
186	1184	Deodar cedar	12	4	Good	Low lateral attachments.
187	1182	Coast redwood	13	3	Moderate	Thin canopy; lateral limbs turn downward.
188	1181	Coast redwood	14	3	Poor	Very thin canopy.
189	1180 & 1179	Coast redwood	14, 11	4	Moderate	Stump sprouts.
190	1178	Black pine	14	3	Poor	Being overgrown by shrubs.
191	--	Coast redwood	5	5	Good	Good young tree.
192	--	Italian alder	9	4	Good	Good form & structure.
193	--	Coast live oak	7	5	Good	Good young tree; a little crowded.
194	--	Coast live oak	6	5	Good	Good young tree; a little crowded.
195	1101	Coast redwood	12	5	Good	Good young tree.
196	1102	Coast redwood	8	3	Moderate	Good form; a little thin.
197	1176	Italian alder	7	2	Poor	Untagged; declining.
198	1104	Coast redwood	8	3	Moderate	Weak branch attachments.
199	1105	Douglas-fir	6	2	Poor	Poor color; thin.
200	1106	Douglas-fir	8	2	Poor	Poor color; thin.
201	--	Sweet gum	6	3	Moderate	Crooked trunk.
202	1103	Coast redwood	13	3	Poor	Poor form & structure.
203	--	Coast redwood	7	5	Good	Good form & structure.
204	--	Coast redwood	5	5	Good	Excellent form & structure.
205	--	Coast redwood	6	5	Good	Excellent form & structure.
206	--	Coast redwood	6	5	Good	Excellent form & structure.
207	--	Coast redwood	5	5	Good	Excellent form & structure.
208	--	Sweet gum	5	2	Poor	Declining.
209	--	Sweet gum	6	2	Poor	Declining.
210	--	Chinese pistache	10	4	Good	Good form & structure.
211	1107	Italian stone pine	26	3	Moderate	Codominant trunks @ 5' with included bark.
212	1108	Italian stone pine	29	3	Moderate	Heavy lateral limbs over building.
213	--	Cherry	8	3	Poor	Codominant trunks @ 4' with included bark.
214	--	Cherry	8	3	Poor	Multiple attachments @ 6'.
215	--	Red oak	11	3	Moderate	Epicormic shoots; trunk wound; aphids; poor color.
216	--	Coast redwood	21	5	Good	Good form & structure.
217	--	Sweet gum	6	3	Moderate	Codominant trunks @ 9'.
218	--	Sweet gum	5	4	Good	Good upright form.
219	--	Sweet gum	4	4	Good	Good upright form.
220	--	Evergreen ash	4	3	Moderate	Needs irrigation.
221	--	Italian stone pine	8	4	Good	Strong leader; crowded.
222	--	Apple	7	3	Poor	No central leader; suppressed.
223	--	Beech	6	4	Good	Tall upright form.

David J. Powers & Associates
Evergreen Community College
San Jose, CA
October 2004

TREE NUMBER		SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Hort- Sci.	Old					
224	--	Japanese maple	6,4	3	Poor	Stems from base; twig dieback.
225	--	Italian stone pine	32	3	Poor	Codominant trunks @ 5'; partial failure; suppressed.
226	--	Italian stone pine	30	3	Poor	Partial failure; lean to south; suppressed.
227	--	Coast live oak	24	4	Good	Codominant trunks @ 4'; good form & structure; branches to ground; low spreading crown.
228	--	Coast redwood	28	3	Poor	Top dead; twig dieback.
229	--	Coast redwood	40	4	Good	Thin canopy; dry.
230	--	Coast live oak	20,18,14,11	4	Good	Multiple attachments @ 1'; low branching with wide spreading crown.
231	--	Coast live oak	24	4	Good	Excellent form & structure; low branching; minor twig dieback in upper crown.
--	510	Deodar cedar	18	5	Good	Excellent form & structure.
--	511	Deodar cedar	18	5	Good	Excellent form & structure.
--	512	Deodar cedar	18	5	Good	Excellent form & structure.
--	513	Deodar cedar	25	5	Good	Excellent form & structure.
--	514	Deodar cedar	20	4	Good	Good tree; but crown to south.
--	515	Gallery pear	19	2	Poor	History of branch failures; weak branch attachments.
--	1046	Red oak	11	3	Moderate	Multiple attachments @ 8'.
--	1047	Red oak	12	4	Good	Good form & structure.
--	1048	Red oak	12	4	Good	Good upright form; mistletoe.
--	1049	Red oak	13	3	Moderate	Multiple attachments @ 8'; mistletoe.
--	1050	Red oak	6	5	Good	Good young tree.
--	1051	Red oak	13	3	Moderate	Heavy lateral limbs; strong central leader.
--	1052	Red oak	8	4	Good	Codominant trunks @ 7'.
--	1053	Red oak	11	5	Good	Excellent form & structure.
--	1054	Red oak	10	4	Good	Good form & structure.
--	1055	Red oak	13	3	Moderate	Codominant trunks @ 8'; mistletoe.
--	1056	Red oak	11	2	Poor	Small branches breaking; declining.
--	1057	Red oak	8	4	Moderate	Mistletoe.
--	1058	Red oak	10	4	Moderate	Mistletoe.
--	1059	Red oak	9	4	Good	Good form & structure.
--	1060	Red oak	9	4	Good	Heavy low lateral limbs.
--	1080	Norway maple	6	2	Poor	Trunk wound; twig dieback.
--	1081	Norway maple	8	0	--	Dead
--	1082	Mayten	8	1	Poor	Declining.
--	1083	Norway maple	9	2	Poor	Upright leader dead.
--	1084	Norway maple	11	2	Poor	Trunk wound.
--	1085	Norway maple	7	3	Moderate	Multiple attachments @ 5'.
--	1086	Norway maple	7	3	Moderate	Trunk wound; weak branch attachments.
--	1087	Norway maple	7	2	Poor	Twig & branch dieback; leans to south.
--	1088	Red oak	13	4	Good	Heavy low lateral limbs.
--	1089	Norway maple	9	3	Moderate	Multiple attachments @ 6'.
--	1093	Coast redwood	12	3	Moderate	Thin canopy; lost central leader.
--	1094	Coast redwood	12	4	Good	Thin canopy.
--	1095	Coast redwood	10	4	Good	Thin canopy.
--	1096	Coast redwood	11	3	Moderate	Thin canopy.
--	1097	Coast redwood	11	4	Good	Good form & structure; thin.
--	1098	Coast redwood	16	4	Good	Good form & structure; thin.
--	1099	Coast live oak	18	4	Good	Good form & structure; thin.
--	1100	Coast redwood	19	3	Poor	Lost central leader.
--	1109	Sweet gum	5	4	Moderate	Good upright form; suppressed.
--	1110	Sweet gum	7	4	Good	Good upright form.
--	1112	Red oak	13	4	Good	Good form & structure.
--	1113	Chinese pistache	11	4	Good	Multiple attachments @ 7'.
--	1114	Red oak	9	4	Good	Codominant trunks @ 7'.
--	1115	Valley oak	12	4	Good	Good form & structure; headed back on building side.
--	1116	Chinese pistache	9	4	Good	Multiple attachments @ 7'.
--	1118	Chinese pistache	10	5	Good	Excellent form & structure.
--	1119	Valley oak	17	3	Moderate	Narrow attachment with included bark.
--	1120	Valley oak	17	4	Good	Codominant trunks @ 9' with wide attachment.
--	1121	Chinese pistache	11	4	Good	Codominant trunks @ 8'.
--	1122	Red oak	13	4	Good	Heavy low lateral limbs; crown over building.
--	1123	Red oak	10	4	Moderate	Crown one-sided to north.

David J. Powers & Associates
Evergreen Community College
San Jose, CA
October 2004

TREE NUMBER		SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Hort- Sci.	Old					
--	1124	Italian stone pine	35	3	Poor	Heavy low lateral limbs; partial failure; monitor lean; western gall.
--	1126	Coast redwood	16	5	Good	Good form & structure.
--	1127	Coast redwood	18	5	Good	Excellent form & structure.
--	1128	Coast redwood	19	4	Good	Thin canopy.
--	1129	Red oak	13	2	Poor	Extensive dieback; epicormic shoots; declining.
--	1130	Coast redwood	20	4	Good	Thin canopy.
--	1131	Coast redwood	17	4	Good	Thin canopy.
--	1132	Red oak	12	3	Moderate	Codominant trunks @ 6'.
--	1133	Coast redwood	18	5	Good	Good form & structure.
--	1135	Italian stone pine	33	3	Poor	Exposed surface roots; heavy low lateral limbs.
--	1136	Red oak	12	3	Moderate	Girdling root; multiple attachments @ 9'.
--	1137	Chinese pistache	12	4	Moderate	Side pruned for building clearance; multiple attachments @ 6'; no basal flare.
--	1138	Red oak	15	4	Good	Heavy low lateral limbs.
--	1139	Chinese pistache	11	4	Good	Good form & structure.
--	1141	Cherry	9	3	Poor	Multiple attachments @ 4'; weakly attached.
--	1142	Chinese pistache	13	3	Moderate	History of branch failures; multiple attachments @ 7'.
--	1143	Red oak	13	4	Good	Good form & structure.
--	1144	Sweet gum	12	3	Moderate	Tall upright form.
--	1145	Chinese pistache	11	4	Good	Multiple attachments @ 7'.
--	1146	Sweet gum	7	4	Good	Tall upright form.
--	1147	Sweet gum	12	4	Good	Tall upright form.
--	1148	Mayten	6	2	Poor	Trunk wound; sunburned; twig dieback.
--	1149	Coast live oak	13	4	Good	Multiple attachments @ 7'.
--	1150	European birch	11	4	Good	Tall upright form; sapsuckers.
--	1151	European birch	6	3	Moderate	Crown over building; twig dieback.
--	1152	European birch	10	3	Poor	Trunk cankers; poor form.
--	1153	Chinese pistache	9	3	Moderate	Multiple attachments @ 7'; weak attachments.
--	1155	Chinese pistache	12	4	Moderate	Multiple attachments @ 6'; twig dieback.
--	1156	Chinese pistache	12	3	Moderate	Multiple attachments @ 6'; thin crown.
--	1157	Chinese pistache	16	3	Moderate	Side pruned for building; multiple attachments @ 7'.
--	1223	Chinese pistache	7	4	Good	Good young tree; multiple attachments @ 6'.
--	1304	Apricot	11	2	Poor	Multiple attachments @ 1'; cracks in upright leader.
--	1305	Apricot	11	1	Poor	Multiple attachments @ 2'; twig & branch dieback
--	1306	English walnut	11, 10	3	Poor	Codominant trunks @ 1'; full crown.
--	1307	English walnut	12	4	Moderate	Multiple attachments @ 2'.
--	1308	English walnut	15	3	Poor	Twig & branch dieback.
--	1309	English walnut	10	1	Poor	Declining.
--	1310	English walnut	11	0	--	Dead.
--	1311	English walnut	14	3	Poor	Multiple attachments @ 2'.
--	1312	Apricot	9	1	Poor	Twig & branch dieback.
--	1313	Apricot	10	1	Poor	Cavity with decay; codominant trunks @ 2'.
--	1314	English walnut	14	3	Poor	Twig & branch dieback.
--	1315	English walnut	10	4	Moderate	Good form & structure; heavy low lateral limb.
--	1316	English walnut	14	1	Poor	Declining.
--	1317	English walnut	12	3	Poor	Multiple attachments @ 2'.
--	1318	English walnut	12	3	Poor	Codominant trunks @ 3'.
--	1319	English walnut	13	3	Poor	Twig & branch dieback.
--	1320	English walnut	11	3	Poor	Codominant trunks @ 3' with wide attachment.
--	1321	English walnut	8	4	Moderate	Good form; trunk a little crooked.
--	1322	English walnut	10	1	Poor	Declining.
--	1323	English walnut	13	3	Poor	Multiple attachments @ 2'.
--	1324	English walnut	13	2	Poor	Twig & branch dieback.
--	1325	English walnut	12	3	Poor	Multiple attachments @ 4'; full, wide crown.
--	1326	English walnut	14	3	Poor	Multiple attachments @ 3'.
--	1327	English walnut	11	1	Poor	Mostly dead.
--	1328	English walnut	8	2	Poor	Twig dieback.
--	1329	English walnut	7	3	Poor	Codominant trunks @ 3' with wide attachment.
--	1330	Calif. black walnut	8	2	Poor	Twig & branch dieback.
--	1331	English walnut	9	3	Poor	Codominant trunks @ 2'; twig dieback.
--	1332	English walnut	7	3	Poor	Suppressed;
--	1333	English walnut	8	3	Poor	Multiple attachments @ 2'; low branching.

David J. Powers & Associates
 Evergreen Community College
 San Jose, CA
 October 2004

TREE NUMBER		SPECIES	TRUNK DIAMETER (in.)	CONDITION 1=poor 5=excellent	SUITABILITY for PRESERVATION	COMMENTS
Hort- Sci.	Old					
--	1334	English walnut	12	3	Poor	Heavy ground squirrel activity; low branching.
--	1335	English walnut	10,7,7,6,6	3	Poor	Multiple attachments @ 1'.
--	1336	English walnut	10,9	3	Poor	Codominant trunks @ 2'.
--	1337	English walnut	7,6	1	Poor	Mostly dead.
--	1338	English walnut	13	3	Poor	Codominant trunks @ 2'; twig dieback.
--	1339	English walnut	7,7,7	3	Poor	Multiple attachments @ 1'; with wide attachment.
--	1340	English walnut	9	3	Poor	Multiple attachments @ 3'.
--	1341	English walnut	5,5,4	0	--	Dead.
--	1342	English walnut	8	4	Moderate	Good young tree; codominant trunks @ 2'.
--	1344	English walnut	7	0	--	Dead.
--	1345	English walnut	7	3	Poor	Multiple attachments @ 3'.
--	1346	English walnut	9,8,7	3	Poor	Multiple attachments @ 1'.