

1530-1536-1544 WEST SAN CARLOS AIR QUALITY & GREENHOUSE GAS ASSESSMENT

San José, California

August 9, 2019

Revised March 26, 2020

Prepared for:

Amy Wang

David J. Powers & Associates, Inc.

1871 The Alameda, Suite 200

San José, CA 95126

Prepared by:

Mimi McNamara

& James A. Reyff

ILLINGWORTH & RODKIN, INC.

/// Acoustics • Air Quality ///

429 East Cotati Avenue

Cotati, CA 94931

(707) 794-0400

I&R Project#: 19-066

Introduction

The purpose of this report is to address air quality impacts and compute the greenhouse gas (GHG) emissions associated with the proposed mixed-use buildings at 1530, 1536, and 1544 West San Carlos Street in San José, California. The air quality impacts and GHG emissions would be associated with the demolition of the existing uses at the site, construction of the new building and infrastructure, and operation of the project. Air pollutant and GHG emissions associated with the construction and operation of the project were predicted using models. In addition, the potential construction health risk impact to nearby sensitive receptors and the impact of existing toxic air contaminant (TAC) sources affecting the proposed residences were evaluated. This analysis addresses those issues following the guidance provided by the Bay Area Air Quality Management District (BAAQMD).¹

Project Description

The project site is currently developed with two automobile commercial buildings, a commercial building occupied by a restaurant, and associated ancillary structures and surface parking. Behind the restaurant building, and separated by a metal rolling gate, are eight single-family residences and three ancillary parking garages in the southern portion of the site.

The proposed project would include the development of two seven-story buildings with six levels of residential units over two-levels of parking (one below-grade and one at-grade). Building 1 (on the east side of the site) would include up to 104 residential units and approximately 12,600 square feet (sf) of commercial uses. Building 2 would include up to 70 residential units and approximately 7,000 sf of commercial uses. There would be a total of 174 units. The maximum height of the buildings would be 82 feet to the roofline and 85 feet to the top of the parapet along West San Carlos Street.

Vehicular access to the site would be provided via a two-way driveway on West San Carlos Street connecting to the entrance of the parking garages for the two proposed buildings. The driveway would be located between the two buildings. Located within the West San Carlos Urban Village, the project proposes a 42-percent parking reduction, with a total of 199 parking spaces proposed.

Construction of the project would consist of two phases. Construction of Phase One, which would construct Building 1, is estimated to begin in June 2020 and would take approximately 24 months. Construction of Phase Two, which would construct Building 2, would occur subsequently and would also take approximately 24 months. The total construction period would be approximately 48 months.

*Note that at the time of this analysis the land uses, and sizes described in the project description were used. As of this revision, the sizes of all the land uses have decreased. The total residential units were reduced from 174 to 173 units, the total commercial development was reduced from 19,600 to 18,242 square feet. The parking was reduced from 199 spaces to 189 spaces, which resulted in a 43.3-percent parking reduction than the parking requirement. The slight decrease in development would result in either marginally decreased air quality emissions, GHG emissions, and community risks from construction or

¹ Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017.

have very similar results. The significance and mitigation measures described within the report would remain the same.

Setting

The project is located in Santa Clara County, which is in the San Francisco Bay Area Air Basin. Ambient air quality standards have been established at both the State and federal level. The Bay Area meets all ambient air quality standards with the exception of ground-level ozone, respirable particulate matter (PM₁₀), and fine particulate matter (PM_{2.5}).

Air Pollutants of Concern

High ozone levels are caused by the cumulative emissions of reactive organic gases (ROG) and nitrogen oxides (NO_x). These precursor pollutants react under certain meteorological conditions to form high ozone levels. Controlling the emissions of these precursor pollutants is the focus of the Bay Area's attempts to reduce ozone levels. The highest ozone levels in the Bay Area occur in the eastern and southern inland valleys that are downwind of air pollutant sources. High ozone levels aggravate respiratory and cardiovascular diseases, reduced lung function, and increase coughing and chest discomfort.

Particulate matter is another problematic air pollutant of the Bay Area. Particulate matter is assessed and measured in terms of respirable particulate matter or particles that have a diameter of 10 micrometers or less (PM₁₀) and fine particulate matter where particles have a diameter of 2.5 micrometers or less (PM_{2.5}). Elevated concentrations of PM₁₀ and PM_{2.5} are the result of both region-wide (or cumulative) emissions and localized emissions. High particulate matter levels aggravate respiratory and cardiovascular diseases, reduce lung function, increase mortality (e.g., lung cancer), and result in reduced lung function growth in children.

Toxic Air Contaminants

Toxic air contaminants (TAC) are a broad class of compounds known to cause morbidity or mortality (usually because they cause cancer) and include, but are not limited to, the criteria air pollutants. TACs are found in ambient air, especially in urban areas, and are caused by industry, agriculture, fuel combustion, and commercial operations (e.g., dry cleaners). TACs are typically found in low concentrations, even near their source (e.g., diesel particulate matter [DPM] near a freeway). Because chronic exposure can result in adverse health effects, TACs are regulated at the regional, State, and federal level.

Diesel exhaust is the predominant TAC in urban air and is estimated to represent about three-quarters of the cancer risk from TACs (based on the Bay Area average). According to the California Air Resources Board (CARB), diesel exhaust is a complex mixture of gases, vapors, and fine particles. This complexity makes the evaluation of health effects of diesel exhaust a complex scientific issue. Some of the chemicals in diesel exhaust, such as benzene and formaldehyde, have been previously identified as TACs by the CARB, and are listed as carcinogens either under the State's Proposition 65 or under the Federal Hazardous Air Pollutants programs.

Regulatory Agencies

CARB has adopted and implemented a number of regulations for stationary and mobile sources to reduce emissions of DPM. Several of these regulatory programs affect medium and heavy-duty diesel trucks that represent the bulk of DPM emissions from California highways. These regulations include the solid waste collection vehicle (SWCV) rule, in-use public and utility fleets, and the heavy-duty diesel truck and bus regulations. In 2008, CARB approved a new regulation to reduce emissions of DPM and nitrogen oxides from existing on-road heavy-duty diesel fueled vehicles.² The regulation requires affected vehicles to meet specific performance requirements between 2014 and 2023, with all affected diesel vehicles required to have 2010 model-year engines or equivalent by 2023. These requirements are phased in over the compliance period and depend on the model year of the vehicle.

The BAAQMD is the regional agency tasked with managing air quality in the region. At the State level, the CARB (a part of the California Environmental Protection Agency [EPA]) oversees regional air district activities and regulates air quality at the State level. The BAAQMD has published California Environmental Quality Act (CEQA) Air Quality Guidelines that are used in this assessment to evaluate air quality impacts of projects.³ The detailed community risk modeling methodology used in this assessment is contained in *Attachment 1*.

City San José Envision 2040 General Plan

The San José Envision 2040 General Plan includes goals, policies, and actions to reduce exposure of the City's sensitive population to exposure of air pollution and toxic air contaminants or TACs. The following goals, policies, and actions are applicable to the proposed project:

Applicable Goals – Air Pollutant Emission Reduction

Goal MS-10 Minimize air pollutant emissions from new and existing development.

Applicable Policies – Air Pollutant Emission Reduction

MS-10.1 Assess projected air emissions from new development in conformance with the Bay Area Air Quality Management District (BAAQMD) CEQA Guidelines and relative to state and federal standards. Identify and implement feasible air emission reduction measures.

MS-10.2 Consider the cumulative air quality impacts from proposed developments for proposed land use designation changes and new development, consistent with the region's Clean Air Plan and State law.

Applicable Goals – Toxic Air Contaminants

Goal MS-11 Minimize exposure of people to air pollution and toxic air contaminants such as ozone, carbon monoxide, lead, and particulate matter.

² Available online: <http://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm>. Accessed: November 21, 2014.

³ Bay Area Air Quality Management District. 2017. *BAAQMD CEQA Air Quality Guidelines*. May.

Applicable Policies – Toxic Air Contaminants

- MS-11.1** Require completion of air quality modeling for sensitive land uses such as new residential developments that are located near sources of pollution such as freeways and industrial uses. Require new residential development projects and projects categorized as sensitive receptors to incorporate effective mitigation into project designs or be located an adequate distance from sources of toxic air contaminants (TACs) to avoid significant risks to health and safety.
- MS-11.2** For projects that emit toxic air contaminants, require project proponents to prepare health risk assessments in accordance with BAAQMD-recommended procedures as part of environmental review and employ effective mitigation to reduce possible health risks to a less than significant level. Alternatively, require new projects (such as, but not limited to, industrial, manufacturing, and processing facilities) that are sources of TACs to be located an adequate distance from residential areas and other sensitive receptors.
- MS-11.4** Encourage the installation of appropriate air filtration at existing schools, residences, and other sensitive receptor uses adversely affected by pollution sources.

Actions – Toxic Air Contaminants

- MS-11.7** Consult with BAAQMD to identify stationary and mobile TAC sources and determine the need for and requirements of a health risk assessment for proposed developments.

Applicable Goals – Construction Air Emissions

- Goal MS-13** Minimize air pollutant emissions during demolition and construction activities

Applicable Policies – Construction Air Emissions

- MS-13.1** Include dust, particulate matter, and construction equipment exhaust control measures as conditions of approval for subdivision maps, site development and planned development permits, grading permits, and demolition permits. At minimum, conditions shall conform to construction mitigation measures recommended in the current BAAQMD CEQA Guidelines for the relevant project size and type.

Applicable Actions – Construction Air Emissions

- MS-13.4** Adopt and periodically update dust, particulate, and exhaust control standard measures for demolition and grading activities to include on project plans as conditions of approval based upon construction mitigation measures in the BAAQMD CEQA Guidelines.

Sensitive Receptors

There are groups of people more affected by air pollution than others. CARB has identified the following persons who are most likely to be affected by air pollution: children under 16, the elderly over 65, athletes, and people with cardiovascular and chronic respiratory diseases. These groups are classified as sensitive receptors. Locations that may contain a high concentration of these sensitive population groups include residential areas, hospitals, daycare facilities, elder care facilities, and elementary schools. The closest sensitive receptors to the project site are residents of a multi-family residence south-east of the project site. There are additional residences at farther distances from the project site. This project would also introduce new sensitive receptors to the area.

Significance Thresholds

In June 2010, BAAQMD adopted thresholds of significance to assist in the review of projects under CEQA and these significance thresholds were contained in the District's 2011 *CEQA Air Quality Guidelines*. These thresholds were designed to establish the level at which BAAQMD believed air pollution emissions would cause significant environmental impacts under CEQA. The thresholds were challenged through a series of court challenges and were mostly upheld. BAAQMD updated the *CEQA Air Quality Guidelines* in 2017 to include the latest significance thresholds that were used in this analysis are summarized in Table 1.

Table 1. Community Risk Significance and GHG Thresholds

Criteria Air Pollutant	Construction Thresholds	Operational Thresholds	
	Average Daily Emissions (lbs./day)	Average Daily Emissions (lbs./day)	Annual Average Emissions (tons/year)
ROG	54	54	10
NO _x	54	54	10
PM ₁₀	82 (Exhaust)	82	15
PM _{2.5}	54 (Exhaust)	54	10
CO	Not Applicable	9.0 ppm (8-hour average) or 20.0 ppm (1-hour average)	
Fugitive Dust	Construction Dust Ordinance or other Best Management Practices	Not Applicable	
Health Risks and Hazards	Single Sources Within 1,000-foot Zone of Influence	Combined Sources (Cumulative from all sources within 1,000-foot zone of influence)	
Excess Cancer Risk	>10.0 per one million	>100 per one million	
Hazard Index	>1.0	>10.0	
Incremental annual PM _{2.5}	>0.3 µg/m ³	>0.8 µg/m ³	
Odor			
5 confirmed complaints per year averaged over 3 years			
Greenhouse Gas Emissions			
Land Use Projects – direct and indirect emissions	Compliance with a Qualified GHG Reduction Strategy OR 1,100 metric tons annually or 4.6 metric tons per capita (for 2020) 660 metric tons annually or 2.6 metric tons per capita (for 2030)*		
Note: ROG = reactive organic gases, NO _x = nitrogen oxides, PM ₁₀ = course particulate matter or particulates with an aerodynamic diameter of 10 micrometers (µm) or less, PM _{2.5} = fine particulate matter or particulates with an aerodynamic diameter of 2.5µm or less. GHG = greenhouse gases. *BAAQMD does not have a recommended post-2020 GHG threshold.			

Air Quality Impacts and Mitigation Measures

Impact 1: Conflict with or obstruct implementation of the applicable air quality plan? *Less-than-significant*

BAAQMD is the regional agency responsible for overseeing compliance with State and Federal laws, regulations, and programs within the San Francisco Bay Area Air Basin (SFBAAB). BAAQMD, with assistance from the Association of Bay Area Governments (ABAG) and Metropolitan Transportation Commission (MTC), has prepared and implements specific plans to meet the applicable laws, regulations, and programs. The most recent and comprehensive of which is the *Bay Area 2017 Clean Air Plan*.⁴ The primary goals of the Clean Air Plan are to attain air quality standards, reduce population exposure and protect public health, and reduce GHG emissions and protect the climate. The BAAQMD has also developed CEQA guidelines to assist lead agencies in evaluating the significance of air quality impacts. In formulating compliance strategies, BAAQMD relies on planned land uses established by local general plans. Land use planning affects vehicle travel, which in turn affects region-wide emissions of air pollutants and GHGs.

The 2017 Clean Air Plan, adopted by BAAQMD in April 2017, includes control measures that are intended to reduce air pollutant emissions in the Bay Area either directly or indirectly. Plans must show consistency with the control measures listed within the Clean Air Plan. At the project-level, there are no consistency measures or thresholds. The proposed project would not conflict with the latest Clean Air planning efforts since 1) project would have emissions below the BAAQMD thresholds (see Impact 2), 2) the project would be considered urban infill, and 3) the project would be located near transit with regional connections.

Impact 2: Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard? *Less-than-significant*

The Bay Area is considered a non-attainment area for ground-level ozone and PM_{2.5} under both the Federal Clean Air Act and the California Clean Air Act. The area is also considered non-attainment for PM₁₀ under the California Clean Air Act, but not the federal act. The area has attained both State and federal ambient air quality standards for carbon monoxide. As part of an effort to attain and maintain ambient air quality standards for ozone and PM₁₀, the BAAQMD has established thresholds of significance for these air pollutants and their precursors. These thresholds are for ozone precursor pollutants (ROG and NO_x), PM₁₀, and PM_{2.5} and apply to both construction period and operational period impacts.

The California Emissions Estimator Model (CalEEMod) Version 2016.3.2 was used to estimate emissions from construction and operation of the site assuming full build-out of the project. The project land use types and size, and anticipated construction schedule were input to CalEEMod. The model output from CalEEMod is included as *Attachment 2*.

⁴ Bay Area Air Quality Management District (BAAQMD), 2017. *Final 2017 Clean Air Plan*.

Construction Period Emissions

CalEEMod provided annual emissions for construction and estimates emissions for both on-site and off-site construction activities. On-site activities are primarily made up of construction equipment emissions, while off-site activity includes worker, hauling, and vendor traffic. A construction build-out scenario, including equipment list and schedule, was based on CalEEMod default information for projects of similar size and type. However, the project applicant did provide information regarding the building size, hauling volumes, and when construction was anticipated to begin. The project applicant noted that construction of the project would occur in two separate phases with Building 1 (east side of the site) would be constructed first in June 2020 and Building 2 (west side of the site) would be constructed after. There would be no overlap between the two phases but Building 1 would be operational while Building 2 would be constructed.

The proposed project land uses and construction inputs for each building were input into CalEEMod as the following:

Building 1

- 104 dwelling units entered “Apartments Mid Rise”,
- 113 parking spaces entered as “Enclosed Parking with Elevator”,
- 12,600 sf entered as “Strip Mall”,
- 7,750 sf of building demolition, and
- 17,304 cubic yards (cy) of soil excavated.

Building 2

- 70 dwelling units entered “Apartments Mid Rise”,
- 95 parking spaces entered as “Enclosed Parking with Elevator”,
- 7,000 sf entered as “Strip Mall”,
- 5,347 sf of building demolition, and
- 18,076 cy of soil excavated.

Construction per the project applicant’s information would begin June 2020 and last 24 months; however, since a detailed schedule was not provided, the default construction schedule was used. The default construction schedule estimated construction of Building 1 (Phase 1) would take 315 construction workdays. For Building 2 (Phase 2), the default construction schedule estimated 287 workdays. The total number of estimated workdays sums to 602 days. Average daily emissions were computed by dividing the total construction emissions by the number of construction days. Table 2 shows average daily construction emissions of ROG, NO_x, PM₁₀ exhaust, and PM_{2.5} exhaust during construction of the project. As indicated in Table 2, predicted the construction period emissions would not exceed the BAAQMD significance thresholds.

Table 2. Construction Period Emissions

Scenario	ROG	NO _x	PM ₁₀ Exhaust	PM _{2.5} Exhaust
Phase 1 (Building 1) from 2020-2021	1.2	3.6	0.17	0.16
Phase 2 (Building 2) from 2022-2023	0.8	2.4	0.10	0.10
Total construction emissions (tons)	2.0 tons	6.0 tons	0.27 tons	0.25 tons
Average daily emissions (pounds)¹	6.6 lbs/day	19.9 lbs/day	0.9 lbs/day	0.8 lbs/day
<i>BAAQMD Thresholds (pounds per day)</i>	54 lbs./day	54 lbs./day	82 lbs./day	54 lbs./day
Exceed Threshold?	No	No	No	No
Notes: ¹ Assumes 602 workdays.				

However, construction activities, particularly during site preparation and grading, would temporarily generate fugitive dust in the form of PM₁₀ and PM_{2.5}. Sources of fugitive dust would include disturbed soils at the construction site and trucks carrying uncovered loads of soils. Unless properly controlled, vehicles leaving the site would deposit mud on local streets, which could be an additional source of airborne dust after it dries. The BAAQMD *CEQA Air Quality Guidelines* consider these impacts to be less-than-significant if best management practices are implemented to reduce these emissions. *Mitigation Measure AQ-1 would implement BAAQMD-recommended best management practices.*

Mitigation Measure AQ-1: Include measures to control dust and exhaust during construction.

During any construction period ground disturbance, the applicant shall ensure that the project contractor implement measures to control dust and exhaust. Implementation of the measures recommended by BAAQMD and listed below would reduce the air quality impacts associated with grading and new construction to a less-than-significant level. Additional measures are identified to reduce construction equipment exhaust emissions. The contractor shall implement the following best management practices that are required of all projects:

1. All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.
2. All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
3. All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
4. All vehicle speeds on unpaved roads shall be limited to 15 miles per hour (mph).
5. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
6. Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.

7. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.
8. Post a publicly visible sign with the telephone number and person to contact at the Lead Agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

Effectiveness of Mitigation Measure AQ-1

The measures above are consistent with BAAQMD-recommended basic control measures for reducing fugitive particulate matter that are contained in the BAAQMD CEQA Air Quality Guidelines.

Operational Period Emissions

Operational air emissions from the project would be generated primarily from autos driven by future residents, customers, and employees. Evaporative emissions from architectural coatings and maintenance products (classified as consumer products) are typical emissions from these types of uses. CalEEMod was also used to estimate emissions from operation of the proposed project assuming full build-out.

Land Uses

The project land uses were entered into CalEEMod as described above for the construction period modeling.

Model Year

Emissions associated with vehicle travel depend on the year of analysis because emission control technology requirements are phased-in over time. Therefore, the earlier the year analyzed in the model, the higher the emission rates utilized by CalEEMod. The earliest full-build out could occur (includes both Building 1 and 2) and begin operating would be 2025 based on the default construction schedule. Emissions associated with build-out later than 2025 would be lower.

Trip Generation Rates

CalEEMod allows the user to enter specific vehicle trip generation rates, which were input to the model using the daily trip generation rate provided in the project trip generation table. The Saturday and Sunday trip rates were assumed to be the weekday rate adjusted by multiplying the ratio of the CalEEMod default rates for Saturday and Sunday trips. The project traffic analysis provided project trip generation values for the proposed mixed-use development.⁵ The *Residential-Retail Internal*

⁵ Hexagon Transportation Consultants, 2019. *1530-1544 W. San Carlos Street Mixed-use Development Transportation Analysis*. July.

Reduction, Location Based Reduction, and VMT reduction were applied. For the multifamily housing land use, the trip generation values would be 4.21 trips for the weekdays, 4.04 trips for Saturday, and 3.71 trips for Sunday. For the commercial use, the trip generation values would be 20.53 trips for weekdays, 19.47 trips for Saturday, and 9.46 trips for Sunday.

Energy

CalEEMod defaults for energy use were used, which include the 2016 Title 24 Building Standards. Indirect emissions from electricity were computed in CalEEMod. The model has a default rate of 641.3 pounds of CO₂ per megawatt of electricity produced, which is based on PG&E's 2008 emissions rate. The rate was adjusted to account for PG&E's projected 2020 CO₂ intensity rate. This 2020 rate is based, in part, on the requirement of a renewable energy portfolio standard of 33 percent by the year 2020. The derived 2020 rate for PG&E was estimated at 290 pounds of CO₂ per megawatt of electricity delivered.⁶

Other Inputs

Default model assumptions for emissions associated with solid waste generation use were applied to the project. Water/wastewater use were changed to 100% aerobic conditions to represent wastewater treatment plant conditions. All hearths were assumed to be gas powered.

Existing Uses

A CalEEMod model for the existing restaurant and eight single-family homes was run as if they were operating in 2022. The existing land use on the project site included a restaurant totaling 2,250-sf and eight single-family homes totaling 5,500-sf. The trip generation rates were also provided for the existing land uses. For the single-family homes, the trip generation values would be 1.5 trips for the weekdays, 1.56 trips for Saturday, and 1.36 trips for Sunday. For the restaurant, the trip generation values would be 65.33 trips for the weekdays, 81.37 trips for Saturday, and 67.74 trips for Sunday. For the existing automobile sales lots (used car dealership and rental service) located at 1544 San Carlos Street, the traffic consultant determined that the use did not generate a significant number of trips due to the limited on-site parking and did not apply a credit to the project trip generation. Therefore, to match with the traffic assumption, zero trips were applied to the automobile land use.

⁶ Pacific Gas & Electric, 2015. *Greenhouse Gas Emission Factors: Guidance for PG&E Customers*. November.

Table 3. Operational Period Emissions

Scenario	ROG	NO _x	PM ₁₀	PM _{2.5}
2025 Project Operational Emissions (tons/year)	1.02	0.86	0.85	0.24
2025 Existing Operational Emissions (tons/year)	0.14	0.14	0.09	0.03
Net Annual Emissions (tons/year)	0.88	0.73	0.76	0.21
BAAQMD Thresholds (tons/year)	10 tons	10 tons	15 tons	10 tons
Exceed Threshold?	No	No	No	No
2025 Project Operational Emissions (lbs/day) ¹	4.83	3.98	4.19	1.14
BAAQMD Thresholds (lbs/day)	54 lbs.	54 lbs.	82 lbs.	54 lbs.
Exceed Threshold?	No	No	No	No

Notes: ¹ Assumes 365-day operation.

Impact 3: Expose sensitive receptors to substantial pollutant concentrations?
Less-than-significant with mitigation

Project impacts related to increased community risk can occur either by introducing a new sensitive receptor, such as a residential use, in proximity to an existing source of TACs or by introducing a new source of TACs with the potential to adversely affect existing sensitive receptors in the project vicinity. The project would introduce new residents that are sensitive receptors, and temporary project construction activity would generate dust and equipment exhaust on a temporary basis that could affect nearby sensitive receptors. Additionally, the project would generate some traffic, consisting of mostly light-duty vehicles that are not a substantial source of TACs or PM_{2.5}. A construction health risk assessment was prepared to address project construction impacts on the surrounding off-site sensitive receptors. The impact of the existing and new sources of TAC upon the existing sensitive receptors and new incoming sensitive receptors was also assessed. Community risk impacts are addressed by predicting increased lifetime cancer risk, the increase in annual PM_{2.5} concentrations and computing the Hazard Index (HI) for non-cancer health risks. The methodology for computing community risks impacts is contained in *Attachment 1*.

Construction Community Health Risk Impacts

Construction equipment and associated heavy-duty truck traffic generates diesel exhaust, which is a known TAC. These exhaust air pollutant emissions would not be considered to contribute substantially to existing or projected air quality violations as show in Table 2. Construction exhaust emissions may still pose health risks for sensitive receptors such as surrounding residents. The primary community risk impact issue associated with construction emissions are cancer risk and exposure to PM_{2.5}. Diesel exhaust poses both a potential health and nuisance impact to nearby receptors. A health risk assessment of the project construction activities was conducted that evaluated potential health effects to nearby sensitive receptors from construction emissions of DPM and PM_{2.5}.⁷ This assessment included dispersion modeling to predict the offsite and onsite concentrations resulting from project construction, so that lifetime cancer risks and non-cancer health effects could be evaluated.

⁷ DPM is identified by California as a toxic air contaminant due to the potential to cause cancer.

Construction Emissions

The CalEEMod model provided total annual PM₁₀ exhaust emissions (assumed to be DPM) for the off-road construction equipment and for exhaust emissions from on-road vehicles, with total emissions from all construction stages as 0.2583 tons (517 pounds). The on-road emissions are a result of haul truck travel during demolition and grading activities, worker travel, and vendor deliveries during construction. A trip length of one mile was used to represent vehicle travel while at or near the construction site. It was assumed that these emissions from on-road vehicles traveling at or near the site would occur at the construction site. Fugitive PM_{2.5} dust emissions were calculated by CalEEMod as 0.10078 tons (202 pounds) for the overall construction period.

Dispersion Modeling

The U.S. EPA AERMOD dispersion model was used to predict DPM and PM_{2.5} concentrations at sensitive receptors (residences) in the vicinity of the project construction area. The AERMOD dispersion model is a BAAQMD-recommended model for use in modeling analysis of these types of emission activities for CEQA projects.⁸ Emission sources for the construction site were grouped into two categories: exhaust emissions of DPM and fugitive PM_{2.5} dust emissions. For Phase 1 and Phase 2, combustion equipment exhaust emissions were modeled as a series of point sources with a 2.7-meter release height (construction equipment exhaust stack height) placed at 6-meter (20-foot) intervals throughout the construction site. For Phase 1, this resulted in 90 individual point sources being used to represent mobile equipment DPM exhaust emissions in the construction area. For Phase 2, the spacing resulted in 50 individual point sources. For both sites, DPM emissions were modeled as occurring throughout the project construction site. The locations of the point sources used for the modeling are identified in Figure 1. Emissions from vehicle travel on- and off-site were distributed among the point sources throughout the site. Construction fugitive PM_{2.5} dust emissions were modeled as an area source encompassing the entire construction site with a near ground level release height of 2 meters (6.6-feet). Construction emissions were modeled as occurring daily between 7 a.m. to 4 p.m., when the majority of construction activity would occur.

The modeling used a five-year data set (2006-2010) of hourly meteorological data from the San José International Airport that was prepared for use with the AERMOD model by BAAQMD. Annual DPM and PM_{2.5} concentrations from construction activities during the 2020-2021 period were calculated using the model. DPM and PM_{2.5} concentrations were calculated at nearby sensitive receptors. A receptor height of 1.5 meters (4.9 feet) and 4.5 meters (14.8 feet) was used to represent the breathing height of nearby residences in single-family homes, apartments, ground-level duplexes, and townhomes.

The maximum-modeled annual DPM and PM_{2.5} concentrations, which includes both the DPM and fugitive PM_{2.5} concentrations, were identified at nearby sensitive receptors (as shown in Figure 1) to find the maximally exposed individuals (MEIs). Using the maximum annual modeled DPM concentrations, the maximum increased cancer risks were calculated using BAAQMD recommended methods and exposure parameters described in *Attachment 1*. Non-cancer health hazards and maximum PM_{2.5} concentrations were also calculated and identified. *Attachment 3* to this

⁸ Bay Area Air Quality Management District (BAAQMD), 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards*, Version 3.0. May.

report includes the emission calculations used for the construction area source modeling and the cancer risk calculations.

Results of this assessment indicated that the construction MEI was located at a multi-family residence on the second floor (4.5 meters) adjacent to the south-eastern project boundary as seen in Figure 1. The maximum increased residential cancer risks and maximum PM_{2.5} concentration from construction exceed their respective BAAQMD single-source thresholds of greater than 10.0 per million and greater than 0.3 µg/m³.

Table 4. Construction Risk Impacts at the Offsite Residential MEI

Source	Cancer Risk (per million)	Annual PM _{2.5} (µg/m ³)	Hazard Index
Project Construction			
Unmitigated	108.6 (infant)	0.87	0.07
Mitigated	3.6 (infant)	0.13	0.01
BAAQMD Single-Source Threshold	>10.0	>0.3	>1.0
<i>Exceed Threshold?</i>			
Unmitigated	Yes	Yes	No
Mitigated	No	No	No


Figure 1. Project Construction Site, Point Source Locations, Locations of Off-Site Sensitive Receptors, and TAC Impacts



Combined Impact of All TAC Sources on the Off-Site Construction MEI

Community health risk assessments typically look at all substantial sources of TACs located within 1,000 feet of project sites and at new TAC sources that would be introduced by the project. These sources include highways, busy surface streets, stationary sources identified by BAAQMD, and construction from nearby developments. A review of the project area indicates that traffic on West San Carlos Street has an average daily traffic (ADT) of over 10,000 vehicles. All other roadways within the area are assumed to have an ADT that is less than 10,000 vehicles. One stationary source was identified within the 1,000-foot influence area using the BAAQMD's stationary source Google Earth map. Figure 2 shows the sources affecting the project site. Details of the modeling and community risk calculations are included in *Attachment 4*.

Figure 2. Project Site and Nearby TAC and PM_{2.5} Sources



Stationary Sources

Permitted stationary sources of air pollution near the project site were identified using BAAQMD's *Stationary Source Risk & Hazard Analysis Tool*. This mapping tool uses Google Earth. A diesel generator operated by the San Jose Water Company (Plant #19794) was the only stationary source identified within 1,000-feet of the project. The District provide daily emission files for the source. These emissions for using the *BAAQMD Risk and Hazards Emissions Screening Calculator (Version 2.0 Beta)*. This screening tools estimates total cancer risk, total PM_{2.5} concentration, and total chronic hazard and takes into account source type and distance from source to receptor. Table 5 summarizes the health risk from this stationary source upon the MEI.

Local Roadways – West San Carlos Street

For local roadways, BAAQMD has provided the *Roadway Screening Analysis Calculator* to assess whether roadways with traffic volumes of over 10,000 vehicles per day may have a potentially significant effect on a proposed project. Two adjustments were made to the cancer risk predictions made by this calculator: (1) adjustment for latest vehicle emissions rates predicted using EMFAC2014 and (2) adjustment of cancer risk to reflect new OEHHA guidance (see *Attachment 1*).

The calculator uses EMFAC2011 emission rates for the year 2014. In addition, a new version of the emissions factor model, EMFAC2014 is available. This version predicts lower emission rates. An adjustment factor of 0.5 was developed by comparing emission rates of total organic gases (TOG) for running exhaust and running losses developed using EMFAC2011 for year 2014 and those from EMFAC2014 for 2018. The screening tool then adjust the predicted cancer risk using a factor of 1.3744 to account for new OEHHA guidance. This factor was provided by BAAQMD for use with their CEQA screening tools that are used to predict cancer risk.

The ADT on West San Carlos Street was estimated to be 21,795 vehicles. This estimate was based on traffic volumes included in the project's traffic analysis for cumulative plus project conditions.⁹ The AM and PM peak-hour volumes were averaged and then multiplied by 10 to estimate the ADT.

The BAAQMD *Roadway Screening Analysis Calculator* for Santa Clara County was used for these roadways. West San Carlos Street was identified as an east-west roadway with the project's sensitive receptors and the construction MEI south of the roadway. Estimated risk values for the roadway upon the Construction MEI are listed in Table 5. Note that BAAQMD has found that non-cancer hazards from all local roadways would be below a Hazard Index of 0.03.

Construction Risk Impacts from Nearby Developments

Within the 1,000-ft influence area, there are a couple development projects that are recently built, under construction, or approved to be constructed. Projects that were approved or are in the early stages of construction are included in the cumulative analysis. The nearby project that has been approved by not completed is Page Street Housing at 329 Page Street. Additionally, a residential

⁹ Hexagon Transportation Consultants, 2019. 1530-1536 W. San Carlos St. Mixed-use Development VMT Trip Generation Estimates. April.

development at 259 Meridian Avenue that is under review but not planned was included because the construction of this project would most likely overlap with the project.

Illingworth & Rodkin, Inc. analyzed the construction risk impacts for the 259 Meridian Avenue Residential development in April 2018.¹⁰ The mitigated increased cancer risk would be 7.4 per million, the annual maximum PM_{2.5} concentration would be 0.11 µg/m³, and the HI value would be less than 0.01. Illingworth & Rodkin, Inc. also completed a technical air quality report for the Page Street Housing project, but a construction community risk analysis was not done.¹¹ To be conservative, it was assumed that the construction risk values would all be less than the BAAQMD single-source thresholds for increased cancer risk, annual PM_{2.5} concentration, and the HI value. The risks from both projects are included in Table 5.

Combined Community Health Risk at Off-Site Construction MEI

Table 5 reports both the project and cumulative community risk impacts at the sensitive receptor most affected by construction (i.e. the construction MEI). Without mitigation, the project would have a *significant* impact with respect to community risk caused by project construction activities, since the maximum cancer risk and PM_{2.5} concentration do exceed their single-source thresholds. The combined annual cancer risk and PM_{2.5} concentration, and Hazard risk values, which includes unmitigated and mitigated, would exceed their respective cumulative thresholds. However, with *Mitigation Measures AQ-1* and *AQ-2* the project construction and cumulative risk would all be reduced to a *level-of-significance*.

Table 5. Impacts from Combined Sources at Off-Site Construction MEI

Source	Cancer Risk (per million)	Annual PM _{2.5} (µg/m ³)	Hazard Index
Project Construction			
Unmitigated	108.6 (infant)	0.87	0.07
Mitigated	3.6 (infant)	0.13	0.01
West San Carlos Street at 230-feet, ADT 21,795	3.1	0.11	<0.03
San Jose Water Company Diesel Generator with MEI at 620-ft	2.7	0.01	<0.01
259 Meridian Avenue Construction Risk Impacts	7.4	0.11	0.01
Page Street Housing Construction Risk Impacts	<10.0	<0.3	<1.0
Combined Sources			
Unmitigated	131.8 (infant)	1.4	<1.1
Mitigated	26.8 (infant)	0.66	<1.1
BAAQMD Cumulative Source Threshold	>100	>0.8	>10.0
Exceed Threshold?			
Unmitigated	Yes	Yes	No
Mitigated	No	No	No

¹⁰ Illingworth & Rodkin, Inc., 2019. *259 Meridian Avenue Residential Development Air Quality and Greenhouse Gas Assessment*. June.

¹¹ Illingworth & Rodkin, Inc., 2018. *Page Street Housing TAC Assessment*. April.

Mitigation Measure AQ-2: Selection of equipment during construction to minimize emissions. Such equipment selection would include the following:

The project shall develop a plan demonstrating that the off-road equipment used onsite to construct the project would achieve a fleet-wide average 93-percent reduction in DPM exhaust emissions or greater. One feasible plan to achieve this reduction would include the following:

1. All diesel-powered off-road equipment, larger than 25 horsepower, operating on the site for more than two days continuously shall, at a minimum, meet U.S. EPA particulate matter emissions standards for Tier 4 interim engines or equivalent.
2. Provide electric power to avoid use of diesel-powered generator sets and other portable equipment.
3. Alternatively, equipment that meets U.S. EPA Tier 3 engines standards for particulate matter that include CARB-certified Level 3 Diesel Particulate Filters¹² or use of equipment that is electrically powered or uses non-diesel fuels would meet this requirement.

Effectiveness of Mitigation Measure AQ-2

With mitigation, the computed maximum increased lifetime residential cancer risk from construction, assuming infant exposure, would be 3.6 in one million or less, the maximum annual PM_{2.5} concentration would be 0.13 µg/m³, and the Hazard Index would be 0.01. As a result, impacts would be reduced to *less-than-significant* with respect to community risk caused by construction activities.

¹² See <http://www.arb.ca.gov/diesel/verdev/vt/cvt.htm>

Operational Community Health Risk Impacts – New Project Residences

Additionally, a health risk assessment was completed to assess the impact existing TAC sources would have on the new proposed sensitive receptors that that project would introduce. The same TAC sources identified above were used in this HRA assessment.¹³

Stationary Sources

The stationary source screening analysis was conducted in the same manner as described above. The new project sensitive receptors would be approximately 525-feet away from the emergency standby diesel generator set. Table 6 shows the health risk results.

Local Roadways – West San Carlos Street

The roadway analysis was conducted in the same manner for the new project sensitive receptors as described above for the construction MEI. The project sensitive receptors would be approximately 40 feet south from the roadway (note this distance takes into account the elevation distance between the sensitive receptors and the roadway). The results are listed in Table 6.

Phase 2 Project Construction

During Phase 2 construction of the project, the Phase 1 portion (parcels located at 1560-1536 West San Carlos) of the project would be operational. It is assumed then that on-site sensitive receptors would be exposed to Phase 2 construction. The construction emissions were modeled with AERMOD using the same inputs as described in the dispersion modeling section for the off-site MEI. A receptor height of 4.5 meters (4.9 feet) was used to represent the breathing height the residents living in the building. It was assumed that there would be third trimester and infant exposure during each phase. The health risk calculations follow the guidelines detailed in *Attachment 1* and the calculations themselves are in *Attachment 3*.

Construction Risk Impacts from Nearby Developments

The same construction community risk impacts listed above for the construction MEI were used for the incoming sensitive receptors that would be introduced by the project.

¹³ We note that to the extent this analysis considers *existing* air quality issues in relation to the impact on *future residents* of the Project, it does so for informational purposes only pursuant to the judicial decisions in *CBIA v. BAAQMD* (2015) 62 Cal.4th 369, 386 and *Ballona Wetlands Land Trust v. City of Los Angeles* (2011) 201 Cal.App.4th 455, 473, which confirm that the impacts of the environment on a project are excluded from CEQA unless the project itself “exacerbates” such impacts.

Combined Community Health Risk at Project Site

Community risk impacts from combined sources upon the project site sensitive receptors are reported in Table 6. As shown, the annual cancer risks and annual PM_{2.5} concentrations from the project's construction would exceed their respective BAAQMD single-source and cumulative-source thresholds. However, with *Mitigation Measure AQ-2*, the construction risk impacts would be reduced to a level below the single-source thresholds. As a result, the combined mitigated increased cancer risk, annual PM_{2.5} concentration, and HI would all be below their respective cumulative significance thresholds.

Table 6. Community Risk Impact to New Project Residences

Source	Increased Cancer Risk (per million)	Annual PM _{2.5} (µg/m ³)	Hazard Index
Project Construction			
Unmitigated	115.1 (infant)	0.99	0.13
Mitigated	3.5 (infant)	0.07	0.01
West San Carlos Street at 40 Feet, ADT 21,795 using screening method*	8.1	0.3	<0.03
San Jose Water Company Diesel Generator at 520 feet using screening method*	3.0	<0.01	0.01
259 Meridian Avenue Construction Risk Impacts	7.4	0.11	0.01
Page Street Housing Construction Risk Impacts	<10.0	<0.3	<1.0
BAAQMD Single-Source Threshold	>10.0	>0.3	>1.0
Exceed Threshold?			
Unmitigated	Yes	Yes	No
Mitigated	No	No	No
Cumulative Total			
Unmitigated	143.6	<1.7	<1.2
Mitigated	32.0	<0.79	<1.1
BAAQMD Cumulative Source Threshold	>100	>0.8	>10.0
Exceed Threshold?			
Unmitigated	Yes	Yes	No
Mitigated	No	No	No

*Note that screening methods tend to overpredict impacts. Had refined modeling methods been used, a lesser impact would likely have been identified. The PM_{2.5} concentration is computed as 0.298 µg/m³.

Greenhouse Gas Emissions

Setting

Gases that trap heat in the atmosphere, GHGs, regulate the earth's temperature. This phenomenon, known as the greenhouse effect, is responsible for maintaining a habitable climate. The most common GHGs are carbon dioxide (CO₂) and water vapor but there are also several others, most importantly methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). These are released into the earth's atmosphere through a variety of natural processes and human activities. Sources of GHGs are generally as follows:

- CO₂ and N₂O are byproducts of fossil fuel combustion.
- N₂O is associated with agricultural operations such as fertilization of crops.
- CH₄ is commonly created by off-gassing from agricultural practices (e.g., keeping livestock) and landfill operations.
- Chlorofluorocarbons (CFCs) were widely used as refrigerants, propellants, and cleaning solvents but their production has been stopped by international treaty.
- HFCs are now used as a substitute for CFCs in refrigeration and cooling.
- PFCs and sulfur hexafluoride emissions are commonly created by industries such as aluminum production and semi-conductor manufacturing.

Each GHG has its own potency and effect upon the earth's energy balance. This is expressed in terms of a global warming potential (GWP), with CO₂ being assigned a value of 1 and sulfur hexafluoride being several orders of magnitude stronger. In GHG emission inventories, the weight of each gas is multiplied by its GWP and is measured in units of CO₂ equivalents (CO₂e).

An expanding body of scientific research supports the theory that global climate change is currently affecting changes in weather patterns, average sea level, ocean acidification, chemical reaction rates, and precipitation rates, and that it will increasingly do so in the future. The climate and several naturally occurring resources within California are adversely affected by the global warming trend. Increased precipitation and sea level rise will increase coastal flooding, saltwater intrusion, and degradation of wetlands. Mass migration and/or loss of plant and animal species could also occur. Potential effects of global climate change that could adversely affect human health include more extreme heat waves and heat-related stress; an increase in climate-sensitive diseases; more frequent and intense natural disasters such as flooding, hurricanes and drought; and increased levels of air pollution.

Recent Regulatory Actions

Assembly Bill 32 (AB 32), California Global Warming Solutions Act (2006)

AB 32, the Global Warming Solutions Act of 2006, codified the State's GHG emissions target by directing CARB to reduce the State's global warming emissions to 1990 levels by 2020. AB 32 was signed and passed into law by Governor Schwarzenegger on September 27, 2006. Since that time, the CARB, CEC, California Public Utilities Commission (CPUC), and Building Standards

Commission have all been developing regulations that will help meet the goals of AB 32 and Executive Order S-3-05.

A Scoping Plan for AB 32 was adopted by CARB in December 2008. It contains the State's main strategies to reduce GHGs from business-as-usual emissions projected in 2020 back down to 1990 levels. Business-as-usual (BAU) is the projected emissions in 2020, including increases in emissions caused by growth, without any GHG reduction measures. The Scoping Plan has a range of GHG reduction actions, including direct regulations, alternative compliance mechanisms, monetary and non-monetary incentives, voluntary actions, and market-based mechanisms such as a cap-and-trade system.

As directed by AB 32, CARB has also approved a statewide GHG emissions limit. On December 6, 2007, CARB staff resolved an amount of 427 million metric tons (MMT) of CO_{2e} as the total statewide GHG 1990 emissions level and 2020 emissions limit. The limit is a cumulative statewide limit, not a sector- or facility-specific limit. CARB updated the future 2020 BAU annual emissions forecast, in light of the economic downturn, to 545 MMT of CO_{2e}. Two GHG emissions reduction measures currently enacted that were not previously included in the 2008 Scoping Plan baseline inventory were included, further reducing the baseline inventory to 507 MMT of CO_{2e}. Thus, an estimated reduction of 80 MMT of CO_{2e} is necessary to reduce statewide emissions to meet the AB 32 target by 2020.

Senate Bill 375, California's Regional Transportation and Land Use Planning Efforts (2008)

California enacted legislation (SB 375) to expand the efforts of AB 32 by controlling indirect GHG emissions caused by urban sprawl. SB 375 provides incentives for local governments and applicants to implement new conscientiously planned growth patterns. This includes incentives for creating attractive, walkable, and sustainable communities and revitalizing existing communities. The legislation also allows applicants to bypass certain environmental reviews under CEQA if they build projects consistent with the new sustainable community strategies. Development of more alternative transportation options that would reduce vehicle trips and miles traveled, along with traffic congestion, would be encouraged. SB 375 enhances CARB's ability to reach the AB 32 goals by directing the agency in developing regional GHG emission reduction targets to be achieved from the transportation sector for 2020 and 2035. CARB works with the metropolitan planning organizations (e.g. Association of Bay Area Governments [ABAG] and Metropolitan Transportation Commission [MTC]) to align their regional transportation, housing, and land use plans to reduce vehicle miles traveled and demonstrate the region's ability to attain its GHG reduction targets. A similar process is used to reduce transportation emissions of ozone precursor pollutants in the Bay Area.

SB 350 Renewable Portfolio Standards

In September 2015, the California Legislature passed SB 350, which increases the states Renewables Portfolio Standard (RPS) for content of electrical generation from the 33 percent target for 2020 to a 50 percent renewables target by 2030.

Executive Order EO-B-30-15 (2015) and SB 32 GHG Reduction Targets

In April 2015, Governor Brown signed Executive Order which extended the goals of AB 32, setting a greenhouse gas emissions target at 40 percent of 1990 levels by 2030. On September 8, 2016, Governor Brown signed SB 32, which legislatively established the GHG reduction target of 40 percent of 1990 levels by 2030. In November 2017, CARB issued *California's 2017 Climate Change Scoping Plan*. While the State is on track to exceed the AB 32 scoping plan 2020 targets, this plan is an update to reflect the enacted SB 32 reduction target.

SB 32 was passed in 2016, which codified a 2030 GHG emissions reduction target of 40 percent below 1990 levels. CARB is currently working on a second update to the Scoping Plan to reflect the 2030 target set by Executive Order B-30-15 and codified by SB 32. The proposed Scoping Plan Update was published on January 20, 2017 as directed by SB 32 companion legislation AB 197. The mid-term 2030 target is considered critical by CARB on the path to obtaining an even deeper GHG emissions target of 80 percent below 1990 levels by 2050, as directed in Executive Order S-3-05. The Scoping Plan outlines the suite of policy measures, regulations, planning efforts, and investments in clean technologies and infrastructure, providing a blueprint to continue driving down GHG emissions and obtain the statewide goals.

The new Scoping Plan establishes a strategy that will reduce GHG emissions in California to meet the 2030 target (note that the AB 32 Scoping Plan only addressed 2020 targets and a long-term goal). Key features of this plan are:

- Cap and Trade program places a firm limit on 80 percent of the State's emissions;
- Achieving a 50-percent Renewable Portfolio Standard by 2030 (currently at about 29 percent statewide);
- Increase energy efficiency in existing buildings;
- Develop fuels with an 18-percent reduction in carbon intensity;
- Develop more high-density, transit-oriented housing;
- Develop walkable and bikable communities;
- Greatly increase the number of electric vehicles on the road and reduce oil demand in half;
- Increase zero-emissions transit so that 100 percent of new buses are zero emissions;
- Reduce freight-related emissions by transitioning to zero emissions where feasible and near-zero emissions with renewable fuels everywhere else; and
- Reduce "super pollutants" by reducing methane and hydrofluorocarbons or HFCs by 40 percent.

In the updated Scoping Plan, CARB recommends statewide targets of no more than 6 metric tons CO₂e per capita (statewide) by 2030 and no more than 2 metric tons CO₂e per capita by 2050. The statewide per capita targets account for all emissions sectors in the State, statewide population forecasts, and the statewide reductions necessary to achieve the 2030 statewide target under SB 32 and the longer-term State emissions reduction goal of 80 percent below 1990 levels by 2050.

City of San Jose Greenhouse Gas Reduction Strategy

The Greenhouse Gas Reduction Strategy (GHGRS) was a document prepared by the City of San José to help the City to quantify, reduce, and manage their GHG emissions.¹⁴ The GHGRS was prepared alongside the *Envision San José 2040 General Plan Update* to ensure that the General Plan aligned with AB32. The City uses the following ‘Plan-level’ GHG significance threshold to reduce GHG emissions to meet the 2020 goal of AB32: 6.6 metric tons of CO₂ equivalent per service population per year (MT CO₂e / SP / year). Service population is defined as the number of residents plus the number of people working within San José. The City has also estimated an efficiency threshold of 3.04 MT CO₂e /SP for 2035. However, since this project would be operational post-2020, the 2020 efficiency threshold is not appropriate. This analysis uses an efficiency threshold for projects operational post-2020 that is more aggressive than the 2035 efficiency threshold proposed by the City of San José. Additionally, the GHGRS has several measures that would be implemented, monitored, and enforced by the City. These policies and measures are listed as attachments in the GHGRS. New development projects are subject to the greenhouse gas policies listed in Attachment B and D of the GHGRS.

BAAQMD Significance Thresholds

The BAAQMD’s CEQA Air Quality Guidelines do not use quantified thresholds for projects that are in a jurisdiction with a qualified GHG reductions plan (i.e., a Climate Action Plan). The plan has to address emissions associated with the period that the project would operate (e.g., beyond year 2020). For quantified emissions, the guidelines recommended a GHG threshold of 1,100 metric tons or 4.6 metric tons (MT) per capita. These thresholds were developed based on meeting the 2020 GHG targets set in the scoping plan that addressed AB 32. Development of the project would occur beyond 2020, so a threshold that addresses a future target is appropriate.

Although BAAQMD has not published a quantified threshold for 2030 yet, this assessment uses a “Substantial Progress” efficiency metric of 2.6 MT CO₂e/year/service population and a bright-line threshold of 660 MT CO₂e/year based on the GHG reduction goals of EO B-30-15. The service population metric of 2.6 is calculated for 2030 based on the 1990 inventory and the projected 2030 statewide population and employment levels.¹⁵ The 2030 bright-line threshold is a 40 percent reduction of the 2020 1,100 MT CO₂e/year threshold.

Impact 1: Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

GHG emissions associated with development of the proposed project would occur over the short-term from construction activities, consisting primarily of emissions from equipment exhaust and worker and vendor trips. There would also be long-term operational emissions associated with vehicular traffic within the project vicinity, energy and water usage, and solid waste disposal.

¹⁴ City of San José, 2011. *Greenhouse Gas Reduction Strategy for the City of San José*. June (updated December 2015). <http://www.sanjoseca.gov/documentcenter/view/9388>

¹⁵ Dave Vintze, Bay Area Air Quality Management District, 2016. *CLE International 12th Annual SuperConference CEQA Guidelines, Case Law and Policy Update*. December.

Emissions for the proposed project are discussed below and were analyzed using the methodology recommended in the BAAQMD CEQA Air Quality Guidelines.

CalEEMod Modeling

CalEEMod was used to predict GHG emissions from operation of the site assuming full build-out of the project. The project land use types and size and other project-specific information were input to the model, as described above within the operational period emissions. CalEEMod output is included in *Attachment 2*.

Service Population Emissions

The project service population efficiency rate is based on the number of future residents and future employees. For this project, the number of future residents was estimated by multiplying the total number of units (e.g. 174 units) by the persons per household rate for the City of San José found in the California Department of Finance Population and Housing Estimate report.¹⁶ Using the 3.20 person per household 2019 rate, the number of future residents is estimated to be 557 residents. The number of future employees is based on a rate of one employee per 250 square feet.¹⁷ Using this rate and 19,600 sf of commercial use, the number of future employees would be 78 employees. The total service population would be 635 individuals.

Note: Based on the revised project (173 residential units and 18,242 square feet of commercial use), the service population was reduced from 635 to 627.

Construction Emissions

GHG emissions associated with construction were computed to be 1,007 MT of CO_{2e} for the total construction period. These are the emissions from on-site operation of construction equipment, vendor and hauling truck trips, and worker trips. Neither the City nor BAAQMD have an adopted threshold of significance for construction-related GHG emissions, though BAAQMD recommends quantifying emissions and disclosing that GHG emissions would occur during construction. BAAQMD also encourages the incorporation of best management practices to reduce GHG emissions during construction where feasible and applicable.

Operational Emissions

The CalEEMod model, along with the project vehicle trip generation rates, was used to estimate daily emissions associated with operation of the fully-developed site under the proposed project. As shown in Table 7, the net annual emissions resulting from operation of the proposed project are predicted to be 931 MT of CO_{2e} for the year 2022 and 853 MT of CO_{2e} for the year 2030. The Service Population Emissions for the year 2022 would be 1.5 and 1.6 MT CO_{2e}/year/service population for the year 2030.

¹⁶ State of California, Department of Finance, *E-5 Population and Housing Estimates for Cities, Counties and the State — January 1, 2011-2019*. Sacramento, California, May 2019.

¹⁷ Strategic Economics, Inc., 2016. *San Jose market Overview and Employment Land Analysis*. January.

To be considered significant, the project must exceed both the GHG significance threshold in metric tons per year and the service population significance threshold. The 2025 and 2030 emissions do exceed the 2030 “bright-line” threshold of 660 MT of CO_{2e}/year. However, the 2025 and 2030 per capita emissions do not exceed the “Substantial Progress” efficiency metric of 2.6 MT CO_{2e}/year/service population. Therefore, the project would have a *less-than-significant* impact regarding GHG emissions.

Table 7. Annual Project GHG Emissions (CO_{2e}) in Metric Tons and Per Capita

Source Category	Existing Land Use in 2025	Proposed Project in 2025	Existing Land Use in 2030	Proposed Project in 2030
Area	1	9	1	9
Energy Consumption	69	269	69	269
Mobile	73	757	65	671
Solid Waste Generation	29	51	29	51
Water Usage	4	21	4	21
Total (MT CO _{2e} /year)	176	1,107	168	1,021
Net Emissions		931 MT CO _{2e} /year		853 MT CO _{2e} /year
Significance Threshold	660 MT CO_{2e}/year			
Service Population Emissions (MT CO _{2e} /year/service population)		1.5		1.6
Significance Threshold	2.6 in 2030			
Significant (Exceeds both thresholds)?		No		No

Impact 2: Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

The proposed project would not conflict or otherwise interfere with the statewide GHG reduction measures identified in CARB’s Scoping Plan. For example, proposed buildings would be constructed in conformance with CALGreen and the Title 24 Building Code, which requires high-efficiency water fixtures and water-efficient irrigation systems.

Additionally, the project would implement and comply with the greenhouse gas reduction policies found in the *Envisions San José 2040 General Plan Policy*, which are also found in GHGRS as Attachment B. The project is also subject to the GHG reduction strategies listed in the *Greenhouse Gas Reduction Strategy Implementation Tracking* (Attachment D) tool in the GHGRS. The project would implement and comply with all relevant GHG reduction measures as determined by the City.

Supporting Documentation

Attachment 1 is the methodology used to compute community risk impacts, including the methods to compute lifetime cancer risk from exposure to project emissions.

Attachment 2 includes the CalEEMod output for project construction and operational criteria air pollutant and GHG emissions. The operational output for existing uses is also included in this attachment. Also included are any modeling assumptions.

Attachment 3 is the construction health risk assessment. AERMOD dispersion modeling files for this assessment, which are quite voluminous, are available upon request and would be provided in digital format

Attachment 4 includes the screening community risk calculations from sources affecting the project and MEI.

Attachment 1: Health Risk Calculation Methodology

Health Risk Calculation Methodology

A health risk assessment (HRA) for exposure to Toxic Air Contaminates (TACs) requires the application of a risk characterization model to the results from the air dispersion model to estimate potential health risk at each sensitive receptor location. The State of California Office of Environmental Health Hazard Assessment (OEHHA) and California Air Resources Board (CARB) develop recommended methods for conducting health risk assessments. The most recent OEHHA risk assessment guidelines were published in February of 2015.¹⁸ These guidelines incorporate substantial changes designed to provide for enhanced protection of children, as required by State law, compared to previous published risk assessment guidelines. CARB has provided additional guidance on implementing OEHHA's recommended methods.¹⁹ This HRA used the 2015 OEHHA risk assessment guidelines and CARB guidance. The BAAQMD has adopted recommended procedures for applying the newest OEHHA guidelines as part of Regulation 2, Rule 5: New Source Review of Toxic Air Contaminants.²⁰ Exposure parameters from the OEHHA guidelines and the recent BAAQMD HRA Guidelines were used in this evaluation.

Cancer Risk

Potential increased cancer risk from inhalation of TACs are calculated based on the TAC concentration over the period of exposure, inhalation dose, the TAC cancer potency factor, and an age sensitivity factor to reflect the greater sensitivity of infants and children to cancer causing TACs. The inhalation dose depends on a person's breathing rate, exposure time and frequency and duration of exposure. These parameters vary depending on the age, or age range, of the persons being exposed and whether the exposure is considered to occur at a residential location or other sensitive receptor location.

The current OEHHA guidance recommends that cancer risk be calculated by age groups to account for different breathing rates and sensitivity to TACs. Specifically, they recommend evaluating risks for the third trimester of pregnancy to age zero, ages zero to less than two (infant exposure), ages two to less than 16 (child exposure), and ages 16 to 70 (adult exposure). Age sensitivity factors (ASFs) associated with the different types of exposure are an ASF of 10 for the third trimester and infant exposures, an ASF of 3 for a child exposure, and an ASF of 1 for an adult exposure. Also associated with each exposure type are different breathing rates, expressed as liters per kilogram of body weight per day (L/kg-day). As recommended by the BAAQMD for residential exposures, 95th percentile breathing rates are used for the third trimester and infant exposures, and 80th percentile breathing rates for child and adult exposures. For children at schools and daycare facilities, BAAQMD recommends using the 95th percentile breathing rates. Additionally, CARB and the BAAQMD recommend the use of a residential exposure duration of 30 years for sources with long-

¹⁸ OEHHA, 2015. *Air Toxics Hot Spots Program Risk Assessment Guidelines, The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments*. Office of Environmental Health Hazard Assessment. February.

¹⁹ CARB, 2015. *Risk Management Guidance for Stationary Sources of Air Toxics*. July 23.

²⁰ BAAQMD, 2016. *BAAQMD Air Toxics NSR Program Health Risk Assessment (HRA) Guidelines*. December 2016.

term emissions (e.g., roadways). For workers, assumed to be adults, a 25-year exposure period is recommended by the BAAQMD.

Under previous OEHHA and BAAQMD HRA guidance, residential receptors are assumed to be at their home 24 hours a day, or 100 percent of the time. In the 2015 Risk Assessment Guidance, OEHHA includes adjustments to exposure duration to account for the fraction of time at home (FAH), which can be less than 100 percent of the time, based on updated population and activity statistics. The FAH factors are age-specific and are: 0.85 for third trimester of pregnancy to less than 2 years old, 0.72 for ages 2 to less than 16 years, and 0.73 for ages 16 to 70 years. Use of the FAH factors is allowed by the BAAQMD if there are no schools in the project vicinity that would have a cancer risk of one in a million or greater assuming 100 percent exposure (FAH = 1.0).

Functionally, cancer risk is calculated using the following parameters and formulas:

$$\text{Cancer Risk (per million)} = \text{CPF} \times \text{Inhalation Dose} \times \text{ASF} \times \text{ED/AT} \times \text{FAH} \times 10^6$$

Where:

CPF = Cancer potency factor (mg/kg-day)⁻¹

ASF = Age sensitivity factor for specified age group

ED = Exposure duration (years)

AT = Averaging time for lifetime cancer risk (years)

FAH = Fraction of time spent at home (unitless)

$$\text{Inhalation Dose} = C_{\text{air}} \times \text{DBR} \times A \times (\text{EF}/365) \times 10^{-6}$$

Where:

C_{air} = concentration in air (µg/m³)

DBR = daily breathing rate (L/kg body weight-day)

A = Inhalation absorption factor

EF = Exposure frequency (days/year)

10⁻⁶ = Conversion factor

The health risk parameters used in this evaluation are summarized as follows:

Parameter	Exposure Type →	Infant		Child		Adult
	Age Range →	3 rd Trimester	0<2	2 < 9	2 < 16	16 - 30
DPM Cancer Potency Factor (mg/kg-day) ⁻¹		1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
Daily Breathing Rate (L/kg-day) 80 th Percentile Rate		273	758	631	572	261
Daily Breathing Rate (L/kg-day) 95 th Percentile Rate		361	1,090	861	745	335
Inhalation Absorption Factor		1	1	1	1	1
Averaging Time (years)		70	70	70	70	70
Exposure Duration (years)		0.25	2	14	14	14
Exposure Frequency (days/year)		350	350	350	350	350
Age Sensitivity Factor		10	10	3	3	1
Fraction of Time at Home		0.85-1.0	0.85-1.0	0.72-1.0	0.72-1.0	0.73

Non-Cancer Hazards

Potential non-cancer health hazards from TAC exposure are expressed in terms of a hazard index (HI), which is the ratio of the TAC concentration to a reference exposure level (REL). OEHHA has defined acceptable concentration levels for contaminants that pose non-cancer health hazards. TAC concentrations below the REL are not expected to cause adverse health impacts, even for sensitive individuals. The total HI is calculated as the sum of the HIs for each TAC evaluated and the total HI is compared to the BAAQMD significance thresholds to determine whether a significant non-cancer health impact from a project would occur.

Typically, for residential projects located near roadways with substantial TAC emissions, the primary TAC of concern with non-cancer health effects is diesel particulate matter (DPM). For DPM, the chronic inhalation REL is 5 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

Annual PM_{2.5} Concentrations

While not a TAC, fine particulate matter (PM_{2.5}) has been identified by the BAAQMD as a pollutant with potential non-cancer health effects that should be included when evaluating potential community health impacts under the California Environmental Quality Act (CEQA). The thresholds of significance for PM_{2.5} (project level and cumulative) are in terms of an increase in the annual average concentration. When considering PM_{2.5} impacts, the contribution from all sources of PM_{2.5} emissions should be included. For projects with potential impacts from nearby local roadways, the PM_{2.5} impacts should include those from vehicle exhaust emissions, PM_{2.5} generated from vehicle tire and brake wear, and fugitive emissions from re-suspended dust on the roads.

Attachment 2: CalEEMod Modeling Output

19-066 W. San Carlos (Phase 1) Construction AQ - Santa Clara County, Annual

19-066 W. San Carlos (Phase 1) Construction AQ
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	113.00	Space	1.02	48,763.00	0
Apartments Mid Rise	104.00	Dwelling Unit	2.74	41,292.00	297
Strip Mall	13.64	1000sqft	0.31	13,638.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land uses for Building 1 with default acreage and exact square footage

Construction Phase - Default construction schedule with the exception of grading and trenching. Changed from 8 days to 24 days due to amount of hauling predicted

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - Default trenching equipment assumed

Demolition - Resturant = 2,250-sf and 8 dwelling units (5,500 sqft from applicant)

Grading - 17,304-cubic yards of soil excavated

Trips and VMT -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Energy Use -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	8.00	24.00
tblConstructionPhase	PhaseEndDate	7/15/2020	8/6/2020
tblGrading	AcresOfGrading	12.00	4.00
tblGrading	MaterialExported	0.00	17,304.00
tblLandUse	LandUseSquareFeet	45,200.00	48,763.00
tblLandUse	LandUseSquareFeet	104,000.00	41,292.00
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblProjectCharacteristics	CO2IntensityFactor	641.35	290

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					

2020	0.2386	2.4170	1.7763	4.2100e-003	0.2025	0.1083	0.3108	0.0867	0.1012	0.1879	0.0000	378.2969	378.2969	0.0642	0.0000	379.9022
2021	0.5090	1.1914	1.1943	2.4000e-003	0.0536	0.0589	0.1125	0.0144	0.0553	0.0697	0.0000	211.0648	211.0648	0.0374	0.0000	211.9999
Maximum	0.5090	2.4170	1.7763	4.2100e-003	0.2025	0.1083	0.3108	0.0867	0.1012	0.1879	0.0000	378.2969	378.2969	0.0642	0.0000	379.9022

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2020	0.2386	2.4170	1.7763	4.2100e-003	0.2025	0.1083	0.3108	0.0867	0.1012	0.1879	0.0000	378.2967	378.2967	0.0642	0.0000	379.9019
2021	0.5090	1.1914	1.1943	2.4000e-003	0.0536	0.0589	0.1125	0.0144	0.0553	0.0697	0.0000	211.0646	211.0646	0.0374	0.0000	211.9997
Maximum	0.5090	2.4170	1.7763	4.2100e-003	0.2025	0.1083	0.3108	0.0867	0.1012	0.1879	0.0000	378.2967	378.2967	0.0642	0.0000	379.9019

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	6-1-2020	8-31-2020	1.5653	1.5653
2	9-1-2020	11-30-2020	0.7923	0.7923
3	12-1-2020	2-28-2021	0.7367	0.7367
4	3-1-2021	5-31-2021	0.7254	0.7254
5	6-1-2021	8-31-2021	0.4976	0.4976
		Highest	1.5653	1.5653

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	6/1/2020	6/26/2020	5	20	
2	Site Preparation	Site Preparation	6/27/2020	7/3/2020	5	5	
3	Grading	Grading	7/4/2020	8/6/2020	5	24	
4	Trenching	Trenching	7/4/2020	7/17/2020	5	10	
5	Building Construction	Building Construction	7/16/2020	6/2/2021	5	230	
6	Paving	Paving	6/3/2021	6/28/2021	5	18	
7	Architectural Coating	Architectural Coating	6/29/2021	7/22/2021	5	18	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 4

Acres of Paving: 1.02

Residential Indoor: 83,616; Residential Outdoor: 27,872; Non-Residential Indoor: 20,457; Non-Residential Outdoor: 6,819; Striped

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Trenching	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Trenching	Excavators	1	8.00	158	0.38
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20

Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	6.00	132	0.36
Paving	Rollers	2	6.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	35.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	2,163.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	2	5.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	100.00	21.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	8	20.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	20.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					3.8100e-003	0.0000	3.8100e-003	5.8000e-004	0.0000	5.8000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0331	0.3320	0.2175	3.9000e-004		0.0166	0.0166		0.0154	0.0154	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2386
Total	0.0331	0.3320	0.2175	3.9000e-004	3.8100e-003	0.0166	0.0204	5.8000e-004	0.0154	0.0160	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2386

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.5000e-004	5.0800e-003	1.0400e-003	1.0000e-005	3.0000e-004	2.0000e-005	3.1000e-004	8.0000e-005	2.0000e-005	1.0000e-004	0.0000	1.3347	1.3347	6.0000e-005	0.0000	1.3363
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-004	3.6000e-004	3.7500e-003	1.0000e-005	1.1900e-003	1.0000e-005	1.2000e-003	3.2000e-004	1.0000e-005	3.2000e-004	0.0000	1.0202	1.0202	3.0000e-005	0.0000	1.0209
Total	6.5000e-004	5.4400e-003	4.7900e-003	2.0000e-005	1.4900e-003	3.0000e-005	1.5100e-003	4.0000e-004	3.0000e-005	4.2000e-004	0.0000	2.3550	2.3550	9.0000e-005	0.0000	2.3571

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					3.8100e-003	0.0000	3.8100e-003	5.8000e-004	0.0000	5.8000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0331	0.3320	0.2175	3.9000e-004		0.0166	0.0166		0.0154	0.0154	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2385
Total	0.0331	0.3320	0.2175	3.9000e-004	3.8100e-003	0.0166	0.0204	5.8000e-004	0.0154	0.0160	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2385

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.5000e-004	5.0800e-003	1.0400e-003	1.0000e-005	3.0000e-004	2.0000e-005	3.1000e-004	8.0000e-005	2.0000e-005	1.0000e-004	0.0000	1.3347	1.3347	6.0000e-005	0.0000	1.3363
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-004	3.6000e-004	3.7500e-003	1.0000e-005	1.1900e-003	1.0000e-005	1.2000e-003	3.2000e-004	1.0000e-005	3.2000e-004	0.0000	1.0202	1.0202	3.0000e-005	0.0000	1.0209
Total	6.5000e-004	5.4400e-003	4.7900e-003	2.0000e-005	1.4900e-003	3.0000e-005	1.5100e-003	4.0000e-004	3.0000e-005	4.2000e-004	0.0000	2.3550	2.3550	9.0000e-005	0.0000	2.3571

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0452	0.0000	0.0452	0.0248	0.0000	0.0248	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.1060	0.0538	1.0000e-004		5.4900e-003	5.4900e-003		5.0500e-003	5.0500e-003	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4253
Total	0.0102	0.1060	0.0538	1.0000e-004	0.0452	5.4900e-003	0.0507	0.0248	5.0500e-003	0.0299	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4253

Unmitigated Construction Off-Site

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.5000e-004	1.1000e-004	1.1300e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	9.0000e-005	0.0000	1.0000e-004	0.0000	0.3061	0.3061	1.0000e-005	0.0000	0.3063
Total	1.5000e-004	1.1000e-004	1.1300e-003	0.0000	3.6000e-004	0.0000	3.6000e-004	9.0000e-005	0.0000	1.0000e-004	0.0000	0.3061	0.3061	1.0000e-005	0.0000	0.3063

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0754	0.0000	0.0754	0.0401	0.0000	0.0401	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0292	0.3166	0.1926	3.6000e-004		0.0153	0.0153		0.0141	0.0141	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233
Total	0.0292	0.3166	0.1926	3.6000e-004	0.0754	0.0153	0.0906	0.0401	0.0141	0.0542	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	8.9900e-003	0.3138	0.0643	8.5000e-004	0.0183	1.0200e-003	0.0194	5.0400e-003	9.8000e-004	6.0200e-003	0.0000	82.4869	82.4869	3.7700e-003	0.0000	82.5812
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e-004	4.3000e-004	4.5000e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.2243	1.2243	3.0000e-005	0.0000	1.2250
Total	9.5900e-003	0.3143	0.0688	8.6000e-004	0.0198	1.0300e-003	0.0208	5.4200e-003	9.9000e-004	6.4100e-003	0.0000	83.7111	83.7111	3.8000e-003	0.0000	83.8062

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0754	0.0000	0.0754	0.0401	0.0000	0.0401	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0292	0.3166	0.1926	3.6000e-004		0.0153	0.0153		0.0141	0.0141	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233
Total	0.0292	0.3166	0.1926	3.6000e-004	0.0754	0.0153	0.0906	0.0401	0.0141	0.0542	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	8.9900e-003	0.3138	0.0643	8.5000e-004	0.0183	1.0200e-003	0.0194	5.0400e-003	9.8000e-004	6.0200e-003	0.0000	82.4869	82.4869	3.7700e-003	0.0000	82.5812
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e-004	4.3000e-004	4.5000e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.2243	1.2243	3.0000e-005	0.0000	1.2250
Total	9.5900e-003	0.3143	0.0688	8.6000e-004	0.0198	1.0300e-003	0.0208	5.4200e-003	9.9000e-004	6.4100e-003	0.0000	83.7111	83.7111	3.8000e-003	0.0000	83.8062

3.5 Trenching - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.2700e-003	0.0226	0.0278	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6386	3.6386	1.1800e-003	0.0000	3.6680
Total	2.2700e-003	0.0226	0.0278	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6386	3.6386	1.1800e-003	0.0000	3.6680

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	6.0000e-005	6.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1700	0.1700	0.0000	0.0000	0.1701
Total	8.0000e-005	6.0000e-005	6.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1700	0.1700	0.0000	0.0000	0.1701

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.2700e-003	0.0226	0.0278	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6386	3.6386	1.1800e-003	0.0000	3.6680

Total	2.2700e-003	0.0226	0.0278	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6386	3.6386	1.1800e-003	0.0000	3.6680
-------	-------------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	--------	--------	-------------	--------	--------

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	8.0000e-005	6.0000e-005	6.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1700	0.1700	0.0000	0.0000	0.1701
Total	8.0000e-005	6.0000e-005	6.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1700	0.1700	0.0000	0.0000	0.1701

3.6 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1240	140.1240	0.0342	0.0000	140.9787
Total	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1240	140.1240	0.0342	0.0000	140.9787

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0400e-003	0.1447	0.0385	3.5000e-004	8.3600e-003	7.2000e-004	9.0700e-003	2.4200e-003	6.9000e-004	3.1000e-003	0.0000	33.2163	33.2163	1.5200e-003	0.0000	33.2544
Worker	0.0201	0.0144	0.1514	4.6000e-004	0.0480	3.1000e-004	0.0483	0.0128	2.9000e-004	0.0131	0.0000	41.1490	41.1490	1.0100e-003	0.0000	41.1743
Total	0.0251	0.1591	0.1899	8.1000e-004	0.0563	1.0300e-003	0.0574	0.0152	9.8000e-004	0.0162	0.0000	74.3654	74.3654	2.5300e-003	0.0000	74.4287

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1239	140.1239	0.0342	0.0000	140.9785
Total	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1239	140.1239	0.0342	0.0000	140.9785

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.0400e-003	0.1447	0.0385	3.5000e-004	8.3600e-003	7.2000e-004	9.0700e-003	2.4200e-003	6.9000e-004	3.1000e-003	0.0000	33.2163	33.2163	1.5200e-003	0.0000	33.2544
Worker	0.0201	0.0144	0.1514	4.6000e-004	0.0480	3.1000e-004	0.0483	0.0128	2.9000e-004	0.0131	0.0000	41.1490	41.1490	1.0100e-003	0.0000	41.1743
Total	0.0251	0.1591	0.1899	8.1000e-004	0.0563	1.0300e-003	0.0574	0.0152	9.8000e-004	0.0162	0.0000	74.3654	74.3654	2.5300e-003	0.0000	74.4287

3.6 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2423	126.2423	0.0305	0.0000	127.0037
Total	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2423	126.2423	0.0305	0.0000	127.0037

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.7300e-003	0.1176	0.0313	3.1000e-004	7.5300e-003	2.6000e-004	7.7900e-003	2.1800e-003	2.5000e-004	2.4300e-003	0.0000	29.6459	29.6459	1.2900e-003	0.0000	29.6782

Worker	0.0168	0.0116	0.1247	4.0000e-004	0.0432	2.7000e-004	0.0435	0.0115	2.5000e-004	0.0118	0.0000	35.7815	35.7815	8.1000e-004	0.0000	35.8019
Total	0.0205	0.1292	0.1560	7.1000e-004	0.0508	5.3000e-004	0.0513	0.0137	5.0000e-004	0.0142	0.0000	65.4274	65.4274	2.1000e-003	0.0000	65.4801

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2422	126.2422	0.0305	0.0000	127.0036
Total	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2422	126.2422	0.0305	0.0000	127.0036

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.7300e-003	0.1176	0.0313	3.1000e-004	7.5300e-003	2.6000e-004	7.7900e-003	2.1800e-003	2.5000e-004	2.4300e-003	0.0000	29.6459	29.6459	1.2900e-003	0.0000	29.6782
Worker	0.0168	0.0116	0.1247	4.0000e-004	0.0432	2.7000e-004	0.0435	0.0115	2.5000e-004	0.0118	0.0000	35.7815	35.7815	8.1000e-004	0.0000	35.8019
Total	0.0205	0.1292	0.1560	7.1000e-004	0.0508	5.3000e-004	0.0513	0.0137	5.0000e-004	0.0142	0.0000	65.4274	65.4274	2.1000e-003	0.0000	65.4801

3.7 Paving - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	9.8500e-003	0.0976	0.1103	1.7000e-004		5.2100e-003	5.2100e-003		4.8100e-003	4.8100e-003	0.0000	14.7336	14.7336	4.6300e-003	0.0000	14.8493
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	9.8500e-003	0.0976	0.1103	1.7000e-004		5.2100e-003	5.2100e-003		4.8100e-003	4.8100e-003	0.0000	14.7336	14.7336	4.6300e-003	0.0000	14.8493

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825
Total	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Off-Road	9.8500e-003	0.0976	0.1103	1.7000e-004		5.2100e-003	5.2100e-003		4.8100e-003	4.8100e-003	0.0000	14.7335	14.7335	4.6300e-003	0.0000	14.8493
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	9.8500e-003	0.0976	0.1103	1.7000e-004		5.2100e-003	5.2100e-003		4.8100e-003	4.8100e-003	0.0000	14.7335	14.7335	4.6300e-003	0.0000	14.8493

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825
Total	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825

3.8 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3720					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.9700e-003	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019

Total	0.3739	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019
-------	--------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	--------	--------	-------------	--------	--------

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825
Total	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3720					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.9700e-003	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019
Total	0.3739	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825
Total	5.5000e-004	3.8000e-004	4.1200e-003	1.0000e-005	1.4300e-003	1.0000e-005	1.4400e-003	3.8000e-004	1.0000e-005	3.9000e-004	0.0000	1.1818	1.1818	3.0000e-005	0.0000	1.1825

19-066 W. San Carlos (Phase 1) Construction TAC - Santa Clara County, Annual

19-066 W. San Carlos (Phase 1) Construction TAC
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	113.00	Space	1.02	48,763.00	0
Apartments Mid Rise	104.00	Dwelling Unit	2.74	41,292.00	297
Strip Mall	13.64	1000sqft	0.31	13,638.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land uses for Building 1 with default acreage and exact square footage

Construction Phase - Default construction schedule with the exception of grading and trenching. Changed from 8 days to 24 days due to amount of hauling predicted

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - Default trenching equipment assumed

Trips and VMT - TAC trip length of 1 mile for localized air emissions

Demolition - Resturant = 2,250-sf and 8 dwelling units (5,500 sqft from applicant)

Grading - 17,304-cubic yards of soil excavated

Energy Use -

Construction Off-road Equipment Mitigation - BMPs, Tier 4 interim mitigation with temporary power line for portable equipment

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	12.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstructionPhase	NumDays	8.00	24.00
tblGrading	AcresOfGrading	12.00	4.00
tblGrading	MaterialExported	0.00	17,304.00
tblLandUse	LandUseSquareFeet	45,200.00	48,763.00
tblLandUse	LandUseSquareFeet	104,000.00	41,292.00
tblLandUse	LandUseSquareFeet	13,640.00	13,638.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00

tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00

2.0 Emissions Summary

2.1 Overall Construction
Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2020	0.2149	2.1396	1.5954	2.8200e-003	0.1313	0.1065	0.2378	0.0674	0.0995	0.1669	0.0000	247.1018	247.1018	0.0605	0.0000	248.6147
2021	0.4952	1.1367	1.0840	1.8100e-003	5.3800e-003	0.0584	0.0638	1.4600e-003	0.0549	0.0564	0.0000	156.9383	156.9383	0.0363	0.0000	157.8450
Maximum	0.4952	2.1396	1.5954	2.8200e-003	0.1313	0.1065	0.2378	0.0674	0.0995	0.1669	0.0000	247.1018	247.1018	0.0605	0.0000	248.6147

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2020	0.0476	0.9052	1.3545	2.8200e-003	0.0629	3.4100e-003	0.0663	0.0166	3.3900e-003	0.0200	0.0000	196.1427	196.1427	0.0566	0.0000	197.5568
2021	0.4025	0.5223	0.8472	1.8100e-003	5.3800e-003	1.9700e-003	7.3400e-003	1.4600e-003	1.9600e-003	3.4200e-003	0.0000	113.5784	113.5784	0.0332	0.0000	114.4085

Maximum	0.4025	0.9052	1.3545	2.8200e-003	0.0629	3.4100e-003	0.0663	0.0166	3.3900e-003	0.0200	0.0000	196.1427	196.1427	0.0566	0.0000	197.5568
---------	--------	--------	--------	-------------	--------	-------------	--------	--------	-------------	--------	--------	----------	----------	--------	--------	----------

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	36.61	56.43	17.83	0.00	50.05	96.74	75.59	73.73	96.54	89.50	0.00	23.34	23.34	7.25	0.00	23.25

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	6-1-2020	8-31-2020	1.3338	0.5606
2	9-1-2020	11-30-2020	0.7446	0.2886
3	12-1-2020	2-28-2021	0.6926	0.2831
4	3-1-2021	5-31-2021	0.6855	0.2892
5	6-1-2021	8-31-2021	0.4955	0.4367
		Highest	1.3338	0.5606

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	6/1/2020	6/26/2020	5	20	
2	Site Preparation	Site Preparation	6/27/2020	7/3/2020	5	5	
3	Grading	Grading	7/4/2020	8/6/2020	5	24	
4	Trenching	Trenching	7/4/2020	7/17/2020	5	10	
5	Building Construction	Building Construction	7/16/2020	6/2/2021	5	230	
6	Paving	Paving	6/3/2021	6/28/2021	5	18	
7	Architectural Coating	Architectural Coating	6/29/2021	7/22/2021	5	18	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 4

Acres of Paving: 1.02

Residential Indoor: 83,616; Residential Outdoor: 27,872; Non-Residential Indoor: 20,457; Non-Residential Outdoor: 6,819; Striped

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	6.00	132	0.36
Paving	Rollers	2	6.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	35.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT

Grading	6	15.00	0.00	2,163.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Trenching	2	5.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	100.00	21.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Paving	8	20.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	20.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

- Use Alternative Fuel for Construction Equipment
- Use Cleaner Engines for Construction Equipment
- Use Soil Stabilizer
- Replace Ground Cover
- Water Exposed Area
- Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					3.8100e-003	0.0000	3.8100e-003	5.8000e-004	0.0000	5.8000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0331	0.3320	0.2175	3.9000e-004		0.0166	0.0166		0.0154	0.0154	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2386
Total	0.0331	0.3320	0.2175	3.9000e-004	3.8100e-003	0.0166	0.0204	5.8000e-004	0.0154	0.0160	0.0000	33.9986	33.9986	9.6000e-003	0.0000	34.2386

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.0000e-005	1.8000e-003	2.9000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.2273	0.2273	2.0000e-005	0.0000	0.2279
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.7000e-004	8.0000e-005	9.8000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1220	0.1220	1.0000e-005	0.0000	0.1221
Total	2.1000e-004	1.8800e-003	1.2700e-003	0.0000	1.3000e-004	0.0000	1.3000e-004	3.0000e-005	0.0000	4.0000e-005	0.0000	0.3493	0.3493	3.0000e-005	0.0000	0.3500

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.7200e-003	0.0000	1.7200e-003	1.3000e-004	0.0000	1.3000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6900e-003	0.1133	0.2082	3.9000e-004		5.3000e-004	5.3000e-004		5.3000e-004	5.3000e-004	0.0000	28.6220	28.6220	9.2600e-003	0.0000	28.8534
Total	4.6900e-003	0.1133	0.2082	3.9000e-004	1.7200e-003	5.3000e-004	2.2500e-003	1.3000e-004	5.3000e-004	6.6000e-004	0.0000	28.6220	28.6220	9.2600e-003	0.0000	28.8534

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	4.0000e-005	1.8000e-003	2.9000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.2273	0.2273	2.0000e-005	0.0000	0.2279

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.7000e-004	8.0000e-005	9.8000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.1220	0.1220	1.0000e-005	0.0000	0.1221
Total	2.1000e-004	1.8800e-003	1.2700e-003	0.0000	1.3000e-004	0.0000	1.3000e-004	3.0000e-005	0.0000	4.0000e-005	0.0000	0.3493	0.3493	3.0000e-005	0.0000	0.3500

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0452	0.0000	0.0452	0.0248	0.0000	0.0248	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0102	0.1060	0.0538	1.0000e-004		5.4900e-003	5.4900e-003		5.0500e-003	5.0500e-003	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4253
Total	0.0102	0.1060	0.0538	1.0000e-004	0.0452	5.4900e-003	0.0507	0.0248	5.0500e-003	0.0299	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4253

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	2.0000e-005	3.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0366	0.0366	0.0000	0.0000	0.0366
Total	5.0000e-005	2.0000e-005	3.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0366	0.0366	0.0000	0.0000	0.0366

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0203	0.0000	0.0203	5.5900e-003	0.0000	5.5900e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.7400e-003	0.0304	0.0574	1.0000e-004		1.6000e-004	1.6000e-004		1.6000e-004	1.6000e-004	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4252
Total	1.7400e-003	0.0304	0.0574	1.0000e-004	0.0203	1.6000e-004	0.0205	5.5900e-003	1.6000e-004	5.7500e-003	0.0000	8.3577	8.3577	2.7000e-003	0.0000	8.4252

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	2.0000e-005	3.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0366	0.0366	0.0000	0.0000	0.0366
Total	5.0000e-005	2.0000e-005	3.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0366	0.0366	0.0000	0.0000	0.0366

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0754	0.0000	0.0754	0.0401	0.0000	0.0401	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0292	0.3166	0.1926	3.6000e-004		0.0153	0.0153		0.0141	0.0141	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233
Total	0.0292	0.3166	0.1926	3.6000e-004	0.0754	0.0153	0.0906	0.0401	0.0141	0.0542	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.3500e-003	0.1115	0.0182	1.5000e-004	9.4000e-004	1.0000e-004	1.0400e-003	2.6000e-004	1.0000e-004	3.6000e-004	0.0000	14.0465	14.0465	1.4900e-003	0.0000	14.0839
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0000e-004	9.0000e-005	1.1800e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1464	0.1464	1.0000e-005	0.0000	0.1465
Total	2.5500e-003	0.1116	0.0194	1.5000e-004	1.0700e-003	1.0000e-004	1.1800e-003	3.0000e-004	1.0000e-004	4.0000e-004	0.0000	14.1929	14.1929	1.5000e-003	0.0000	14.2304

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0339	0.0000	0.0339	9.0200e-003	0.0000	9.0200e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Off-Road	6.2400e-003	0.1240	0.2279	3.6000e-004		5.8000e-004	5.8000e-004		5.8000e-004	5.8000e-004	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233
Total	6.2400e-003	0.1240	0.2279	3.6000e-004	0.0339	5.8000e-004	0.0345	9.0200e-003	5.8000e-004	9.6000e-003	0.0000	31.2705	31.2705	0.0101	0.0000	31.5233

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.3500e-003	0.1115	0.0182	1.5000e-004	9.4000e-004	1.0000e-004	1.0400e-003	2.6000e-004	1.0000e-004	3.6000e-004	0.0000	14.0465	14.0465	1.4900e-003	0.0000	14.0839
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0000e-004	9.0000e-005	1.1800e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1464	0.1464	1.0000e-005	0.0000	0.1465
Total	2.5500e-003	0.1116	0.0194	1.5000e-004	1.0700e-003	1.0000e-004	1.1800e-003	3.0000e-004	1.0000e-004	4.0000e-004	0.0000	14.1929	14.1929	1.5000e-003	0.0000	14.2304

3.5 Trenching - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.2700e-003	0.0226	0.0277	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6328	3.6328	1.1700e-003	0.0000	3.6621
Total	2.2700e-003	0.0226	0.0277	4.0000e-005		1.2500e-003	1.2500e-003		1.1500e-003	1.1500e-003	0.0000	3.6328	3.6328	1.1700e-003	0.0000	3.6621

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0203	0.0203	0.0000	0.0000	0.0204
Total	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0203	0.0203	0.0000	0.0000	0.0204

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7000e-004	0.0182	0.0313	4.0000e-005		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	3.6328	3.6328	1.1700e-003	0.0000	3.6621
Total	6.7000e-004	0.0182	0.0313	4.0000e-005		7.0000e-005	7.0000e-005		7.0000e-005	7.0000e-005	0.0000	3.6328	3.6328	1.1700e-003	0.0000	3.6621

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0203	0.0203	0.0000	0.0000	0.0204
Total	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	0.0000	0.0000	1.0000e-005	0.0000	0.0203	0.0203	0.0000	0.0000	0.0204

3.6 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1240	140.1240	0.0342	0.0000	140.9787
Total	0.1283	1.1608	1.0193	1.6300e-003		0.0676	0.0676		0.0636	0.0636	0.0000	140.1240	140.1240	0.0342	0.0000	140.9787

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e-003	0.0850	0.0236	1.1000e-004	1.1700e-003	1.4000e-004	1.3100e-003	3.4000e-004	1.3000e-004	4.7000e-004	0.0000	10.1993	10.1993	1.0000e-003	0.0000	10.2242

Worker	6.7000e-003	3.0700e-003	0.0397	5.0000e-005	4.5000e-003	6.0000e-005	4.5600e-003	1.2000e-003	6.0000e-005	1.2600e-003	0.0000	4.9199	4.9199	2.1000e-004	0.0000	4.9252
Total	9.1000e-003	0.0880	0.0633	1.6000e-004	5.6700e-003	2.0000e-004	5.8700e-003	1.5400e-003	1.9000e-004	1.7300e-003	0.0000	15.1192	15.1192	1.2100e-003	0.0000	15.1494

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0223	0.4178	0.7454	1.6300e-003		1.7600e-003	1.7600e-003		1.7600e-003	1.7600e-003	0.0000	94.5415	94.5415	0.0306	0.0000	95.3059
Total	0.0223	0.4178	0.7454	1.6300e-003		1.7600e-003	1.7600e-003		1.7600e-003	1.7600e-003	0.0000	94.5415	94.5415	0.0306	0.0000	95.3059

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e-003	0.0850	0.0236	1.1000e-004	1.1700e-003	1.4000e-004	1.3100e-003	3.4000e-004	1.3000e-004	4.7000e-004	0.0000	10.1993	10.1993	1.0000e-003	0.0000	10.2242
Worker	6.7000e-003	3.0700e-003	0.0397	5.0000e-005	4.5000e-003	6.0000e-005	4.5600e-003	1.2000e-003	6.0000e-005	1.2600e-003	0.0000	4.9199	4.9199	2.1000e-004	0.0000	4.9252
Total	9.1000e-003	0.0880	0.0633	1.6000e-004	5.6700e-003	2.0000e-004	5.8700e-003	1.5400e-003	1.9000e-004	1.7300e-003	0.0000	15.1192	15.1192	1.2100e-003	0.0000	15.1494

3.6 Building Construction - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2423	126.2423	0.0305	0.0000	127.0037
Total	0.1036	0.9501	0.9034	1.4700e-003		0.0522	0.0522		0.0491	0.0491	0.0000	126.2423	126.2423	0.0305	0.0000	127.0037

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.9300e-003	0.0728	0.0196	9.0000e-005	1.0600e-003	6.0000e-005	1.1200e-003	3.1000e-004	6.0000e-005	3.7000e-004	0.0000	9.1002	9.1002	8.4000e-004	0.0000	9.1213
Worker	5.5200e-003	2.4400e-003	0.0322	5.0000e-005	4.0500e-003	5.0000e-005	4.1100e-003	1.0800e-003	5.0000e-005	1.1300e-003	0.0000	4.2815	4.2815	1.7000e-004	0.0000	4.2857
Total	7.4500e-003	0.0752	0.0518	1.4000e-004	5.1100e-003	1.1000e-004	5.2300e-003	1.3900e-003	1.1000e-004	1.5000e-003	0.0000	13.3817	13.3817	1.0100e-003	0.0000	13.4070

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Total	9.8500e-003	0.0976	0.1103	1.7000e-004		5.2100e-003	5.2100e-003		4.8100e-003	4.8100e-003	0.0000	14.7336	14.7336	4.6300e-003	0.0000	14.8493
-------	-------------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	---------	---------	-------------	--------	---------

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416
Total	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	2.6200e-003	0.0706	0.1218	1.7000e-004		2.6000e-004	2.6000e-004		2.6000e-004	2.6000e-004	0.0000	14.7335	14.7335	4.6300e-003	0.0000	14.8493
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	2.6200e-003	0.0706	0.1218	1.7000e-004		2.6000e-004	2.6000e-004		2.6000e-004	2.6000e-004	0.0000	14.7335	14.7335	4.6300e-003	0.0000	14.8493

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416
Total	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416

3.8 Architectural Coating - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3720					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.9700e-003	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019
Total	0.3739	0.0137	0.0164	3.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	2.2979	2.2979	1.6000e-004	0.0000	2.3019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416
Total	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.3720					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	3.0000e-005		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.3720	0.0000	0.0000	3.0000e-005		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416

Total	1.8000e-004	8.0000e-005	1.0600e-003	0.0000	1.3000e-004	0.0000	1.4000e-004	4.0000e-005	0.0000	4.0000e-005	0.0000	0.1414	0.1414	1.0000e-005	0.0000	0.1416
-------	-------------	-------------	-------------	--------	-------------	--------	-------------	-------------	--------	-------------	--------	--------	--------	-------------	--------	--------

19-066 W. San Carlos (Phase 2) Construction AQ - Santa Clara County, Annual

19-066 W. San Carlos (Phase 2) Construction AQ

Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.00	Space	0.86	30,157.00	0
Apartments Mid Rise	70.00	Dwelling Unit	1.84	61,657.00	200
Strip Mall	6.77	1000sqft	0.16	6,769.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land uses for Building 2 with default acreage and exact square footage

Construction Phase - Default construction schedule with the exception of grading and trenching. Changed from 6 days to 24 days due to amount of hauling needed.

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - Default trenching assumption

Demolition - Existing buildings on 1544 West San Carlos - 5,347

Grading - 8,076-cy of soil exported during excavation

Off-road Equipment -

Off-road Equipment -

Trips and VMT -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	6.00	24.00
tblConstructionPhase	PhaseEndDate	2/10/2022	3/8/2022
tblGrading	AcresOfGrading	12.00	3.00
tblGrading	MaterialExported	0.00	8,076.00
tblLandUse	LandUseSquareFeet	38,000.00	30,157.00
tblLandUse	LandUseSquareFeet	70,000.00	61,657.00
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblProjectCharacteristics	CO2IntensityFactor	641.35	290

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.3259	2.3556	2.1585	4.7400e-003	0.1579	0.0998	0.2577	0.0618	0.0950	0.1568	0.0000	411.4889	411.4889	0.0656	0.0000	413.1278
2023	0.4291	5.9600e-003	9.2800e-003	2.0000e-005	4.6000e-004	3.2000e-004	7.9000e-004	1.2000e-004	3.2000e-004	4.4000e-004	0.0000	1.5050	1.5050	8.0000e-005	0.0000	1.5069

Maximum	0.4291	2.3556	2.1585	4.7400e-003	0.1579	0.0998	0.2577	0.0618	0.0950	0.1568	0.0000	411.4889	411.4889	0.0656	0.0000	413.1278
---------	--------	--------	--------	-------------	--------	--------	--------	--------	--------	--------	--------	----------	----------	--------	--------	----------

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.3259	2.3556	2.1585	4.7400e-003	0.1579	0.0998	0.2577	0.0618	0.0950	0.1568	0.0000	411.4886	411.4886	0.0656	0.0000	413.1274
2023	0.4291	5.9600e-003	9.2800e-003	2.0000e-005	4.6000e-004	3.2000e-004	7.9000e-004	1.2000e-004	3.2000e-004	4.4000e-004	0.0000	1.5050	1.5050	8.0000e-005	0.0000	1.5069
Maximum	0.4291	2.3556	2.1585	4.7400e-003	0.1579	0.0998	0.2577	0.0618	0.0950	0.1568	0.0000	411.4886	411.4886	0.0656	0.0000	413.1274

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-1-2022	3-31-2022	0.9105	0.9105
2	4-1-2022	6-30-2022	0.5900	0.5900
3	7-1-2022	9-30-2022	0.5965	0.5965
4	10-1-2022	12-31-2022	0.6150	0.6150
5	1-1-2023	3-31-2023	0.4143	0.4143
		Highest	0.9105	0.9105

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/28/2022	5	20	

2	Site Preparation	Site Preparation	1/29/2022	2/2/2022	5	3
3	Trenching	Trenching	2/3/2022	2/16/2022	5	10
4	Grading	Grading	2/3/2022	3/8/2022	5	24
5	Building Construction	Building Construction	2/11/2022	12/15/2022	5	220
6	Paving	Paving	12/16/2022	12/29/2022	5	10
7	Architectural Coating	Architectural Coating	12/30/2022	1/12/2023	5	10

Acres of Grading (Site Preparation Phase): 4.5

Acres of Grading (Grading Phase): 3

Acres of Paving: 0.86

Residential Indoor: 124,855; Residential Outdoor: 41,618; Non-Residential Indoor: 10,154; Non-Residential Outdoor: 3,385; Striped

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48
Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45

Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	24.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	1,010.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	2	5.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	65.00	14.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.6300e-003	0.0000	2.6300e-003	4.0000e-004	0.0000	4.0000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120

Total	0.0169	0.1662	0.1396	2.4000e-004	2.6300e-003	8.3800e-003	0.0110	4.0000e-004	7.8300e-003	8.2300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120
-------	--------	--------	--------	-------------	-------------	-------------	--------	-------------	-------------	-------------	--------	---------	---------	-------------	--------	---------

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	9.0000e-005	2.9500e-003	6.9000e-004	1.0000e-005	2.0000e-004	1.0000e-005	2.1000e-004	6.0000e-005	1.0000e-005	6.0000e-005	0.0000	0.8915	0.8915	4.0000e-005	0.0000	0.8925
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.5000e-004	2.7300e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.8225	0.8225	2.0000e-005	0.0000	0.8229
Total	4.6000e-004	3.2000e-003	3.4200e-003	2.0000e-005	1.2300e-003	2.0000e-005	1.2500e-003	3.3000e-004	2.0000e-005	3.4000e-004	0.0000	1.7140	1.7140	6.0000e-005	0.0000	1.7154

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.6300e-003	0.0000	2.6300e-003	4.0000e-004	0.0000	4.0000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119
Total	0.0169	0.1662	0.1396	2.4000e-004	2.6300e-003	8.3800e-003	0.0110	4.0000e-004	7.8300e-003	8.2300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	9.0000e-005	2.9500e-003	6.9000e-004	1.0000e-005	2.0000e-004	1.0000e-005	2.1000e-004	6.0000e-005	1.0000e-005	6.0000e-005	0.0000	0.8915	0.8915	4.0000e-005	0.0000	0.8925
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.5000e-004	2.7300e-003	1.0000e-005	1.0300e-003	1.0000e-005	1.0400e-003	2.7000e-004	1.0000e-005	2.8000e-004	0.0000	0.8225	0.8225	2.0000e-005	0.0000	0.8229
Total	4.6000e-004	3.2000e-003	3.4200e-003	2.0000e-005	1.2300e-003	2.0000e-005	1.2500e-003	3.3000e-004	2.0000e-005	3.4000e-004	0.0000	1.7140	1.7140	6.0000e-005	0.0000	1.7154

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0700e-003	0.0235	0.0151	4.0000e-005		8.9000e-004	8.9000e-004		8.2000e-004	8.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	2.0700e-003	0.0235	0.0151	4.0000e-005	2.3900e-003	8.9000e-004	3.2800e-003	2.6000e-004	8.2000e-004	1.0800e-003	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	2.0000e-005	2.5000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0759	0.0759	0.0000	0.0000	0.0760
Total	3.0000e-005	2.0000e-005	2.5000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0759	0.0759	0.0000	0.0000	0.0760

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0700e-003	0.0235	0.0151	4.0000e-005		8.9000e-004	8.9000e-004		8.2000e-004	8.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	2.0700e-003	0.0235	0.0151	4.0000e-005	2.3900e-003	8.9000e-004	3.2800e-003	2.6000e-004	8.2000e-004	1.0800e-003	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	2.0000e-005	2.5000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0759	0.0759	0.0000	0.0000	0.0760

Total	3.0000e-005	2.0000e-005	2.5000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0759	0.0759	0.0000	0.0000	0.0760
-------	-------------	-------------	-------------	--------	-------------	--------	-------------	-------------	--------	-------------	--------	--------	--------	--------	--------	--------

3.4 Trenching - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.8400e-003	0.0173	0.0275	4.0000e-005		8.8000e-004	8.8000e-004		8.1000e-004	8.1000e-004	0.0000	3.6402	3.6402	1.1800e-003	0.0000	3.6697
Total	1.8400e-003	0.0173	0.0275	4.0000e-005		8.8000e-004	8.8000e-004		8.1000e-004	8.1000e-004	0.0000	3.6402	3.6402	1.1800e-003	0.0000	3.6697

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	5.0000e-005	5.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1582	0.1582	0.0000	0.0000	0.1583
Total	7.0000e-005	5.0000e-005	5.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1582	0.1582	0.0000	0.0000	0.1583

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.8400e-003	0.0173	0.0275	4.0000e-005		8.8000e-004	8.8000e-004		8.1000e-004	8.1000e-004	0.0000	3.6402	3.6402	1.1800e-003	0.0000	3.6697
Total	1.8400e-003	0.0173	0.0275	4.0000e-005		8.8000e-004	8.8000e-004		8.1000e-004	8.1000e-004	0.0000	3.6402	3.6402	1.1800e-003	0.0000	3.6697

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	5.0000e-005	5.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1582	0.1582	0.0000	0.0000	0.1583
Total	7.0000e-005	5.0000e-005	5.3000e-004	0.0000	2.0000e-004	0.0000	2.0000e-004	5.0000e-005	0.0000	5.0000e-005	0.0000	0.1582	0.1582	0.0000	0.0000	0.1583

3.5 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					0.0743	0.0000	0.0743	0.0400	0.0000	0.0400	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0185	0.2038	0.1106	2.5000e-004		8.9100e-003	8.9100e-003		8.1900e-003	8.1900e-003	0.0000	21.7233	21.7233	7.0300e-003	0.0000	21.8989
Total	0.0185	0.2038	0.1106	2.5000e-004	0.0743	8.9100e-003	0.0832	0.0400	8.1900e-003	0.0482	0.0000	21.7233	21.7233	7.0300e-003	0.0000	21.8989

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.7300e-003	0.1240	0.0289	3.9000e-004	8.5600e-003	3.6000e-004	8.9200e-003	2.3500e-003	3.5000e-004	2.7000e-003	0.0000	37.5155	37.5155	1.6900e-003	0.0000	37.5577
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.5000e-004	2.3000e-004	2.5200e-003	1.0000e-005	9.5000e-004	1.0000e-005	9.6000e-004	2.5000e-004	1.0000e-005	2.6000e-004	0.0000	0.7592	0.7592	2.0000e-005	0.0000	0.7596
Total	4.0800e-003	0.1243	0.0315	4.0000e-004	9.5100e-003	3.7000e-004	9.8800e-003	2.6000e-003	3.6000e-004	2.9600e-003	0.0000	38.2747	38.2747	1.7100e-003	0.0000	38.3173

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0743	0.0000	0.0743	0.0400	0.0000	0.0400	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0185	0.2038	0.1106	2.5000e-004		8.9100e-003	8.9100e-003		8.1900e-003	8.1900e-003	0.0000	21.7232	21.7232	7.0300e-003	0.0000	21.8989
Total	0.0185	0.2038	0.1106	2.5000e-004	0.0743	8.9100e-003	0.0832	0.0400	8.1900e-003	0.0482	0.0000	21.7232	21.7232	7.0300e-003	0.0000	21.8989

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.7300e-003	0.1240	0.0289	3.9000e-004	8.5600e-003	3.6000e-004	8.9200e-003	2.3500e-003	3.5000e-004	2.7000e-003	0.0000	37.5155	37.5155	1.6900e-003	0.0000	37.5577
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.5000e-004	2.3000e-004	2.5200e-003	1.0000e-005	9.5000e-004	1.0000e-005	9.6000e-004	2.5000e-004	1.0000e-005	2.6000e-004	0.0000	0.7592	0.7592	2.0000e-005	0.0000	0.7596
Total	4.0800e-003	0.1243	0.0315	4.0000e-004	9.5100e-003	3.7000e-004	9.8800e-003	2.6000e-003	3.6000e-004	2.9600e-003	0.0000	38.2747	38.2747	1.7100e-003	0.0000	38.3173

3.6 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2041	1.6064	1.5789	2.7500e-003		0.0772	0.0772		0.0740	0.0740	0.0000	228.4481	228.4481	0.0441	0.0000	229.5500
Total	0.2041	1.6064	1.5789	2.7500e-003		0.0772	0.0772		0.0740	0.0740	0.0000	228.4481	228.4481	0.0441	0.0000	229.5500

Unmitigated Construction Off-Site

Vendor	4.6900e-003	0.1496	0.0397	4.1000e-004	0.0101	3.0000e-004	0.0104	2.9300e-003	2.9000e-004	3.2200e-003	0.0000	39.5089	39.5089	1.6600e-003	0.0000	39.5504
Worker	0.0206	0.0137	0.1503	5.0000e-004	0.0567	3.5000e-004	0.0571	0.0151	3.2000e-004	0.0154	0.0000	45.2376	45.2376	9.6000e-004	0.0000	45.2615
Total	0.0253	0.1633	0.1900	9.1000e-004	0.0668	6.5000e-004	0.0675	0.0180	6.1000e-004	0.0186	0.0000	84.7465	84.7465	2.6200e-003	0.0000	84.8119

3.7 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.2000e-004	1.4000e-004	1.5800e-003	1.0000e-005	5.9000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4745	0.4745	1.0000e-005	0.0000	0.4748
Total	2.2000e-004	1.4000e-004	1.5800e-003	1.0000e-005	5.9000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4745	0.4745	1.0000e-005	0.0000	0.4748

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.2000e-004	1.4000e-004	1.5800e-003	1.0000e-005	5.9000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4745	0.4745	1.0000e-005	0.0000	0.4748
Total	2.2000e-004	1.4000e-004	1.5800e-003	1.0000e-005	5.9000e-004	0.0000	6.0000e-004	1.6000e-004	0.0000	1.6000e-004	0.0000	0.4745	0.4745	1.0000e-005	0.0000	0.4748

3.8 Architectural Coating - 2022

Unmitigated Construction On-Site

Off-Road	1.0000e-004	7.0000e-004	9.1000e-004	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.1277	0.1277	1.0000e-005	0.0000	0.1279
Total	0.0477	7.0000e-004	9.1000e-004	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.1277	0.1277	1.0000e-005	0.0000	0.1279

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0000e-005	1.0000e-005	1.4000e-004	0.0000	5.0000e-005	0.0000	5.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0411	0.0411	0.0000	0.0000	0.0412
Total	2.0000e-005	1.0000e-005	1.4000e-004	0.0000	5.0000e-005	0.0000	5.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0411	0.0411	0.0000	0.0000	0.0412

3.8 Architectural Coating - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4281					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.6000e-004	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507
Total	0.4289	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6000e-004	1.0000e-004	1.1300e-003	0.0000	4.6000e-004	0.0000	4.7000e-004	1.2000e-004	0.0000	1.3000e-004	0.0000	0.3561	0.3561	1.0000e-005	0.0000	0.3562
Total	1.6000e-004	1.0000e-004	1.1300e-003	0.0000	4.6000e-004	0.0000	4.7000e-004	1.2000e-004	0.0000	1.3000e-004	0.0000	0.3561	0.3561	1.0000e-005	0.0000	0.3562

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4281					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.6000e-004	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507
Total	0.4289	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6000e-004	1.0000e-004	1.1300e-003	0.0000	4.6000e-004	0.0000	4.7000e-004	1.2000e-004	0.0000	1.3000e-004	0.0000	0.3561	0.3561	1.0000e-005	0.0000	0.3562
Total	1.6000e-004	1.0000e-004	1.1300e-003	0.0000	4.6000e-004	0.0000	4.7000e-004	1.2000e-004	0.0000	1.3000e-004	0.0000	0.3561	0.3561	1.0000e-005	0.0000	0.3562

19-066 W. San Carlos (Phase 2) Construction TAC - Santa Clara County, Annual

19-066 W. San Carlos (Phase 2) Construction TAC
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	95.00	Space	0.86	30,157.00	0
Apartments Mid Rise	70.00	Dwelling Unit	1.84	61,657.00	200
Strip Mall	6.77	1000sqft	0.16	6,769.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land uses for Building 2 with default acreage and each square footage

Construction Phase - Default construction schedule with the exception of grading and trenching. Changed from 8 days to 24 days due to amount of hauling predicted

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment - Default trenching assumption

Trips and VMT - TAC Trip length 1 mile for localized emissions

Demolition - Existing buildings on 1544 West San Carlos

Grading - 8,076-cy of soil exported during excavation

Construction Off-road Equipment Mitigation - BMPs, Tier 4 interim mitigation with temporary power line for portable equipment

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	FuelType	Diesel	Electrical
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	9.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblGrading	MaterialExported	0.00	8,076.00
tblLandUse	LandUseSquareFeet	38,000.00	30,157.00
tblLandUse	LandUseSquareFeet	70,000.00	61,657.00
tblLandUse	LandUseSquareFeet	6,770.00	6,769.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	HaulingTripLength	20.00	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	VendorTripLength	7.30	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00

tblTripsAndVMT	WorkerTripLength	10.80	1.00
tblTripsAndVMT	WorkerTripLength	10.80	1.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.2948	2.0829	1.9592	3.5400e-003	0.0326	0.0935	0.1261	0.0129	0.0891	0.1020	0.0000	299.1576	299.1576	0.0595	0.0000	300.6437
2023	0.4290	5.8800e-003	8.4300e-003	1.0000e-005	4.0000e-005	3.2000e-004	3.6000e-004	1.0000e-005	3.2000e-004	3.3000e-004	0.0000	1.1916	1.1916	7.0000e-005	0.0000	1.1934
Maximum	0.4290	2.0829	1.9592	3.5400e-003	0.0326	0.0935	0.1261	0.0129	0.0891	0.1020	0.0000	299.1576	299.1576	0.0595	0.0000	300.6437

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.0890	0.7295	1.1399	3.5400e-003	0.0187	2.8800e-003	0.0216	4.46E-03	2.8700e-003	7.3300e-003	0.0000	169.3676	169.3676	0.0488	0.0000	170.5865
2023	0.4281	2.0000e-005	2.8000e-004	1.0000e-005	4.0000e-005	0.0000	4.0000e-005	1.00E-05	0.0000	1.0000e-005	0.0000	0.0427	0.0427	0.0000	0.0000	0.0427
Maximum	0.4281	0.7295	1.1399	3.5400e-003	0.0187	2.8800e-003	0.0216	4.4600e-003	2.8700e-003	7.3300e-003	0.0000	169.3676	169.3676	0.0488	0.0000	170.5865

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	----------	-----------	-----	-----	------

Percent Reduction	28.56	65.07	42.05	0.00	42.41	96.93	82.87	65.24	96.79	92.83	0.00	43.60	43.60	18.08	0.00	43.47
-------------------	-------	-------	-------	------	-------	-------	-------	-------	-------	-------	------	-------	-------	-------	------	-------

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-1-2022	3-31-2022	0.6652	0.2776
2	4-1-2022	6-30-2022	0.5669	0.1595
3	7-1-2022	9-30-2022	0.5732	0.1612
4	10-1-2022	12-31-2022	0.5934	0.2397
5	1-1-2023	3-31-2023	0.4141	0.4077
		Highest	0.6652	0.4077

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/28/2022	5	20	
2	Site Preparation	Site Preparation	1/29/2022	2/2/2022	5	3	
3	Grading	Grading	2/3/2022	2/10/2022	5	6	
4	Trenching	Trenching	2/3/2022	3/8/2022	5	24	
5	Building Construction	Building Construction	2/11/2022	12/15/2022	5	220	
6	Paving	Paving	12/16/2022	12/29/2022	5	10	
7	Architectural Coating	Architectural Coating	12/30/2022	1/12/2023	5	10	

Acres of Grading (Site Preparation Phase): 4.5

Acres of Grading (Grading Phase): 3

Acres of Paving: 0.86

Residential Indoor: 124,855; Residential Outdoor: 41,618; Non-Residential Indoor: 10,154; Non-Residential Outdoor: 3,385; Striped

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73

Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Scrapers	1	8.00	367	0.48
Site Preparation	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	2	7.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Paving	Cement and Mortar Mixers	1	8.00	9	0.56
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	24.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	1,010.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Trenching	2	5.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Building Construction	8	65.00	14.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT

Paving	6	15.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	1.00	1.00	1.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

- Use Alternative Fuel for Construction Equipment
- Use Cleaner Engines for Construction Equipment
- Use Soil Stabilizer
- Replace Ground Cover
- Water Exposed Area
- Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.6300e-003	0.0000	2.6300e-003	4.0000e-004	0.0000	4.0000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120
Total	0.0169	0.1662	0.1396	2.4000e-004	2.6300e-003	8.3800e-003	0.0110	4.0000e-004	7.8300e-003	8.2300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Hauling	2.0000e-005	1.1400e-003	1.9000e-004	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	0.1526	0.1526	1.0000e-005	0.0000	0.1530
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2000e-004	5.0000e-005	7.0000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0985	0.0985	0.0000	0.0000	0.0986
Total	1.4000e-004	1.1900e-003	8.9000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.2511	0.2511	1.0000e-005	0.0000	0.2516

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.1800e-003	0.0000	1.1800e-003	9.0000e-005	0.0000	9.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.4800e-003	0.0631	0.1156	2.4000e-004		2.9000e-004	2.9000e-004		2.9000e-004	2.9000e-004	0.0000	15.7011	15.7011	5.0800e-003	0.0000	15.8281
Total	3.4800e-003	0.0631	0.1156	2.4000e-004	1.1800e-003	2.9000e-004	1.4700e-003	9.0000e-005	2.9000e-004	3.8000e-004	0.0000	15.7011	15.7011	5.0800e-003	0.0000	15.8281

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	2.0000e-005	1.1400e-003	1.9000e-004	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	0.1526	0.1526	1.0000e-005	0.0000	0.1530
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2000e-004	5.0000e-005	7.0000e-004	0.0000	1.0000e-004	0.0000	1.0000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.0985	0.0985	0.0000	0.0000	0.0986

Total	1.4000e-004	1.1900e-003	8.9000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.2511	0.2511	1.0000e-005	0.0000	0.2516
-------	-------------	-------------	-------------	--------	-------------	--------	-------------	-------------	--------	-------------	--------	--------	--------	-------------	--------	--------

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.0700e-003	0.0235	0.0151	4.0000e-005		8.9000e-004	8.9000e-004		8.2000e-004	8.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	2.0700e-003	0.0235	0.0151	4.0000e-005	2.3900e-003	8.9000e-004	3.2800e-003	2.6000e-004	8.2000e-004	1.0800e-003	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	0.0000	6.0000e-005	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	9.0900e-003	9.0900e-003	0.0000	0.0000	9.1000e-003
Total	1.0000e-005	0.0000	6.0000e-005	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	9.0900e-003	9.0900e-003	0.0000	0.0000	9.1000e-003

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					1.0700e-003	0.0000	1.0700e-003	6.0000e-005	0.0000	6.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	6.3000e-004	0.0104	0.0205	4.0000e-005		6.0000e-005	6.0000e-005		6.0000e-005	6.0000e-005	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582
Total	6.3000e-004	0.0104	0.0205	4.0000e-005	1.0700e-003	6.0000e-005	1.1300e-003	6.0000e-005	6.0000e-005	1.2000e-004	0.0000	3.2321	3.2321	1.0500e-003	0.0000	3.2582

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	0.0000	6.0000e-005	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	9.0900e-003	9.0900e-003	0.0000	0.0000	9.1000e-003
Total	1.0000e-005	0.0000	6.0000e-005	0.0000	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0000	0.0000	0.0000	9.0900e-003	9.0900e-003	0.0000	0.0000	9.1000e-003

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					0.0201	0.0000	0.0201	0.0102	0.0000	0.0102	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.6200e-003	0.0510	0.0277	6.0000e-005		2.2300e-003	2.2300e-003		2.0500e-003	2.0500e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	4.6200e-003	0.0510	0.0277	6.0000e-005	0.0201	2.2300e-003	0.0223	0.0102	2.0500e-003	0.0122	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	9.7000e-004	0.0482	7.9600e-003	7.0000e-005	4.4000e-004	4.0000e-005	4.7000e-004	1.2000e-004	4.0000e-005	1.6000e-004	0.0000	6.4229	6.4229	6.2000e-004	0.0000	6.4385
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0227	0.0227	0.0000	0.0000	0.0228
Total	1.0000e-003	0.0482	8.1200e-003	7.0000e-005	4.6000e-004	4.0000e-005	4.9000e-004	1.3000e-004	4.0000e-005	1.7000e-004	0.0000	6.4456	6.4456	6.2000e-004	0.0000	6.4612

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.0500e-003	0.0000	9.0500e-003	2.2900e-003	0.0000	2.2900e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.1100e-003	0.0191	0.0364	6.0000e-005		1.0000e-004	1.0000e-004		1.0000e-004	1.0000e-004	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747
Total	1.1100e-003	0.0191	0.0364	6.0000e-005	9.0500e-003	1.0000e-004	9.1500e-003	2.2900e-003	1.0000e-004	2.3900e-003	0.0000	5.4308	5.4308	1.7600e-003	0.0000	5.4747

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	9.7000e-004	0.0482	7.9600e-003	7.0000e-005	4.4000e-004	4.0000e-005	4.7000e-004	1.2000e-004	4.0000e-005	1.6000e-004	0.0000	6.4229	6.4229	6.2000e-004	0.0000	6.4385
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0000e-005	1.0000e-005	1.6000e-004	0.0000	2.0000e-005	0.0000	2.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0227	0.0227	0.0000	0.0000	0.0228
Total	1.0000e-003	0.0482	8.1200e-003	7.0000e-005	4.6000e-004	4.0000e-005	4.9000e-004	1.3000e-004	4.0000e-005	1.7000e-004	0.0000	6.4456	6.4456	6.2000e-004	0.0000	6.4612

3.5 Trenching - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.4100e-003	0.0414	0.0659	1.0000e-004		2.1100e-003	2.1100e-003		1.9400e-003	1.9400e-003	0.0000	8.7226	8.7226	2.8200e-003	0.0000	8.7932
Total	4.4100e-003	0.0414	0.0659	1.0000e-004		2.1100e-003	2.1100e-003		1.9400e-003	1.9400e-003	0.0000	8.7226	8.7226	2.8200e-003	0.0000	8.7932

Unmitigated Construction Off-Site

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.0000e-005	2.0000e-005	3.2000e-004	0.0000	4.0000e-005	0.0000	5.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0455	0.0455	0.0000	0.0000	0.0455
Total	6.0000e-005	2.0000e-005	3.2000e-004	0.0000	4.0000e-005	0.0000	5.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0455	0.0455	0.0000	0.0000	0.0455

3.6 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2041	1.6064	1.5789	2.7500e-003		0.0772	0.0772		0.0740	0.0740	0.0000	228.4481	228.4481	0.0441	0.0000	229.5500
Total	0.2041	1.6064	1.5789	2.7500e-003		0.0772	0.0772		0.0740	0.0740	0.0000	228.4481	228.4481	0.0441	0.0000	229.5500

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e-003	0.0947	0.0246	1.3000e-004	1.4200e-003	7.0000e-005	1.4900e-003	4.2000e-004	7.0000e-005	4.8000e-004	0.0000	12.1341	12.1341	1.0700e-003	0.0000	12.1608
Worker	6.6400e-003	2.8300e-003	0.0383	6.0000e-005	5.3100e-003	7.0000e-005	5.3800e-003	1.4200e-003	6.0000e-005	1.4900e-003	0.0000	5.4166	5.4166	2.0000e-004	0.0000	5.4215
Total	9.0400e-003	0.0976	0.0629	1.9000e-004	6.7300e-003	1.4000e-004	6.8700e-003	1.8400e-003	1.3000e-004	1.9700e-003	0.0000	17.5507	17.5507	1.2700e-003	0.0000	17.5822

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0228	0.4087	0.7547	2.7500e-003		1.9400e-003	1.9400e-003		1.9400e-003	1.9400e-003	0.0000	104.1624	104.1624	0.0337	0.0000	105.0046
Total	0.0228	0.4087	0.7547	2.7500e-003		1.9400e-003	1.9400e-003		1.9400e-003	1.9400e-003	0.0000	104.1624	104.1624	0.0337	0.0000	105.0046

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.4000e-003	0.0947	0.0246	1.3000e-004	1.4200e-003	7.0000e-005	1.4900e-003	4.2000e-004	7.0000e-005	4.8000e-004	0.0000	12.1341	12.1341	1.0700e-003	0.0000	12.1608
Worker	6.6400e-003	2.8300e-003	0.0383	6.0000e-005	5.3100e-003	7.0000e-005	5.3800e-003	1.4200e-003	6.0000e-005	1.4900e-003	0.0000	5.4166	5.4166	2.0000e-004	0.0000	5.4215
Total	9.0400e-003	0.0976	0.0629	1.9000e-004	6.7300e-003	1.4000e-004	6.8700e-003	1.8400e-003	1.3000e-004	1.9700e-003	0.0000	17.5507	17.5507	1.2700e-003	0.0000	17.5822

3.7 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	4.7100e-003	0.0467	0.0585	9.0000e-005		2.4400e-003	2.4400e-003		2.2500e-003	2.2500e-003	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0568	0.0568	0.0000	0.0000	0.0569
Total	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0568	0.0568	0.0000	0.0000	0.0569

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.4800e-003	0.0376	0.0649	9.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165

Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	1.4800e-003	0.0376	0.0649	9.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004	0.0000	7.7550	7.7550	2.4600e-003	0.0000	7.8165

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0568	0.0568	0.0000	0.0000	0.0569
Total	7.0000e-005	3.0000e-005	4.0000e-004	0.0000	6.0000e-005	0.0000	6.0000e-005	1.0000e-005	0.0000	2.0000e-005	0.0000	0.0568	0.0568	0.0000	0.0000	0.0569

3.8 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0476					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.0000e-004	7.0000e-004	9.1000e-004	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.1277	0.1277	1.0000e-005	0.0000	0.1279
Total	0.0477	7.0000e-004	9.1000e-004	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.1277	0.1277	1.0000e-005	0.0000	0.1279

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	4.9200e-003	4.9200e-003	0.0000	0.0000	4.9300e-003
Total	1.0000e-005	0.0000	3.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	4.9200e-003	4.9200e-003	0.0000	0.0000	4.9300e-003

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0476					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0476	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Worker	5.0000e-005	2.0000e-005	2.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0427	0.0427	0.0000	0.0000	0.0427
Total	5.0000e-005	2.0000e-005	2.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0427	0.0427	0.0000	0.0000	0.0427

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4281					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	1.0000e-005		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.4281	0.0000	0.0000	1.0000e-005		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0000e-005	2.0000e-005	2.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0427	0.0427	0.0000	0.0000	0.0427
Total	5.0000e-005	2.0000e-005	2.8000e-004	0.0000	4.0000e-005	0.0000	4.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0427	0.0427	0.0000	0.0000	0.0427

19-066 1530-1536 W. San Carlos (Existing Land use) - Santa Clara County, Annual

19-066 1530-1536 W. San Carlos (Existing Land Use)
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High Turnover (Sit Down Restaurant)	2.25	1000sqft	0.05	2,250.00	0
Single Family Housing	8.00	Dwelling Unit	2.60	5,500.00	23
Automobile Care Center	5.35	1000sqft	0.12	5,347.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E CO2 Intensity Factor 290 for 2020

Land Use - Existing land use: Restaurant, Single family homes, and car dealership

Construction Phase - No Construction, only operational

Off-road Equipment - No construction equipment

Grading -

Vehicle Trips - Sit-Down Restaurant # of trips = 147 --> 65.33 weekdays, 81.37 Sat, 67.74 Sun; Single Family Housing # of trips = 12 --> 1.5 weekdays, 1.56 Sat, 1.36 Sun. Conservative assumption to match the traffic analysis: Assuming the automobile commercial sites have no trips

Energy Use -

Water And Wastewater - 100% aerobic

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	3.00	1.00
tblGrading	AcresOfGrading	0.00	4.50
tblLandUse	LandUseSquareFeet	14,400.00	5,500.00
tblLandUse	LandUseSquareFeet	5,350.00	5,347.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	WorkerTripNumber	0.00	8.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	158.37	81.37
tblVehicleTrips	ST_TR	9.91	1.56
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	131.84	67.74
tblVehicleTrips	SU_TR	8.62	1.36
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	127.15	65.33
tblVehicleTrips	WD_TR	9.52	1.50

2.0 Emissions Summary

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Area	0.1079	1.7200e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Energy	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	68.9030	68.9030	3.2600e-003	1.3200e-003	69.3778
Mobile	0.0262	0.0957	0.2371	7.9000e-004	0.0762	6.6000e-004	0.0769	0.0204	6.1000e-004	0.0210	0.0000	72.7147	72.7147	2.5300e-003	0.0000	72.7780
Waste						0.0000	0.0000		0.0000	0.0000	11.5461	0.0000	11.5461	0.6824	0.0000	28.6050
Water						0.0000	0.0000		0.0000	0.0000	0.5417	1.5288	2.0705	0.0558	1.3500e-003	3.8662
Total	0.1387	0.1379	0.3947	1.18E-03	0.0762	0.014	0.0902	0.0204	0.014	0.0344	13.1047	143.4933	156.598	0.746	2.73E-03	176.0585

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1079	1.7200e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Energy	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	68.9030	68.9030	3.2600e-003	1.3200e-003	69.3778
Mobile	0.0262	0.0957	0.2371	7.9000e-004	0.0762	6.6000e-004	0.0769	0.0204	6.1000e-004	0.0210	0.0000	72.7147	72.7147	2.5300e-003	0.0000	72.7780
Waste						0.0000	0.0000		0.0000	0.0000	11.5461	0.0000	11.5461	0.6824	0.0000	28.6050
Water						0.0000	0.0000		0.0000	0.0000	0.5417	1.5288	2.0705	0.0558	1.3500e-003	3.8662
Total	0.1387	0.1379	0.3947	1.1800e-003	0.0762	0.0140	0.0902	0.0204	0.0140	0.0344	13.1047	143.4933	156.5980	0.7460	2.7300e-003	176.0585

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0262	0.0957	0.2371	7.9000e-004	0.0762	6.6000e-004	0.0769	0.0204	6.1000e-004	0.0210	0.0000	72.7147	72.7147	2.5300e-003	0.0000	72.7780
Unmitigated	0.0262	0.0957	0.2371	7.9000e-004	0.0762	6.6000e-004	0.0769	0.0204	6.1000e-004	0.0210	0.0000	72.7147	72.7147	2.5300e-003	0.0000	72.7780

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	146.99	183.08	152.42	177,431	177,431
Single Family Housing	12.00	12.48	10.88	27,504	27,504
Total	158.99	195.56	163.30	204,935	204,935

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	9.50	7.30	7.30	33.00	48.00	19.00	21	51	28
High Turnover (Sit Down Restaurant)	9.50	7.30	7.30	8.50	72.50	19.00	37	20	43
Single Family Housing	10.80	4.80	5.70	31.00	15.00	54.00	86	11	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691
High Turnover (Sit Down Restaurant)	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691
Single Family Housing	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

--

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										M1/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	24.0078	24.0078	2.4000e-003	5.0000e-004	24.2158
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	24.0078	24.0078	2.4000e-003	5.0000e-004	24.2158
NaturalGas Mitigated	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	44.8952	44.8952	8.6000e-004	8.2000e-004	45.1620
NaturalGas Unmitigated	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	44.8952	44.8952	8.6000e-004	8.2000e-004	45.1620

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										M1/yr					
Automobile Care Center	141054	7.6000e-004	6.9100e-003	5.8100e-003	4.0000e-005		5.3000e-004	5.3000e-004		5.3000e-004	5.3000e-004	0.0000	7.5272	7.5272	1.4000e-004	1.4000e-004	7.5719
High Turnover (Sit Down Restaurant)	467730	2.5200e-003	0.0229	0.0193	1.4000e-004		1.7400e-003	1.7400e-003		1.7400e-003	1.7400e-003	0.0000	24.9599	24.9599	4.8000e-004	4.6000e-004	25.1082
Single Family Housing	232521	1.2500e-003	0.0107	4.5600e-003	7.0000e-005		8.7000e-004	8.7000e-004		8.7000e-004	8.7000e-004	0.0000	12.4082	12.4082	2.4000e-004	2.3000e-004	12.4819
Total		4.5300e-003	0.0406	0.0296	2.5000e-004		3.1400e-003	3.1400e-003		3.1400e-003	3.1400e-003	0.0000	44.8952	44.8952	8.6000e-004	8.3000e-004	45.1620

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	141054	7.6000e-004	6.9100e-003	5.8100e-003	4.0000e-005		5.3000e-004	5.3000e-004		5.3000e-004	5.3000e-004	0.0000	7.5272	7.5272	1.4000e-004	1.4000e-004	7.5719
High Turnover (Sit Down Restaurant)	467730	2.5200e-003	0.0229	0.0193	1.4000e-004		1.7400e-003	1.7400e-003		1.7400e-003	1.7400e-003	0.0000	24.9599	24.9599	4.8000e-004	4.6000e-004	25.1082
Single Family Housing	232521	1.2500e-003	0.0107	4.5600e-003	7.0000e-005		8.7000e-004	8.7000e-004		8.7000e-004	8.7000e-004	0.0000	12.4082	12.4082	2.4000e-004	2.3000e-004	12.4819
Total		4.5300e-003	0.0406	0.0296	2.5000e-004		3.1400e-003	3.1400e-003		3.1400e-003	3.1400e-003	0.0000	44.8952	44.8952	8.6000e-004	8.3000e-004	45.1620

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	44166.2	5.8097	5.8000e-004	1.2000e-004	5.8601
High Turnover (Sit Down Restaurant)	73620	9.6841	9.7000e-004	2.0000e-004	9.7680
Single Family Housing	64724.6	8.5140	8.5000e-004	1.8000e-004	8.5878
Total		24.0078	2.4000e-003	5.0000e-004	24.2158

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	44166.2	5.8097	5.8000e-004	1.2000e-004	5.8601
High Turnover (Sit Down Restaurant)	73620	9.6841	9.7000e-004	2.0000e-004	9.7680
Single Family Housing	64724.6	8.5140	8.5000e-004	1.8000e-004	8.5878
Total		24.0078	2.4000e-003	5.0000e-004	24.2158

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1079	1.7200e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Unmitigated	0.1079	1.7200e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

SubCategory	tons/yr										MT/yr					
Architectural Coating	7.8300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0512					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0472	1.0300e-003	0.0686	1.4000e-004		9.8900e-003	9.8900e-003		9.8900e-003	9.8900e-003	1.0169	0.2497	1.2666	1.9200e-003	6.0000e-005	1.3319
Landscaping	1.7900e-003	6.8000e-004	0.0594	0.0000		3.3000e-004	3.3000e-004		3.3000e-004	3.3000e-004	0.0000	0.0972	0.0972	9.0000e-005	0.0000	0.0995
Total	0.1079	1.7100e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3469	1.3637	2.0100e-003	6.0000e-005	1.4314

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	7.8300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0512					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0472	1.0300e-003	0.0686	1.4000e-004		9.8900e-003	9.8900e-003		9.8900e-003	9.8900e-003	1.0169	0.2497	1.2666	1.9200e-003	6.0000e-005	1.3319
Landscaping	1.7900e-003	6.8000e-004	0.0594	0.0000		3.3000e-004	3.3000e-004		3.3000e-004	3.3000e-004	0.0000	0.0972	0.0972	9.0000e-005	0.0000	0.0995
Total	0.1079	1.7100e-003	0.1280	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3469	1.3637	2.0100e-003	6.0000e-005	1.4314

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.0705	0.0558	1.3500e-003	3.8662
Unmitigated	2.0705	0.0558	1.3500e-003	3.8662

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	0.503334 / 0.308495	0.6600	0.0165	4.0000e-004	1.1897
High Turnover (Sit Down Restaurant)	0.682951 / 0.0435926	0.7228	0.0223	5.4000e-004	1.4402
Single Family Housing	0.521232 / 0.328603	0.6877	0.0170	4.1000e-004	1.2363
Total		2.0705	0.0558	1.3500e-003	3.8662

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	0.503334 / 0.308495	0.6600	0.0165	4.0000e-004	1.1897

High Turnover (Sit Down Restaurant)	0.682951 / 0.0435926	0.7228	0.0223	5.4000e-004	1.4402
Single Family Housing	0.521232 / 0.328603	0.6877	0.0170	4.1000e-004	1.2363
Total		2.0705	0.0558	1.3500e-003	3.8662

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	11.5461	0.6824	0.0000	28.6050
Unmitigated	11.5461	0.6824	0.0000	28.6050

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	20.44	4.1491	0.2452	0.0000	10.2793
High Turnover (Sit Down Restaurant)	26.78	5.4361	0.3213	0.0000	13.4677

Single Family Housing	9.66	1.9609	0.1159	0.0000	4.8580
Total		11.5461	0.6824	0.0000	28.6050

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	20.44	4.1491	0.2452	0.0000	10.2793
High Turnover (Sit Down Restaurant)	26.78	5.4361	0.3213	0.0000	13.4677
Single Family Housing	9.66	1.9609	0.1159	0.0000	4.8580
Total		11.5461	0.6824	0.0000	28.6050

19-066 1530-1536 W. San Carlos (Existing Land use) - Santa Clara County, Annual

19-066 1530-1536 W. San Carlos (Existing Land use)
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High Turnover (Sit Down Restaurant)	2.25	1000sqft	0.05	2,250.00	0
Single Family Housing	8.00	Dwelling Unit	2.60	5,500.00	23
Automobile Care Center	5.35	1000sqft	0.12	5,347.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2030
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E CO2 Intensity Factor 290 for 2020

Land Use - Existing land use: Restaurant, Single family homes, and car dealership

Construction Phase - No Construction, only operational

Off-road Equipment - No construction equipment

Grading -

Vehicle Trips - Sit-Down Restaurant # of trips = 147 --> 65.33 weekdays, 81.37 Sat, 67.74 Sun; Single Family Housing # of trips = 12 --> 1.5 weekdays, 1.56 Sat, 1.36 Sun. Conservative assumption to match the traffic analysis: Assuming the automobile commercial sites have no trips

Energy Use -

Water And Wastewater - 100% aerobic

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	3.00	1.00
tblGrading	AcresOfGrading	0.00	4.50
tblLandUse	LandUseSquareFeet	14,400.00	5,500.00
tblLandUse	LandUseSquareFeet	5,350.00	5,347.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblTripsAndVMT	WorkerTripNumber	0.00	8.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	158.37	81.37
tblVehicleTrips	ST_TR	9.91	1.56
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	131.84	67.74
tblVehicleTrips	SU_TR	8.62	1.36
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	127.15	65.33
tblVehicleTrips	WD_TR	9.52	1.50

2.0 Emissions Summary

2.2 Overall Operational
Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Area	0.1079	1.7200e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Energy	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	68.9030	68.9030	3.2600e-003	1.3200e-003	69.3778
Mobile	0.0205	0.0860	0.1844	7.0000e-004	0.0762	5.0000e-004	0.0767	0.0204	4.6000e-004	0.0209	0.0000	64.6034	64.6034	2.0900e-003	0.0000	64.6557
Waste						0.0000	0.0000		0.0000	0.0000	11.5461	0.0000	11.5461	0.6824	0.0000	28.6050
Water						0.0000	0.0000		0.0000	0.0000	0.5417	1.5288	2.0705	0.0558	1.3500e-003	3.8662
Total	0.1330	0.1283	0.3419	1.0900e-003	0.0762	0.0139	0.0900	0.0204	0.0138	0.0342	13.1047	135.3820	148.4868	0.7455	2.7300e-003	167.9362

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1079	1.7200e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Energy	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	68.9030	68.9030	3.2600e-003	1.3200e-003	69.3778
Mobile	0.0205	0.0860	0.1844	7.0000e-004	0.0762	5.0000e-004	0.0767	0.0204	4.6000e-004	0.0209	0.0000	64.6034	64.6034	2.0900e-003	0.0000	64.6557
Waste						0.0000	0.0000		0.0000	0.0000	11.5461	0.0000	11.5461	0.6824	0.0000	28.6050
Water						0.0000	0.0000		0.0000	0.0000	0.5417	1.5288	2.0705	0.0558	1.3500e-003	3.8662
Total	0.1330	0.1283	0.3419	1.0900e-003	0.0762	0.0139	0.0900	0.0204	0.0138	0.0342	13.1047	135.3820	148.4868	0.7455	2.7300e-003	167.9362

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	6/1/2020	6/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 4.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Graders	0	8.00	187	0.41
Site Preparation	Scrapers	0	8.00	367	0.48
Site Preparation	Tractors/Loaders/Backhoes	0	7.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	8.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	1.0000e-005	1.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0272	0.0272	0.0000	0.0000	0.0272
Total	1.0000e-005	1.0000e-005	1.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0272	0.0272	0.0000	0.0000	0.0272

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	2.3900e-003	0.0000	2.3900e-003	2.6000e-004	0.0000	2.6000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0000e-005	1.0000e-005	1.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0272	0.0272	0.0000	0.0000	0.0272
Total	1.0000e-005	1.0000e-005	1.0000e-004	0.0000	3.0000e-005	0.0000	3.0000e-005	1.0000e-005	0.0000	1.0000e-005	0.0000	0.0272	0.0272	0.0000	0.0000	0.0272

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0205	0.0860	0.1844	7.0000e-004	0.0762	5.0000e-004	0.0767	0.0204	4.6000e-004	0.0209	0.0000	64.6034	64.6034	2.0900e-003	0.0000	64.6557
Unmitigated	0.0205	0.0860	0.1844	7.0000e-004	0.0762	5.0000e-004	0.0767	0.0204	4.6000e-004	0.0209	0.0000	64.6034	64.6034	2.0900e-003	0.0000	64.6557

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	146.99	183.08	152.42	177,431	177,431
Single Family Housing	12.00	12.48	10.88	27,504	27,504
Total	158.99	195.56	163.30	204,935	204,935

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	9.50	7.30	7.30	33.00	48.00	19.00	21	51	28
High Turnover (Sit Down Restaurant)	9.50	7.30	7.30	8.50	72.50	19.00	37	20	43
Single Family Housing	10.80	4.80	5.70	31.00	15.00	54.00	86	11	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651
High Turnover (Sit Down Restaurant)	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651
Single Family Housing	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	24.0078	24.0078	2.4000e-003	5.0000e-004	24.2158

Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	24.0078	24.0078	2.4000e-003	5.0000e-004	24.2158
NaturalGas Mitigated	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	44.8952	44.8952	8.6000e-004	8.2000e-004	45.1620
NaturalGas Unmitigated	4.5400e-003	0.0406	0.0296	2.5000e-004		3.1300e-003	3.1300e-003		3.1300e-003	3.1300e-003	0.0000	44.8952	44.8952	8.6000e-004	8.2000e-004	45.1620

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	141054	7.6000e-004	6.9100e-003	5.8100e-003	4.0000e-005		5.3000e-004	5.3000e-004		5.3000e-004	5.3000e-004	0.0000	7.5272	7.5272	1.4000e-004	1.4000e-004	7.5719
High Turnover (Sit Down Restaurant)	467730	2.5200e-003	0.0229	0.0193	1.4000e-004		1.7400e-003	1.7400e-003		1.7400e-003	1.7400e-003	0.0000	24.9599	24.9599	4.8000e-004	4.6000e-004	25.1082
Single Family Housing	232521	1.2500e-003	0.0107	4.5600e-003	7.0000e-005		8.7000e-004	8.7000e-004		8.7000e-004	8.7000e-004	0.0000	12.4082	12.4082	2.4000e-004	2.3000e-004	12.4819
Total		4.5300e-003	0.0406	0.0296	2.5000e-004		3.1400e-003	3.1400e-003		3.1400e-003	3.1400e-003	0.0000	44.8952	44.8952	8.6000e-004	8.3000e-004	45.1620

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	141054	7.6000e-004	6.9100e-003	5.8100e-003	4.0000e-005		5.3000e-004	5.3000e-004		5.3000e-004	5.3000e-004	0.0000	7.5272	7.5272	1.4000e-004	1.4000e-004	7.5719
High Turnover (Sit Down Restaurant)	467730	2.5200e-003	0.0229	0.0193	1.4000e-004		1.7400e-003	1.7400e-003		1.7400e-003	1.7400e-003	0.0000	24.9599	24.9599	4.8000e-004	4.6000e-004	25.1082
Single Family Housing	232521	1.2500e-003	0.0107	4.5600e-003	7.0000e-005		8.7000e-004	8.7000e-004		8.7000e-004	8.7000e-004	0.0000	12.4082	12.4082	2.4000e-004	2.3000e-004	12.4819
Total		4.5300e-003	0.0406	0.0296	2.5000e-004		3.1400e-003	3.1400e-003		3.1400e-003	3.1400e-003	0.0000	44.8952	44.8952	8.6000e-004	8.3000e-004	45.1620

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	44166.2	5.8097	5.8000e-004	1.2000e-004	5.8601
High Turnover (Sit Down Restaurant)	73620	9.6841	9.7000e-004	2.0000e-004	9.7680
Single Family Housing	64724.6	8.5140	8.5000e-004	1.8000e-004	8.5878
Total		24.0078	2.4000e-003	5.0000e-004	24.2158

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	44166.2	5.8097	5.8000e-004	1.2000e-004	5.8601
High Turnover (Sit Down Restaurant)	73620	9.6841	9.7000e-004	2.0000e-004	9.7680
Single Family Housing	64724.6	8.5140	8.5000e-004	1.8000e-004	8.5878
Total		24.0078	2.4000e-003	5.0000e-004	24.2158

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1079	1.7200e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314
Unmitigated	0.1079	1.7200e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3468	1.3637	2.0100e-003	6.0000e-005	1.4314

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	7.8300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0512					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0472	1.0300e-003	0.0686	1.4000e-004		9.8900e-003	9.8900e-003		9.8900e-003	9.8900e-003	1.0169	0.2497	1.2666	1.9200e-003	6.0000e-005	1.3319
Landscaping	1.7800e-003	6.8000e-004	0.0593	0.0000		3.3000e-004	3.3000e-004		3.3000e-004	3.3000e-004	0.0000	0.0972	0.0972	9.0000e-005	0.0000	0.0995
Total	0.1079	1.7100e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3469	1.3637	2.0100e-003	6.0000e-005	1.4314

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	7.8300e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0512					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0472	1.0300e-003	0.0686	1.4000e-004		9.8900e-003	9.8900e-003		9.8900e-003	9.8900e-003	1.0169	0.2497	1.2666	1.9200e-003	6.0000e-005	1.3319
Landscaping	1.7800e-003	6.8000e-004	0.0593	0.0000		3.3000e-004	3.3000e-004		3.3000e-004	3.3000e-004	0.0000	0.0972	0.0972	9.0000e-005	0.0000	0.0995
Total	0.1079	1.7100e-003	0.1279	1.4000e-004		0.0102	0.0102		0.0102	0.0102	1.0169	0.3469	1.3637	2.0100e-003	6.0000e-005	1.4314

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.0705	0.0558	1.3500e-003	3.8662
Unmitigated	2.0705	0.0558	1.3500e-003	3.8662

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	0.503334 / 0.308495	0.6600	0.0165	4.0000e-004	1.1897
High Turnover (Sit Down Restaurant)	0.682951 / 0.0435926	0.7228	0.0223	5.4000e-004	1.4402
Single Family Housing	0.521232 / 0.328603	0.6877	0.0170	4.1000e-004	1.2363
Total		2.0705	0.0558	1.3500e-003	3.8662

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	0.503334 / 0.308495	0.6600	0.0165	4.0000e-004	1.1897
High Turnover (Sit Down Restaurant)	0.682951 / 0.0435926	0.7228	0.0223	5.4000e-004	1.4402
Single Family Housing	0.521232 / 0.328603	0.6877	0.0170	4.1000e-004	1.2363
Total		2.0705	0.0558	1.3500e-003	3.8662

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	11.5461	0.6824	0.0000	28.6050
Unmitigated	11.5461	0.6824	0.0000	28.6050

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	20.44	4.1491	0.2452	0.0000	10.2793
High Turnover (Sit Down Restaurant)	26.78	5.4361	0.3213	0.0000	13.4677
Single Family Housing	9.66	1.9609	0.1159	0.0000	4.8580
Total		11.5461	0.6824	0.0000	28.6050

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	20.44	4.1491	0.2452	0.0000	10.2793

High Turnover (Sit Down Restaurant)	26.78	5.4361	0.3213	0.0000	13.4677
Single Family Housing	9.66	1.9609	0.1159	0.0000	4.8580
Total		11.5461	0.6824	0.0000	28.6050

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

19-066 1530-1536-1544 W. San Carlos Operational & GHG - Santa Clara County, Annual

19-066 1530-1536-1544 W. San Carlos Operational & GHG
Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	199.00	Space	1.79	78,920.00	0
Apartments Mid Rise	174.00	Dwelling Unit	4.58	146,737.00	498
Strip Mall	20.41	1000sqft	0.47	20,407.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2025
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land use size metric but default areage. A total of 174 dwelling units and 199 parking spaces and 20,407 sqft of commercial. Exact square footage from applicant. Square footage for residential include both units and amenity sqft.

Construction Phase - Operational Model, No Construction

Off-road Equipment - No construction equipment

Trips and VMT -

Vehicle Trips - Housing (733 trips/174 units) = Weekday 4.21, Sat 4.04, Sun 3.71. Retail (419 trips/20.407 ksft) = weekday 20.53, Sat 19.47, Sun 9.46

- Vehicle Emission Factors -
- Vehicle Emission Factors -
- Vehicle Emission Factors -
- Woodstoves - No wood burning all natural gas
- Area Coating -
- Energy Use -
- Water And Wastewater - Assumption of 100% aerobic
- Solid Waste -
- Area Mitigation -
- Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	10.00	1.00
tblFireplaces	FireplaceWoodMass	228.80	0.00
tblFireplaces	NumberGas	26.10	55.68
tblFireplaces	NumberWood	29.58	0.00
tblLandUse	LandUseSquareFeet	79,600.00	78,920.00
tblLandUse	LandUseSquareFeet	174,000.00	146,737.00
tblLandUse	LandUseSquareFeet	20,410.00	20,407.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblVehicleTrips	ST_TR	6.39	4.04
tblVehicleTrips	ST_TR	42.04	19.47
tblVehicleTrips	SU_TR	5.86	3.71
tblVehicleTrips	SU_TR	20.43	9.46
tblVehicleTrips	WD_TR	6.65	4.21
tblVehicleTrips	WD_TR	44.32	20.53
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00

tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWoodstoves	WoodstoveWoodMass	582.40	0.00

2.0 Emissions Summary

2.2 Overall Operational
Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8131	0.0209	1.2953	1.1000e-004		7.6500e-003	7.6500e-003		7.6500e-003	7.6500e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575
Energy	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	266.8219	266.8219	0.0200	5.3300e-003	268.9085
Mobile	0.1994	0.7717	2.2051	8.2400e-003	0.8344	6.5400e-003	0.8410	0.2233	6.0800e-003	0.2294	0.0000	756.5893	756.5893	0.0237	0.0000	757.1805
Waste						0.0000	0.0000		0.0000	0.0000	20.5975	0.0000	20.5975	1.2173	0.0000	51.0294
Water						0.0000	0.0000		0.0000	0.0000	4.5459	12.8624	17.4083	0.0169	0.0102	20.8568
Total	1.0209	0.8642	3.5318	8.81E-03	0.8344	0.02	0.8544	0.2233	0.0195	0.2429	25.1434	1,045.34	1,070.48	1.28	0.0156	1,107.13

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8131	0.0209	1.2953	1.1000e-004		7.6500e-003	7.6500e-003		7.6500e-003	7.6500e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575
Energy	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	266.8219	266.8219	0.0200	5.3300e-003	268.9085
Mobile	0.1994	0.7717	2.2051	8.2400e-003	0.8344	6.5400e-003	0.8410	0.2233	6.0800e-003	0.2294	0.0000	756.5893	756.5893	0.0237	0.0000	757.1805
Waste						0.0000	0.0000		0.0000	0.0000	20.5975	0.0000	20.5975	1.2173	0.0000	51.0294
Water						0.0000	0.0000		0.0000	0.0000	4.5459	12.8624	17.4083	0.0169	0.0102	20.8568
Total	1.0209	0.8642	3.5318	8.8100e-003	0.8344	0.0200	0.8544	0.2233	0.0195	0.2429	25.1434	1,045.3389	1,070.4823	1.2800	0.0156	1,107.1328

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1994	0.7717	2.2051	8.2400e-003	0.8344	6.5400e-003	0.8410	0.2233	6.0800e-003	0.2294	0.0000	756.5893	756.5893	0.0237	0.0000	757.1805
Unmitigated	0.1994	0.7717	2.2051	8.2400e-003	0.8344	6.5400e-003	0.8410	0.2233	6.0800e-003	0.2294	0.0000	756.5893	756.5893	0.0237	0.0000	757.1805

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT

Apartments Mid Rise	732.54	702.96	645.54	1,653,415	1,653,415
Enclosed Parking with Elevator	0.00	0.00	0.00		
Strip Mall	419.02	397.38	193.08	590,833	590,833
Total	1,151.56	1,100.34	838.62	2,244,248	2,244,248

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	10.80	4.80	5.70	31.00	15.00	54.00	86	11	3
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Strip Mall	9.50	7.30	7.30	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691
Enclosed Parking with Elevator	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691
Strip Mall	0.616749	0.035330	0.181430	0.103378	0.013121	0.005016	0.012828	0.021913	0.002183	0.001508	0.005219	0.000634	0.000691

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	184.0210	184.0210	0.0184	3.8100e-003	185.6157
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	184.0210	184.0210	0.0184	3.8100e-003	185.6157
NaturalGas Mitigated	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929
NaturalGas Unmitigated	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

5.2 Energy by Land Use - NaturalGas

Unmitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	1.50326e+006	8.1100e-003	0.0693	0.0295	4.4000e-004		5.6000e-003	5.6000e-003		5.6000e-003	5.6000e-003	0.0000	80.2199	80.2199	1.5400e-003	1.4700e-003	80.6966
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Strip Mall	48364.6	2.6000e-004	2.3700e-003	1.9900e-003	1.0000e-005		1.8000e-004	1.8000e-004		1.8000e-004	1.8000e-004	0.0000	2.5809	2.5809	5.0000e-005	5.0000e-005	2.5963
Total		8.3700e-003	0.0716	0.0315	4.5000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

Mitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	1.50326e+006	8.1100e-003	0.0693	0.0295	4.4000e-004		5.6000e-003	5.6000e-003		5.6000e-003	5.6000e-003	0.0000	80.2199	80.2199	1.5400e-003	1.4700e-003	80.6966
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Strip Mall	48364.6	2.6000e-004	2.3700e-003	1.9900e-003	1.0000e-005		1.8000e-004	1.8000e-004		1.8000e-004	1.8000e-004	0.0000	2.5809	2.5809	5.0000e-005	5.0000e-005	2.5963
Total		8.3700e-003	0.0716	0.0315	4.5000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	718333	94.4908	9.4500e-003	1.9500e-003	95.3096
Enclosed Parking with Elevator	462471	60.8343	6.0800e-003	1.2600e-003	61.3615
Strip Mall	218151	28.6960	2.8700e-003	5.9000e-004	28.9446
Total		184.0210	0.0184	3.8000e-003	185.6157

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	718333	94.4908	9.4500e-003	1.9500e-003	95.3096
Enclosed Parking with Elevator	462471	60.8343	6.0800e-003	1.2600e-003	61.3615
Strip Mall	218151	28.6960	2.8700e-003	5.9000e-004	28.9446
Total		184.0210	0.0184	3.8000e-003	185.6157

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.8131	0.0209	1.2953	1.1000e-004		7.6500e-003	7.6500e-003		7.6500e-003	7.6500e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575
Unmitigated	0.8131	0.0209	1.2953	1.1000e-004		7.6500e-003	7.6500e-003		7.6500e-003	7.6500e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1156					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.6579					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	7.0000e-004	6.0000e-003	2.5500e-003	4.0000e-005		4.9000e-004	4.9000e-004		4.9000e-004	4.9000e-004	0.0000	6.9511	6.9511	1.3000e-004	1.3000e-004	6.9924
Landscaping	0.0389	0.0149	1.2928	7.0000e-005		7.1700e-003	7.1700e-003		7.1700e-003	7.1700e-003	0.0000	2.1143	2.1143	2.0300e-003	0.0000	2.1651
Total	0.8131	0.0209	1.2953	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					

Architectural Coating	0.1156					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.6579					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	7.0000e-004	6.0000e-003	2.5500e-003	4.0000e-005		4.9000e-004	4.9000e-004		4.9000e-004	4.9000e-004	0.0000	6.9511	6.9511	1.3000e-004	1.3000e-004	6.9924
Landscaping	0.0389	0.0149	1.2928	7.0000e-005		7.1700e-003	7.1700e-003		7.1700e-003	7.1700e-003	0.0000	2.1143	2.1143	2.0300e-003	0.0000	2.1651
Total	0.8131	0.0209	1.2953	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1600e-003	1.3000e-004	9.1575

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	17.4083	0.0169	0.0102	20.8568
Unmitigated	17.4083	0.0169	0.0102	20.8568

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	11.3368 / 7.14711	15.3707	0.0149	8.9600e-003	18.4136

Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
Strip Mall	1.51182 / 0.926599	2.0376	1.9900e-003	1.1900e-003	2.4432
Total		17.4083	0.0169	0.0102	20.8568

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	11.3368 / 7.14711	15.3707	0.0149	8.9600e-003	18.4136
Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
Strip Mall	1.51182 / 0.926599	2.0376	1.9900e-003	1.1900e-003	2.4432
Total		17.4083	0.0169	0.0102	20.8568

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	20.5975	1.2173	0.0000	51.0294

Unmitigated	20.5975	1.2173	0.0000	51.0294
-------------	---------	--------	--------	---------

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	80.04	16.2474	0.9602	0.0000	40.2522
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
Strip Mall	21.43	4.3501	0.2571	0.0000	10.7772
Total		20.5975	1.2173	0.0000	51.0294

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	80.04	16.2474	0.9602	0.0000	40.2522
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
Strip Mall	21.43	4.3501	0.2571	0.0000	10.7772
Total		20.5975	1.2173	0.0000	51.0294

19-066 1530-1536-1544 W. San Carlos Operational & GHG - Santa Clara County, Annual

19-066 1530-1536-1544 W. San Carlos Operational & GHG 2030**Santa Clara County, Annual****1.0 Project Characteristics****1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Enclosed Parking with Elevator	199.00	Space	1.79	78,920.00	0
Apartments Mid Rise	174.00	Dwelling Unit	4.58	146,737.00	498
Strip Mall	20.41	1000sqft	0.47	20,407.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	58
Climate Zone	4			Operational Year	2030

Utility Company	Pacific Gas & Electric Company
------------------------	--------------------------------

CO2 Intensity (lb/MW hr)	290	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006
---------------------------------	-----	---------------------------------	-------	---------------------------------	-------

1.3 User Entered Comments & Non-Default Data

Project Characteristics - PG&E 2020 290 rate

Land Use - Specific land use size metric but default areage. A total of 174 dwelling units and 199 parking spaces and 20,407 sqft of commercial. Exact square footage from applicant. Square footage for residential include both units and amenity sqft.

Construction Phase - Operational Model, No Construction

Off-road Equipment - No construction equipment

Trips and VMT -

Vehicle Trips - Housing (733 trips/174 units) = Weekday 4.21, Sat 4.04, Sun 3.71. Retail (419 trips/20.407 ksqft) = weekday 20.53, Sat 19.47, Sun 9.46

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Woodstoves - No wood burning all natural gas

Area Coating -

Energy Use -

Water And Wastewater - Assumption of 100% aerobic

Solid Waste -

Area Mitigation -

Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	10.00	1.00
tblFireplaces	FireplaceWoodMass	228.80	0.00
tblFireplaces	NumberGas	26.10	55.68
tblFireplaces	NumberWood	29.58	0.00
tblLandUse	LandUseSquareFeet	79,600.00	78,920.00
tblLandUse	LandUseSquareFeet	174,000.00	146,737.00
tblLandUse	LandUseSquareFeet	20,410.00	20,407.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	290
tblVehicleTrips	ST_TR	6.39	4.04
tblVehicleTrips	ST_TR	42.04	19.47
tblVehicleTrips	SU_TR	5.86	3.71
tblVehicleTrips	SU_TR	20.43	9.46
tblVehicleTrips	WD_TR	6.65	4.21
tblVehicleTrips	WD_TR	44.32	20.53
tblWater	AerobicPercent	87.46	100.00

tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPerce nt	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWoodstoves	WoodstoveWoodMass	582.40	0.00

2.0 Emissions Summary

2.2 Overall Operational
Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572
Energy	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	266.8219	266.8219	0.0200	5.3300e-003	268.9085
Mobile	0.1576	0.6760	1.7266	7.2800e-003	0.8343	4.9300e-003	0.8393	0.2233	4.5800e-003	0.2279	0.0000	670.2875	670.2875	0.0197	0.0000	670.7793
Waste						0.0000	0.0000		0.0000	0.0000	20.5975	0.0000	20.5975	1.2173	0.0000	51.0294
Water						0.0000	0.0000		0.0000	0.0000	4.5459	12.8624	17.4083	0.0169	0.0102	20.8568
Total	0.9788	0.7685	3.0512	7.8500e-003	0.8343	0.0184	0.8527	0.2233	0.0180	0.2413	25.1434	959.0372	984.1805	1.2760	0.0156	1,020.7313

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572
Energy	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	266.8219	266.8219	0.0200	5.3300e-003	268.9085
Mobile	0.1576	0.6760	1.7266	7.2800e-003	0.8343	4.9300e-003	0.8393	0.2233	4.5800e-003	0.2279	0.0000	670.2875	670.2875	0.0197	0.0000	670.7793
Waste						0.0000	0.0000		0.0000	0.0000	20.5975	0.0000	20.5975	1.2173	0.0000	51.0294
Water						0.0000	0.0000		0.0000	0.0000	4.5459	12.8624	17.4083	0.0169	0.0102	20.8568
Total	0.9788	0.7685	3.0512	7.8500e-003	0.8343	0.0184	0.8527	0.2233	0.0180	0.2413	25.1434	959.0372	984.1805	1.2760	0.0156	1,020.7313

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1576	0.6760	1.7266	7.2800e-003	0.8343	4.9300e-003	0.8393	0.2233	4.5800e-003	0.2279	0.0000	670.2875	670.2875	0.0197	0.0000	670.7793
Unmitigated	0.1576	0.6760	1.7266	7.2800e-003	0.8343	4.9300e-003	0.8393	0.2233	4.5800e-003	0.2279	0.0000	670.2875	670.2875	0.0197	0.0000	670.7793

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	732.54	702.96	645.54	1,653,415	1,653,415
Enclosed Parking with Elevator	0.00	0.00	0.00		
Strip Mall	419.02	397.38	193.08	590,833	590,833
Total	1,151.56	1,100.34	838.62	2,244,248	2,244,248

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	10.80	4.80	5.70	31.00	15.00	54.00	86	11	3
Enclosed Parking with Elevator	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0
Strip Mall	9.50	7.30	7.30	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651
Enclosed Parking with Elevator	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651
Strip Mall	0.621541	0.034056	0.180136	0.101248	0.011859	0.005060	0.013110	0.022881	0.002221	0.001470	0.005122	0.000646	0.000651

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	184.0210	184.0210	0.0184	3.8100e-003	185.6157
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	184.0210	184.0210	0.0184	3.8100e-003	185.6157
NaturalGas Mitigated	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929
NaturalGas Unmitigated	8.3700e-003	0.0716	0.0315	4.6000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	1.50326e+006	8.1100e-003	0.0693	0.0295	4.4000e-004		5.6000e-003	5.6000e-003		5.6000e-003	5.6000e-003	0.0000	80.2199	80.2199	1.5400e-003	1.4700e-003	80.6966
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Strip Mall	48364.6	2.6000e-004	2.3700e-003	1.9900e-003	1.0000e-005		1.8000e-004	1.8000e-004		1.8000e-004	1.8000e-004	0.0000	2.5809	2.5809	5.0000e-005	5.0000e-005	2.5963
Total		8.3700e-003	0.0716	0.0315	4.5000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	1.50326e+006	8.1100e-003	0.0693	0.0295	4.4000e-004		5.6000e-003	5.6000e-003		5.6000e-003	5.6000e-003	0.0000	80.2199	80.2199	1.5400e-003	1.4700e-003	80.6966
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Strip Mall	48364.6	2.6000e-004	2.3700e-003	1.9900e-003	1.0000e-005		1.8000e-004	1.8000e-004		1.8000e-004	1.8000e-004	0.0000	2.5809	2.5809	5.0000e-005	5.0000e-005	2.5963
Total		8.3700e-003	0.0716	0.0315	4.5000e-004		5.7800e-003	5.7800e-003		5.7800e-003	5.7800e-003	0.0000	82.8008	82.8008	1.5900e-003	1.5200e-003	83.2929

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	718333	94.4908	9.4500e-003	1.9500e-003	95.3096
Enclosed Parking with Elevator	462471	60.8343	6.0800e-003	1.2600e-003	61.3615
Strip Mall	218151	28.6960	2.8700e-003	5.9000e-004	28.9446
Total		184.0210	0.0184	3.8000e-003	185.6157

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	718333	94.4908	9.4500e-003	1.9500e-003	95.3096
Enclosed Parking with Elevator	462471	60.8343	6.0800e-003	1.2600e-003	61.3615
Strip Mall	218151	28.6960	2.8700e-003	5.9000e-004	28.9446
Total		184.0210	0.0184	3.8000e-003	185.6157

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572

Unmitigated	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572
-------------	--------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	--------	--------	-------------	-------------	--------

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1156					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.6579					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	7.0000e-004	6.0000e-003	2.5500e-003	4.0000e-005		4.9000e-004	4.9000e-004		4.9000e-004	4.9000e-004	0.0000	6.9511	6.9511	1.3000e-004	1.3000e-004	6.9924
Landscaping	0.0387	0.0149	1.2906	7.0000e-005		7.1700e-003	7.1700e-003		7.1700e-003	7.1700e-003	0.0000	2.1143	2.1143	2.0200e-003	0.0000	2.1649
Total	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1156					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.6579					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	7.0000e-004	6.0000e-003	2.5500e-003	4.0000e-005		4.9000e-004	4.9000e-004		4.9000e-004	4.9000e-004	0.0000	6.9511	6.9511	1.3000e-004	1.3000e-004	6.9924
Landscaping	0.0387	0.0149	1.2906	7.0000e-005		7.1700e-003	7.1700e-003		7.1700e-003	7.1700e-003	0.0000	2.1143	2.1143	2.0200e-003	0.0000	2.1649

Total	0.8129	0.0209	1.2931	1.1000e-004		7.6600e-003	7.6600e-003		7.6600e-003	7.6600e-003	0.0000	9.0654	9.0654	2.1500e-003	1.3000e-004	9.1572
-------	--------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	--------	--------	-------------	-------------	--------

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	17.4083	0.0169	0.0102	20.8568
Unmitigated	17.4083	0.0169	0.0102	20.8568

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	11.3368 / 7.14711	15.3707	0.0149	8.9600e-003	18.4136
Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
Strip Mall	1.51182 / 0.926599	2.0376	1.9900e-003	1.1900e-003	2.4432
Total		17.4083	0.0169	0.0102	20.8568

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	11.3368 / 7.14711	15.3707	0.0149	8.9600e-003	18.4136
Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
Strip Mall	1.51182 / 0.926599	2.0376	1.9900e-003	1.1900e-003	2.4432
Total		17.4083	0.0169	0.0102	20.8568

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	20.5975	1.2173	0.0000	51.0294
Unmitigated	20.5975	1.2173	0.0000	51.0294

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	80.04	16.2474	0.9602	0.0000	40.2522
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
Strip Mall	21.43	4.3501	0.2571	0.0000	10.7772
Total		20.5975	1.2173	0.0000	51.0294

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	80.04	16.2474	0.9602	0.0000	40.2522
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
Strip Mall	21.43	4.3501	0.2571	0.0000	10.7772
Total		20.5975	1.2173	0.0000	51.0294

Attachment 3: Construction Health Risk Calculations

1530-1536 West San Carlos Street, San Jose, CA (Phase 1)

DPM Construction Emissions and Modeling Emission Rates

Construction Year	Activity	DPM (ton/year)	Source Type	No. Sources	DPM Emissions			Emissions per Point Source
					(lb/yr)	(lb/hr)	(g/s)	(g/s)
2020	Construction	0.1065	Point	90	213.0	0.06484	8.17E-03	9.08E-05
2021	Construction	0.0584	Point	90	116.8	0.03556	4.48E-03	4.98E-05

hr/day = 9 (7am - 4pm)
days/yr = 365
hours/year = 3285

PM2.5 Fugitive Dust Construction Emissions Modeling Emission Rates

Construction Year	Activity	Area Source	PM2.5 Emissions				Modeled Area (m ²)	Emission Rate g/s/m ²
			(ton/year)	(lb/yr)	(lb/hr)	(g/s)		
2020	Construction	CON_FUG	0.06740	134.8	0.04104	5.17E-03	3,391	1.52E-06
2021	Construction	CON_FUG	0.00146	2.9	0.00089	1.12E-04	3,391	3.30E-08

hr/day = 9 (7am - 4pm)
days/yr = 365
hours/year = 3285

DPM Construction Emissions and Modeling Emission Rates - With Mitigation

Construction Year	Activity	DPM (ton/year)	Source Type	No. Sources	DPM Emissions			Emissions per Point Source
					(lb/yr)	(lb/hr)	(g/s)	(g/s)
2020	Construction	0.0034	Point	90	6.8	0.00208	2.62E-04	2.91E-06
2021	Construction	0.0020	Point	90	3.9	0.00120	1.51E-04	1.68E-06

hr/day = 9 (7am - 4pm)
days/yr = 365
hours/year = 3285

PM2.5 Fugitive Dust Construction Emissions for Modeling - With Mitigation

Construction Year	Activity	Area Source	PM2.5 Emissions				Modeled Area (m ²)	DPM Emission Rate
			(ton/year)	(lb/yr)	(lb/hr)	(g/s)		g/s/m ²
2020	Construction	CON_FUG	0.01660	33.2	0.01011	1.27E-03	3,391	3.76E-07
2021	Construction	CON_FUG	0.00146	2.9	0.00089	1.12E-04	3,391	3.30E-08

hr/day = 9 (7am - 4pm)
days/yr = 365
hours/year = 3285

1544 West San Carlos Street, San Jose, CA (Phase 2)

DPM Construction Emissions and Modeling Emission Rates

								Emissions
Construction		DPM	Source	No.	DPM Emissions			per Point Source
Year	Activity	(ton/year)	Type	Sources	(lb/yr)	(lb/hr)	(g/s)	(g/s)
2022	Construction	0.0934	Point	50	186.8	0.05688	7.17E-03	1.43E-04
		hr/day =	9	(7am - 4pm)				
		days/yr =	365					
		hours/year =	3285					

PM2.5 Fugitive Dust Construction Emissions for Modeling

Construction		Area	PM2.5 Emissions				Modeled Area	Emission Rate
Year	Activity	Source	(ton/year)	(lb/yr)	(lb/hr)	(g/s)	(m ²)	g/s/m ²
2022	Construction	CON_FUG	0.03192	63.8	0.01943	2.45E-03	1,851	1.32E-06
		hr/day =	9	(7am - 4pm)				
		days/yr =	365					
		hours/year =	3285					

DPM Construction Emissions and Modeling Emission Rates - With Mitigation

Construction		DPM	Source	No.	DPM Emissions			Emissions per Point Source
Year	Activity	(ton/year)	Type	Sources	(lb/yr)	(lb/hr)	(g/s)	(g/s)
2022	Construction	0.0029	Point	50	5.8	0.00175	2.21E-04	4.42E-06
		hr/day =	9	(7am - 4pm)				
		days/yr =	365					
		hours/year =	3285					

PM2.5 Fugitive Dust Construction Emissions for Modeling - With Mitigation

Construction		Area	PM2.5 Emissions				Modeled Area	DPM Emission Rate
Year	Activity	Source	(ton/year)	(lb/yr)	(lb/hr)	(g/s)	(m ²)	g/s/m ²
2022	Construction	CON_FUG	0.00447	8.9	0.00272	3.43E-04	1,851	1.85E-07
		hr/day =	9	(7am - 4pm)				
		days/yr =	365					
		hours/year =	3285					

1530-1536 West San Carlos Street, San Jose, CA - Construction Health Impact Modeling
Source Parameters for Point Sources Used in Construction Modeling

Source	Stack Height (ft)	Stack Diam (in)	Exhaust Temp (F)	Volume Flow (acfm)	Velocity (ft/min)	Velocity (ft/sec)
Construction Equipment	9.0	2.5	918	632	18540	309.0
Source	Stack Height (m)	Stack Diam (m)	Exhaust Temp (K)			Velocity (ft/sec)
Construction Equipment	2.74	0.064	765.37			94.2

1530-1536-1544 West San Carlos Street, San Jose, CA
Construction Health Impacts Summary

Maximum Impacts at Construction MEI Location - Unmitigated

Emissions Year						
	Maximum Concentrations		Cancer Risk (per million)		Hazard Index	Maximum Annual PM2.5 Concentration
	Exhaust PM10/DPM	Fugitive PM2.5				
	(µg/m³)	(µg/m³)	Child	Adult	(-)	(µg/m³)
2020	0.3889	0.4852	69.39	1.12	0.078	0.87
2021	0.2133	0.0105	35.03	0.61	0.043	0.22
2022-2023*	0.1454		4.15	0.42	0.029	
Total	-	-	108.6	2.1	-	-
Maximum	0.3889	0.4852	-	-	0.078	0.87

*Includes one month of 2023 emissions (January 2023)

Maximum Impacts at Construction MEI Location - With Mitigation

Emissions Year						
	Maximum Concentrations		Cancer Risk (per million)		Hazard Index	Maximum Annual PM2.5 Concentration
	Exhaust PM10/DPM	Fugitive PM2.5				
	(µg/m³)	(µg/m³)	Child	Adult	(-)	(µg/m³)
2020	0.0125	0.1193	2.22	0.04	0.002	0.13
2021	0.0072	0.0105	1.18	0.02	0.001	0.02
2022-2023*	0.0072	0.0141	0.21	0.02	0.001	0.02
Total	-	-	3.6	0.1	-	-
Maximum	0.0125	0.1193	-	-	0.002	0.13

*Includes one month of 2023 emissions (January 2023)

1530-1536-1544 West San Carlos Street, San Jose, CA
Maximum DPM Cancer Risk Calculations From Construction - Unmitigated Emissions
Impacts at Off-Site Receptors-4.5 meter

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹
 ASF = Age sensitivity factor for specified age group
 ED = Exposure duration (years)
 AT = Averaging time for lifetime cancer risk (years)
 FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)
 DBR = daily breathing rate (L/kg body weight-day)
 A = Inhalation absorption factor
 EF = Exposure frequency (days/year)
 10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Age	Infant/Child - Exposure Information			Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Fugitive PM2.5	Total PM2.5
			DPM Conc (ug/m3)		Age Sensitivity Factor		Modeled		Age Sensitivity Factor			
			DPM Conc (ug/m3)		Sensitivity Factor	DPM Conc (ug/m3)		Sensitivity Factor				
			Year	Annual		Year	Annual					
0	0.25	-0.25 - 0*	2020	0.3889	10	5.52	2020	0.3889	-	-		
1	1	0 - 1	2020	0.3889	10	63.88	2020	0.3889	1	1.12	0.4852	0.874
2	1	1 - 2	2021	0.2133	10	35.03	2021	0.2133	1	0.61	0.0105	0.224
3	1	2 - 3	2022	0.1454	3	4.15	2022	0.1454	1	0.42	0.1006	0.246
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00		
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00		
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00		
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00		
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00		
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00		
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00		
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00		
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00		
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00		
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00		
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00		
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00		
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00		
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00		
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00		
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00		
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00		
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00		
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00		
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00		
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00		
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00		
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00		
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00		
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00		
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00		
Total Increased Cancer Risk						108.6				2.15		

* Third trimester of pregnancy

1530-1536-1544 West San Carlos Street, San Jose, CA
Maximum DPM Cancer Risk Calculations From Construction - Mitigated Emissions
Impacts at Off-Site Receptors-4.5 meter

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹

ASF = Age sensitivity factor for specified age group

ED = Exposure duration (years)

AT = Averaging time for lifetime cancer risk (years)

FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)

DBR = daily breathing rate (L/kg body weight-day)

A = Inhalation absorption factor

EF = Exposure frequency (days/year)

10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Age	Infant/Child - Exposure Information			Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Fugitive PM2.5	Total PM2.5
			DPM Conc (ug/m3)		Sensitivity Factor		Modeled		Age Sensitivity Factor			
			Year	Annual			DPM Conc (ug/m3)					
							Year	Annual				
0	0.25	-0.25 - 0*	2020	0.0125	10	0.18	2020	0.0125	-	-		
1	1	0 - 1	2020	0.0125	10	2.04	2020	0.0125	1	0.04	0.1193	0.132
2	1	1 - 2	2021	0.0072	10	1.18	2021	0.0072	1	0.02	0.0105	0.018
3	1	2 - 3		0.0072	3	0.21	2022	0.0072	1	0.02	0.0141	0.021
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00		
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00		
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00		
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00		
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00		
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00		
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00		
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00		
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00		
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00		
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00		
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00		
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00		
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00		
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00		
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00		
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00		
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00		
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00		
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00		
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00		
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00		
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00		
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00		
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00		
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00		
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00		
Total Increased Cancer Risk						3.6				0.08		

* Third trimester of pregnancy

1530-1536-1544 West San Carlos Street, San Jose, CA
Maximum DPM Cancer Risk Calculations From Construction - Unmitigated Emissions
Impacts at Off-Site Receptors-1.5 meter receptor height

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹

ASF = Age sensitivity factor for specified age group

ED = Exposure duration (years)

AT = Averaging time for lifetime cancer risk (years)

FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)

DBR = daily breathing rate (L/kg body weight-day)

A = Inhalation absorption factor

EF = Exposure frequency (days/year)

10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Age	Infant/Child - Exposure Information			Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Fugitive PM2.5	Total PM2.5
			DPM Conc (ug/m3)		Sensitivity Factor		Modeled		Age Sensitivity Factor			
			Year	Annual			Year	Annual				
0	0.25	-0.25 - 0*	2020	0.2102	10	2.98	2020	0.2102	-	-		
1	1	0 - 1	2020	0.2102	10	34.52	2020	0.2102	1	0.60	1.0430	1.247
2	1	1 - 2	2021	0.1395	10	22.91	2021	0.1395	1	0.40	0.0259	0.164
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00		
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00		
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00		
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00		
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00		
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00		
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00		
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00		
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00		
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00		
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00		
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00		
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00		
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00		
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00		
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00		
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00		
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00		
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00		
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00		
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00		
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00		
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00		
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00		
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00		
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00		
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00		
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00		
Total Increased Cancer Risk						60.4				1.00		

* Third trimester of pregnancy

1530-1536-1544 West San Carlos Street, San Jose, CA
Maximum DPM Cancer Risk Calculations From Construction - Unmitigated Emissions
Impacts for On-Site Receptors-4.5 meter

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹
 ASF = Age sensitivity factor for specified age group
 ED = Exposure duration (years)
 AT = Averaging time for lifetime cancer risk (years)
 FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)
 DBR = daily breathing rate (L/kg body weight-day)
 A = Inhalation absorption factor
 EF = Exposure frequency (days/year)
 10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Infant/Child - Exposure Information				Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Hazard Index	Fugitive PM2.5	Total PM2.5
		Age	DPM Conc (ug/m3)		Age Sensitivity Factor		Modeled		Age Sensitivity Factor				
			Year	Annual			Year	Annual					
0	0.25	-0.25 - 0*	2022	0.6426	10	9.11	2022	0.6426	-	-			
1	1	0 - 1	2022	0.6453	10	105.98	2022	0.6453	1	1.85	0.129	0.3488	0.99
2	1	1 - 2	0	0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3	0	0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						115.1				1.85			

* Third trimester of pregnancy

1530-1536-1544 West San Carlos Street, San Jose, CA
Maximum DPM Cancer Risk Calculations From Construction - Mitigated Emissions
Impacts for On-Site Receptors-4.5 meter

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor (mg/kg-day)⁻¹
 ASF = Age sensitivity factor for specified age group
 ED = Exposure duration (years)
 AT = Averaging time for lifetime cancer risk (years)
 FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10⁻⁶

Where: C_{air} = concentration in air (µg/m³)
 DBR = daily breathing rate (L/kg body weight-day)
 A = Inhalation absorption factor
 EF = Exposure frequency (days/year)
 10⁻⁶ = Conversion factor

Values

Age --> Parameter	Infant/Child				Adult
	3rd Trimester	0 - 2	2 - 9	2 - 16	16 - 30
ASF =	10	10	3	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	631	572	261
A =	1	1	1	1	1
EF =	350	350	350	350	350
AT =	70	70	70	70	70
FAH =	1.00	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Infant/Child - Exposure Information				Infant/Child Cancer Risk (per million)	Adult - Exposure Information			Adult Cancer Risk (per million)	Hazrd Index	Fugitive PM2.5	Total PM2.5
		Age	DPM Conc (ug/m3)		Age Sensitivity Factor		Modeled		Age Sensitivity Factor				
			Year	Annual			Year	Annual					
0	0.25	-0.25 - 0*	2020	0.0198	10	0.28	2020	0.0198	-	-			
1	1	0 - 1	2020	0.0198	10	3.25	2020	0.0198	1	0.06	0.004	0.0489	0.069
2	1	1 - 2		0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						3.5				0.06			

* Third trimester of pregnancy

Attachment 4: Screening Community Risk Calculations

Bay Area Air Quality Management District

Roadway Screening Analysis Calculator

County specific tables containing estimates of risk and hazard impacts from roadways in the Bay Area.

INSTRUCTIONS:

Input the site-specific characteristics of your project by using the drop down menu in the "Search Parameter" box. We recommend that this analysis be used for roadways with 10,000 AADT and above.

- **County:** Select the County where the project is located. The calculator is only applicable for projects within the nine Bay Area counties.
- **Roadway Direction:** Select the orientation that best matches the roadway. If the roadway orientation is neither clearly north-south nor east-west, use the highest values predicted from either orientation.
- **Side of the Roadway:** Identify on which side of the roadway the project is located.
- **Distance from Roadway:** Enter the distance in feet from the nearest edge of the roadway to the project site. The calculator estimates values for distances greater than 10 feet and less than 1000 feet. For distances greater than 1000 feet, the user can choose to extrapolate values using a distribution curve or apply 1000 feet values for greater distances.
- **Annual Average Daily Traffic (ADT):** Enter the annual average daily traffic on the roadway. These data may be collected from the city or the county (if the area is unincorporated).

When the user has completed the data entries, the screening level PM2.5 annual average concentration and the cancer risk results will appear in the Results Box on the right. Please note that the roadway tool is not applicable for California State Highways and the District refers the user to the Highway Screening Analysis Tool at: <http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx>.

Notes and References listed below the Search Boxes

Search Parameters	Results	
County Santa Clara Roadway Direction East-West Side of the Roadway South Distance from Roadway 40 feet Annual Average Daily Traffic (ADT) 21,795	<u>Santa Clara County</u> EAST-WEST DIRECTIONAL ROADWAY PM2.5 annual average 0.298 ($\mu\text{g}/\text{m}^3$) Cancer Risk 11.76 (per million) West San Carlos Street, Project Site Cumulative plus project volumes from traffic report Data for Santa Clara County based on meteorological data collected from San Jose Airport in 1997	Adjusted for 2015 OEHHHA and EMFAC2014 for 2018 8.08 (per million) Note that EMFAC2014 predicts DSL PM2.5 aggregate rates in 2018 that are 46% of EMFAC2011 for 2014. TOG gasoline rates are 56% of EMFAC2011 year 2014 rates. This is for light- and medium-duty vehicles traveling at 30 mph for Bay Area

Notes and References:

1. Emissions were developed using EMFAC2011 for fleet mix in 2014 assuming 10,000 AADT and includes impacts from diesel and gasoline vehicle exhaust, brake and tire wear, and resuspended dust.
2. Roadways were modeled using CALINE4 Cal3qhc air dispersion model assuming a source length of one kilometer. Meteorological data used to estimate the screening values are noted at the bottom of the "Results" box.
3. Cancer risks were estimated for 70 year lifetime exposure starting in 2014 that includes sensitivity values for early life exposures and OEHHHA toxicity values adopted in 2013.

Roadway Screening Analysis Calculator

County specific tables containing estimates of risk and hazard impacts from roadways in the Bay Area.

INSTRUCTIONS:

Input the site-specific characteristics of your project by using the drop down menu in the "Search Parameter" box. We recommend that this analysis be used for roadways with 10,000 AADT and above.

• County: Select the County where the project is located. The calculator is only applicable for projects within the nine Bay Area counties.

• Roadway Direction: Select the orientation that best matches the roadway. If the roadway orientation is neither clearly north-south nor east-west, use the highest values predicted from either orientation.

• Side of the Roadway: Identify on which side of the roadway the project is located.

• Distance from Roadway: Enter the distance in feet from the nearest edge of the roadway to the project site. The calculator estimates values for distances greater than 10 feet and less than 1000 feet. For distances greater than 1000 feet, the user can choose to extrapolate values using a distribution curve or apply 1000 feet values for greater distances.

• Annual Average Daily Traffic (AADT): Enter the annual average daily traffic on the roadway. These data may be collected from the city or the county (if the area is unincorporated).

When the user has completed the data entries, the screening level PM2.5 annual average concentration and the cancer risk results will appear in the Results Box on the right. Please note that the roadway tool is not applicable for California State Highways and the District refers the user to the Highway Screening Analysis Tool at: <http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx>.

Notes and References listed below the Search Boxes

Search Parameters

County

Santa Clara

Roadway Direction

East-West

Side of the Roadway

South

Distance from Roadway

230

feet

Annual Average Daily
Traffic (AADT)

21,795

Results

Santa Clara County

EAST-WEST DIRECTIONAL ROADWAY

PM2.5 annual average

0.112 ($\mu\text{g}/\text{m}^3$)

Cancer Risk

4.45 (per million)

West San Carlos Street, MEI

Cumulative plus project volumes from traffic report

Data for Santa Clara County based on meteorological data collected from San Jose Airport in 1997

Adjusted for 2015
OEHH and EMFAC2014
for 2018

3.06

(per million)

Note that EMFAC2014 predicts DSL PM2.5 aggregate rates in 2018 that are 46% of EMFAC2011 for 2014. TOG gasoline rates are 56% of EMFAC2011 year 2014 rates. This is for light- and medium-duty vehicles traveling at 30 mph for Bay Area

Notes and References:

1. Emissions were developed using EMFAC2011 for fleet mix in 2014 assuming 10,000 AADT and includes impacts from diesel and gasoline vehicle exhaust, brake and tire wear, and resuspended dust.
2. Roadways were modeled using CALINE4 Cal3qhc air dispersion model assuming a source length of one kilometer. Meteorological data used to estimate the screening values are noted at the bottom of the "Results" box.
3. Cancer risks were estimated for 70 year lifetime exposure starting in 2014 that includes sensitivity values for early life exposures and OEHH toxicity values adopted in 2013.

BAY AREA AIR QUALITY MANAGEMENT DISTRICT
 DETAIL POLLUTANTS - ABATED
 MOST RECENT P/O APPROVED (2016)

Printed: DEC 12, 2018

San Jose Water Company (P# 19794)

S#	SOURCE NAME	MATERIAL	SOURCE CODE	THROUGHPUT	DATE	POLLUTANT	CODE	LBS/DAY

1	Emergency Standby Diesel Generator Set							
	C22BH098							
		Benzene	41	2.13E-03				
		Formaldehyde	124	1.77E-04				
		Organics (other, including	990	1.03E-01				
		Arsenic (all)	1030	1.86E-06				
		Beryllium (all) pollutant	1040	1.09E-06				
		Cadmium	1070	4.65E-06				
		Chromium (hexavalent)	1095	9.62E-08				
		Lead (all) pollutant	1140	3.94E-06				
		Manganese	1160	6.19E-06				
		Nickel pollutant	1180	7.52E-05				
		Mercury (all) pollutant	1190	1.31E-06				
		Diesel Engine Exhaust Part	1350	2.05E-02				
		PAH's (non-speciated)	1840	9.81E-06				
		Nitrous Oxide (N2O)	2030	5.72E-04				
		Nitrogen Oxides (part not	2990	1.50E+00				
		Sulfur Dioxide (SO2)	3990	6.97E-04				
		Carbon Monoxide (CO) pollu	4990	3.27E-01				
		Carbon Dioxide, non-biogen	6960	7.15E+01				
		Methane (CH4)	6970	2.86E-03				

Total PM2.5 Concentration	0.00	µg/m³
------------------------------	------	-------

Step 2:
Enter Emissions Data

Total PM2.5 Concentration	0.00	µg/m³
------------------------------	------	-------

Drop-down Menu

yes

no

Gas Station				
Distance (meters)	Distance (feet)	Distance adjustment multiplier	Enter Risk or Hazard	Adjusted Risk or Hazard
0	0.0	1.000		0.0000
5	16.4	1.000		0.0000
10	32.8	1.000		0.0000
15	49.2	1.000		0.0000
20	65.6	1.000		0.0000
25	82.0	0.728		0.0000
30	98.4	0.559		0.0000
35	114.8	0.445		0.0000
40	131.2	0.365		0.0000
45	147.6	0.305		0.0000
50	164.0	0.260		0.0000
55	180.4	0.225		0.0000
60	196.9	0.197		0.0000
65	213.3	0.174		0.0000
70	229.7	0.155		0.0000
75	246.1	0.139		0.0000
80	262.5	0.126		0.0000
85	278.9	0.114		0.0000
90	295.3	0.104		0.0000
95	311.7	0.096		0.0000
100	328.1	0.088		0.0000
105	344.5	0.082		0.0000
110	360.9	0.076		0.0000
115	377.3	0.071		0.0000
120	393.7	0.066		0.0000
125	410.1	0.062		0.0000
130	426.5	0.058		0.0000
135	442.9	0.055		0.0000
140	459.3	0.052		0.0000
145	475.7	0.049		0.0000
150	492.1	0.046		0.0000
155	508.5	0.044		0.0000
160	524.9	0.042		0.0000
165	541.3	0.040		0.0000
170	557.7	0.038		0.0000
175	574.1	0.036		0.0000
180	590.6	0.034		0.0000
185	607.0	0.033		0.0000
190	623.4	0.031		0.0000
195	639.8	0.030		0.0000
200	656.2	0.029		0.0000
205	672.6	0.028		0.0000
210	689.0	0.027		0.0000
215	705.4	0.026		0.0000
220	721.8	0.025		0.0000
225	738.2	0.024		0.0000
230	754.6	0.023		0.0000
235	771.0	0.022		0.0000
240	787.4	0.022		0.0000
245	803.8	0.021		0.0000
250	820.2	0.020		0.0000
255	836.6	0.020		0.0000
260	853.0	0.019		0.0000
265	869.4	0.018		0.0000
270	885.8	0.018		0.0000
275	902.2	0.017		0.0000
280	918.6	0.017		0.0000
285	935.0	0.016		0.0000
290	951.4	0.016		0.0000
295	967.8	0.015		0.0000
300	984.3	0.015		0.0000

Drop-down Menu

yes

no

Diesel Backup Generator						
Distance (meters)	Distance (feet)	Distance adjustment multiplier	Enter Risk or Hazard	Adjusted Risk or Hazard	Enter PM2.5 Concentration	Adjusted PM2.5 Concentration
0	0.0	1.000		0		0
5	16.4	1.000		0		0
10	32.8	1.000		0		0
15	49.2	1.000		0		0
20	65.6	1.000		0		0
25	82.0	0.85		0		0
30	98.4	0.73		0		0
35	114.8	0.64		0		0
40	131.2	0.58		0		0
50	164.0	0.5		0		0
60	196.9	0.41		0		0
70	229.7	0.31		0		0
80	262.5	0.28		0		0
90	295.3	0.25		0		0
100	328.1	0.22		0		0
110	360.9	0.18		0		0
120	393.7	0.16		0		0
130	426.5	0.15		0		0
140	459.3	0.14		0		0
150	492.1	0.12		0		0
160	524.9	0.1		0		0
180	590.6	0.09		0		0
200	656.2	0.08		0		0
220	721.8	0.07		0		0
240	787.4	0.06		0		0
260	853.0	0.05		0		0
280	918.6	0.04		0		0

Generic Case		
Distance (meters)	Distance (feet)	Multiplier
0	0.0	1.000
5	16.4	1.000
10	32.8	0.883
15	49.2	0.855
20	65.6	0.827
25	82.0	0.801
30	98.4	0.775
35	114.8	0.750
40	131.2	0.726
45	147.6	0.702
50	164.0	0.679
55	180.4	0.658
60	196.9	0.636
65	213.3	0.616
70	229.7	0.596
75	246.1	0.577
80	262.5	0.558
85	278.9	0.540
90	295.3	0.523
95	311.7	0.506
100	328.1	0.489
105	344.5	0.474
110	360.9	0.458
115	377.3	0.444
120	393.7	0.429
125	410.1	0.415
130	426.5	0.402
135	442.9	0.389
140	459.3	0.376
145	475.7	0.364
150	492.1	0.353
155	508.5	0.341
160	524.9	0.330
165	541.3	0.319
170	557.7	0.309
175	574.1	0.299
180	590.6	0.290
185	607.0	0.280
190	623.4	0.271
195	639.8	0.262
200	656.2	0.254
205	672.6	0.246
210	689.0	0.238
215	705.4	0.230
220	721.8	0.223
225	738.2	0.216
230	754.6	0.209
235	771.0	0.202
240	787.4	0.195
245	803.8	0.189
250	820.2	0.183
255	836.6	0.177
260	853.0	0.171
265	869.4	0.166
270	885.8	0.160
275	902.2	0.155
280	918.6	0.150
285	935.0	0.145
290	951.4	0.141
295	967.8	0.136
300	984.3	0.132

BAAQMD Risk and Hazards Emissions Screening Calculator Instructions (Beta Version)

Intention	This calculator is designed to estimate screen-level cancer risk, a non-cancer health hazard index, and PM2.5 concentrations using emissions data from BAAQMD's permitting database. This tool should only be used for permitted facilities where screening-level risks have not already been calculated by BAAQMD or if BAAQMD Health Risk Screening Assessments have not been completed.
Data	BAAQMD staff will provide emissions information for each requested permitted facility. If a facility contains more than one permitted source, BAAQMD staff will provide the plant's total emissions.
Process	The spreadsheet titled "Health Risk Calculator" is the user worksheet for this tool. The tool is based on a five-step process: Step 1: enter facility descriptors, Step 2: enter the emissions data, Step 3: enter distance estimates to adjust the health estimates, Step 4: categorize the facility, and Step 5: read the estimates.

EXAMPLE:

BAY AREA AIR QUALITY MANAGEMENT DISTRICT Print ed: DEC 22, 2011
DETAIL POLLUTANTS - ABATED
MOST RECENT PIO APPROVED (2011)

Plant Name: Example 1

S#	SOURCE NAME	SOURCE CODE	DATE	POLLUTANT	CODE	LBS/ DAY
MATERIAL	THROUGHPUT					

This plant contains 4 permitted sources that are combined and presented in the plant total:

PLANT TOTAL:

lbs/day Pollutant

Benzene	41	1.26E-03
Formaldehyde	124	1.04E-04
Organics (part not spec el)	990	6.06E-02
Arsenic (all)	1030	3.09E-06
Beryllium (all) pollutant	1040	6.41E-07
Cadmium	1070	2.73E-06
Chromium (hexavalent)	1095	5.65E-08
Lead (all) pollutant	1140	2.32E-06
Manganese	1160	3.64E-06
Nickel pollutant	1180	4.42E-05
Mercury (all) pollutant	1190	7.73E-07
Diesel Engine Exhaust Part	1350	6.31E-02
PAHs (non-speciated)	1840	5.77E-06
Nitrous Oxide (NO ₂)	2030	3.36E-04
Nitrogen Oxides (part not spec el)	2990	8.84E-01
Sulfur Dioxide (SO ₂)	3990	4.10E-04
Carbon Monoxide (CO) pollutant	4990	1.92E-01
Carbon Dioxide, non-biogenic	6960	4.20E+01
Methane (CH ₄)	6970	1.68E-03

Daily emissions

Pollutant Name	Emission/lbs per day	Cancer Risk
ARSENIC	1.09E-06	5.50E-08
BENZENE	1.26E-03	1.22E-07
BERYLLIUM	6.41E-07	4.98E-09
CADMIUM	2.73E-06	3.79E-08
CHROMIUM	5.65E-08	2.67E-08
DIESEL PM	6.31E-02	6.70E-05
FORMALDEHYDE	1.04E-04	2.11E-09
LEAD	2.32E-06	2.65E-08
NICKEL	4.42E-05	3.73E-08
PAH'S	5.77E-06	5.77E-06
TOTAL:		7.31E-05

Using this screening approach, the cancer risk estimate for this facility is 7.31E-05, alternatively expressed as **73 in a million**. If the facility contains only diesel back-up engines, the distance multiplier can be used to adjust the estimated cancer risk.

Note: Not all of the chemicals being emitted by the plant in this example are associated with cancer risk, therefore those chemicals are not included in the cancer risk estimation. Similarly, not all of the chemicals emitted by the plant in this example are associated with acute or chronic hazards.

Plug in the emissions in column B in the remaining tabs in the same fashion to estimate chronic and acute hazards, and PM2.5 concentrations.

Notes: Created 3/22/2019. Version 2.0 Beta. This calculator will create screening level values. More detailed modeling methods will result in more accurate values. For questions and comments contact Areana Flores at alflores@baaqmd.gov.

